



AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

POWER TOOLS

Cordless Power Tools Range



**HEAVY
DUTY**





- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

SCREW DRIVERS

Screwdriver

GSR 6-25 TE
(0 601 445 0P0)

HEAVY DUTY

1 year warranty*



2 604 921 943

Capacity

Power Input	: 701 W
Self-tapping Screws Diameter	: 6 mm
No-load Speed	: 0 - 2,500 rpm
Max. torque	: 20 Nm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.5 kg

Screwdriver

GSR 6-45 TE
(0 601 445 1P0)

HEAVY DUTY

1 year warranty*



2 604 921 943

Capacity

Power Input	: 701 W
Self-tapping Screws Diameter	: 6 mm
No-load Speed	: 0 - 4,500 rpm
Max. torque	: 12 Nm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.4 kg

3.6 V Li-Ion

IXO 3
Cordless Screwdriver
(0 601 960 2L0)



Capacity

Max. Screw Dia.	: 5 mm
Max. Torque	: 4 Nm
No-load Speed	: 0 - 180 rpm
Battery Voltage	: 3.6 V / 1.3 Ah
Charger	: AL 1115 CV
Charging Time	: about 5 hours
Weight	: 0.3 kg

GSR 3,6 V-LI BitDrive
Cordless Screwdriver
(0 601 9D3 0L0)



Capacity

Battery Voltage	: 3.6 V / 1.5 Ah
Max. Screw Dia.	: 5 mm
Max. Torque	: 4.5 Nm
No-load Speed	: 210 rpm
Charger	: Micro USB
Charging Time	: 4 hours
Weight	: 0.5 kg



AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

IMPACT DRIVERS

12 V Li-Ion

GDR 120-LI
Cordless Impact Driver
(0 601 9F0 0L1)



Capacity

Battery Voltage	: 12 V / 1.5 Ah
Max. Torque Hard	: 100 Nm
No-load Speed	: 0 - 1,300 / 2,600 rpm
Impact Rate	: 2,800 - 3,200 bpm
Max Screw Dia.	: 8 mm
Bit Holder	: 1/4"
Charging Time	: 90 mins
Weight	: 1.06 kg

GDR 12 V-EC
Cordless Impact Driver
(0 601 9E0 0L2)

HEAVY DUTY
1 year warranty*



Capacity

Battery Voltage	: 12 V / 2.0 Ah
Tool Holder System	: 1/4" Hex (6.35 mm)
No-load Speed	: 0 - 1,200 / 2,600 rpm
Impact Rate	: 0 - 2,700 / 3,100 bpm
Max. Torque	: 110 Nm
Charger	: GAL 1230 CV
Charging Time	: 45 mins
Weight	: 0.95 kg

DRILL DRIVERS

GSR 12 V-EC
Cordless Drill / Driver
(0 601 9D4 0L2)

HEAVY DUTY
1 year warranty*



Capacity

Battery Voltage	: 12 V / 2.0 Ah
Drilling Dia.: In Steel	: 10 mm
In Wood	: 25 mm
Max. Torque (hard/soft)	: 20 / 18 Nm
No-load Speed	: 0 - 400 / 1,300 rpm
Charger	: GAL 1230 CV
Charging Time	: 45 mins
Weight	: 0.9 kg

18 V Li-Ion

GSR 180-LI
Cordless Drill / Driver
(0 601 9F8 1L0)



Capacity

Battery Voltage	: 18 V / 1.5 Ah
Chuck Capacity	: 13 mm
Clutch Setting	: 20 + 1
No-load Speed (1st gear)	: 0 - 450 rpm
(2nd gear)	: 0 - 1,700 rpm
Torque Settings	: 20+1
Max Screw Dia.	: 10 mm
Max Drilling Wood / Steel	: 35 / 10 mm
Weight	: 1.0 kg





- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

IMPACT WRENCH/DRIVER

GDX 180-LI Cordless Impact Wrench / Driver (0 601 9G5 210)



Capacity

Battery Voltage	: 18 V / 2.0 Ah
No-load Speed	: 0 - 2,800 rpm
Impact Rate	: 0 - 3,600 bpm
Max Torque	: 180 Nm
Head Length	: 170 mm
Dimensions	
Length/Height	: 171 / 234 mm
Motor	: DC
Bit Holder/Shank	: 3/8" Hex; 1/2" Square
LED light	: Yes - above trigger

GDX 18 V-EC Cordless Impact Wrench / Driver (0 601 9B9 1L0)



HEAVY DUTY

1 year warranty*



Capacity

Battery Voltage	: 18 V / 4.0 Ah
Tool Holder	: Hex & Square
No-load Speed	: 0 - 2,800 rpm
Impact Rate	: 0 - 3,200 bpm
Max. Torque	: 185 Nm
Charger	: AL 1880 CV
Weight	: 1.7 kg

GDS 18 V-LI HT (Solo)** Cordless Impact Wrench (0 601 9A1 3L4)

HEAVY DUTY

1 year warranty*



Capacity

Torque Max.	: 850 Nm
No-load Speed	: 0 - 1,900 rpm
Impact Rate	: 0 - 2,100 bpm
Screw Diameter	: M12 - M20
Toolholder	: 1/2" External Square
Weight	: 3.0 kg

GDS 250-LI Cordless Impact Wrench (0 601 9G6 1L0)



Capacity

Battery Voltage	: 18 V / 3.0 Ah
Charger	: AL 1820 CV
Max Torque	: 250 Nm
No-load Speed	: 0 - 2,400 rpm
Impact Rate	: 0 - 3,300 bpm
Tool Holder	: 1/2" Square (Pin Hole + Retention Ring)
Screw Size	: M10 - M18





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

JIGSAW

Jigsaw

GST 700
(0 601 2A7 0L0)



Capacity

Power Input	: 500 W
Stroke Rate	: 1,450 - 3,200 spm
Cutting Depth In Wood	: 70 mm
Stroke Length	: 20 mm
Weight	: 2.1 kg

Jigsaw

GST 80 PBE
(0 601 581 59F)

HEAVY DUTY
1 year warranty*



1 607 031 228

Capacity

Power Input	: 680 W
In Wood	: 85 mm
In Metal	: 10 mm
No-load Stroke Rate	: 500 - 3,100 spm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.4 kg

Jigsaw

GST 25 M
(0 601 516 0L0)

HEAVY DUTY
1 year warranty*



1 607 031 228

Capacity

Power Input	: 670 W
In Wood	: 80 mm
In Aluminium	: 25 mm
In Steel	: 15 mm
No-load Speed	: 500 - 2,800 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.7 kg

GST 12 V-LI (Solo)**
Cordless Jigsaw
(0 601 5A1 0L1)

HEAVY DUTY
1 year warranty*



Capacity

No-load Stroke Rate	: 1,500 - 2,800 spm
Stroke Length	: 18 mm
Cutting Capacity	
- In Wood	: 70 mm
- In Aluminium	: 3 mm
- In Non-alloy Steel	: 3 mm
Weight	: 1.5 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

SABRE SAW

Sabre Saw

GSA 1100 E
(0 601 64C 8L0)

HEAVY DUTY 1 year warranty*



  2 610 956 917

Capacity

Power Input	: 1,100 W
Cutting depth: In Wood	: 230 mm
In Metal	: 20 mm
No-load Stroke Rate	: 2,700 stroke/min
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 3.6 kg

GSA 18 V-LI (Solo)**
Cordless Sabre Saw
(0 601 64J 0B1)

HEAVY DUTY 1 year warranty*



  2 610 943 623

Capacity

Stroke Length	: 28 mm
No-load Stroke Rate	: 0 - 2,400 / 0 - 2,700 spm
Weight	: 3.4 kg

GSA 12 V-LI (Solo)**
Cordless Sabre Saw
(0 601 64L 9L2)

HEAVY DUTY 1 year warranty*



Capacity

Stroke speed	: 0 - 3,000 spm
Stroke Length	: 14.5 mm
Pipe Diameter	: 50 mm
Wood	: 65 mm

GSA 18 V-32 (Solo)**
Cordless Sabre Saw
(0 601 6A8 102)

HEAVY DUTY 1 year warranty*



Capacity

Stroke Length	: 32 mm
No-load Stroke Rate	: 0 - 2,500 spm
Cutting Depth In Wood	: 230 mm
In Metal	: 175 mm
Weight	: 3.5 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

CIRCULAR SAW

18 V Li-Ion

GKS 18 V-57 (Solo)
Cordless Circular Saw
(0 601 6A2 2L0)**

**HEAVY
DUTY**

1 year
warranty*



Capacity

No-load Speed	: 3,400 rpm
Blade Diameter	: 165 mm
Saw Blade Bore Diameter	: 20 mm
Max. Cutting Capacities at 90°	: 57 mm
at 45°	: 42 mm
Weight	: 4.1 kg

GKS 12 V-LI (Solo)
Cordless Circular Saw
(0 601 6A1 0L2)**

**HEAVY
DUTY**

1 year
warranty*



Capacity

No-load Speed	: 1,400 rpm
Depth of Cut - 90°	: 28.5 mm
Bore Diameter	: 15 mm
Max. Bevel	: 45°
Weight	: 1.4 kg

GKM 18 V-LI (Solo)
Cordless Metal Circular Saw
(0 601 6A4 001)**

**HEAVY
DUTY**

1 year
warranty*



Capacity

No-load Speed	: 4,250 rpm
Blade Diameter	: 136 mm
Saw Blade Bore Diameter	: 20 mm
Cutting Capacity	: 50 mm
Battery Voltage	: 18 V
Cutting Depth Adjustment	: Yes

Circular Saw

**GKS 600
(0 601 6A9 0L0)**



Capacity

Power Input	: 1,200 W
No-load Speed	: 5,000 rpm
Blade Bore Size	: 20 mm
Diameter	: 165 mm
Cutting depth (90°/45°)	: 55 / 37 mm
Weight	: 3.6 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Circular Saw

GKS 7000
(0 601 676 0L0)



1 619 P10 063

Capacity

Power Input	: 1,100 W
Blade Diameter	: 184 mm
Cutting Depth (90°)	: 65 mm
Cutting Depth (45°)	: 47 mm
No-load Speed	: 5,200 rpm
Weight	: 3.6 kg

Circular Saw

GKS 190
(0 601 623 0L0)

HEAVY DUTY
1 year warranty*



1 619 P06 348



Capacity

Power Input	: 1,400 W
Blade Diameter	: 184 mm
Max. Cutting Capacities	
at 90°	: 67 mm
at 45°	: 48 mm
No-load Speed	: 5,500 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 4.1 kg

Circular Saw

GKS 66 X
(0 601 676 1L0)

HEAVY DUTY
1 year warranty*



1 619 P10 063

Capacity

Power Input	: 1,200 W
Cutting Depth at 90°	: 66 mm
45°	: 47 mm
No-load Speed	: 4,900 rpm
Blade Diameter	: 165 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 3.4 kg

Circular Saw

GKS 235 Turbo
(0 601 5A2 0L0)

HEAVY DUTY
1 year warranty*



1 619 P01 685

Capacity

Power Input	: 2,050 W
Saw Blade Diameter	: 235 mm
Max. Cutting Capacities	
at 90°	: 65 mm
at 45°	: 65 mm
No-load Speed	: 0 - 5,300 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 7.6 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Diamond Wheel Cutter

GDM 18-34
(0 601 36A 2L0)

HEAVY DUTY

1 year warranty*



1 619 P06 304

Capacity

Power Input	: 1,300 W
Blade Diameter	: 110 mm
Max. Cutting Depth	: 34 mm
Base Plate	: 100 x 180 mm
No-load Speed	: 12,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.6 kg

GBH 180-LI
Cordless Rotary Hammer 3 mode
(0 611 911 0L3)



1 619 P14 345

Capacity

Battery Voltage	: 18 V / 4.0 Ah
Impact Energy	: 1.7 J
No-load Speed	: 0 - 1,800 rpm
Impact Rate	: 0 - 4,550 bpm
Drilling Capacity Concrete	: 20 mm
Charger	: AL 1860 CV
Weight	: 2.6 kg

STRAIGHT GRINDER

GG5 18 V-LI (Solo)**
Cordless Straight Grinder
(0 601 9B5 300)

HEAVY DUTY

1 year warranty*



Capacity

No-load Speed	: 2 - 22,000 rpm
Toolholder	: Collet up to 8 mm Diameter
Weight	: 1.8 kg

Straight Grinder

GG5 28 LC / GGS 28 C
(0 601 221 070) / (0 601 220 070)

HEAVY DUTY

1 year warranty*



1 607 014 176

Capacity

Power Input	: 850 W
Max. Collet Diameter	: 8 mm
No-load Speed	: 28,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight (GGS 28 LC)	: 1.8 kg
(GGS 28 C)	: 1.4 kg





- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

ANGLE GRINDER

GWS 18 V-LI (Solo)** Cordless Angle Grinder (0 601 93A 3L5)

HEAVY DUTY

1 year warranty*



Capacity

No-load Speed	: 10,000 rpm
Roughing/Cutting Disc, Diameter	: 100 mm
Weight	: 2.3 kg

4" Angle Grinder

GWS 7-100 ET (0 601 388 5L0)

HEAVY DUTY

1 year warranty*



1 619 P02 870

Capacity

Power Input	: 720 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Wire Cup Brush Diameter	: 70 mm
No-load Speed	: 2,600 - 9,300 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.8 kg

4" Angle Grinder

GWS 060 (0 601 375 6L0)



1 619 P07 571

Capacity

Power Input	: 670 W
No-load Speed	: 12,000 rpm
Grinding Spindle Thread	: M10
Disc Diameter	: 100 mm
Weight	: 1.6 kg

4" Angle Grinder

GWS 750-100 (0 601 384 0L0)

HEAVY DUTY

1 year warranty*



1 619 P11 715

Capacity

Power Input	: 750 W
No-load Speed	: 11,000 rpm
Disc Diameter	: 100 mm
Grip Size	: 59 / 54.5 mm
Perimeter	: 187 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.8 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

4" Angle Grinder

GWS 900-100 S
(0 601 396 1L0)

HEAVY DUTY

1 year warranty*



1 619 P11 715

Capacity

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Grinding Spindle Thread	: M10
No-load Speed	: 2,800 - 11,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.9 kg

4" Angle Grinder

GWS 900-100
(0 601 396 0L0)

HEAVY DUTY

1 year warranty*



1 619 P11 715

Capacity

Power Input	: 900 W
Grinding / Cutting	
Disc Diameter	: 100 mm
Grinding Spindle Thread	: M10
No-load Speed	: 11,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.8 kg

4" Angle Grinder

GWS 9-100 P
(0 601 396 5L0)

HEAVY DUTY

1 year warranty*



1 619 P11 715

Capacity

Power Input	: 900 W
Disc Diameter	: 100 mm
Spindle Thread	: M10
No-load Speed	: 11,000 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.9 kg

5" Angle Grinder

GWS 13-125 CI
(0 601 79E 002)

HEAVY DUTY

1 year warranty*



1 607 000 V37

Capacity

Power Input	: 1,300 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.3 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

5" Angle Grinder

GWS 17-125 CI
(0 601 79G 002)

HEAVY DUTY

1 year warranty*



1607 000 V37

Capacity

Power Input	: 1,700 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.4 kg

5" Angle Grinder

GWS 17-125 CI
(0 601 79G 002)

HEAVY DUTY

1 year warranty*



1607 000 V37

Capacity

Power Input	: 1,700 W
No-load Speed	: 11,500 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.4 kg

5" Angle Grinder

GWS 18-125 L

HEAVY DUTY

1 year warranty*



Capacity

Power Input	: 1,800 W
No-load Speed	: 12,000 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 125 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.5 kg

6" Angle Grinder

GWS 17-150 CI
(0 601 79K 002)

HEAVY DUTY

1 year warranty*



1 607 000 V37

Capacity

Power Input	: 1,700 W
No-load Speed	: 9,300 rpm
Grinding Spindle Thread	: M14
Disc Diameter	: 150 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.4 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

7" Angle Grinder

GWS 20-180
(0 601 849 106)

HEAVY DUTY

1 year warranty*



1 607 014 171

Capacity

Power Input	: 2,000 W
No-load Speed	: 8,500 rpm
Grinding / Cutting	
Disc Diameter	: 180 mm
Wire Cup Brush Diameter	: 100 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 4.2 kg

9" Angle Grinder

GWS 20-230
(0 601 850 106)

HEAVY DUTY

1 year warranty*



1 607 014 171

Capacity

Power Input	: 2,000 W
Grinding / Cutting	
Disc Diameter	: 230 mm
Wire Cup Brush Diameter	: 100 mm
No-load Speed	: 8,500 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 5.6 kg

BENCH GRINDER

Bench Grinder

GBG 35-15
(0 601 27A 3L0)

HEAVY DUTY

1 year warranty*



Capacity

Power Input	: 350 W
No-load Speed	: 3,000 rpm
Disc Diameter	: 150 mm
Weight	: 10 kg

Bench Grinder

GBG 60-20
(0 601 27A 4L0)

HEAVY DUTY

1 year warranty*



Capacity

Power Input	: 600 W
No-load Speed	: 3,600 rpm
Disc Diameter	: 200 mm
Weight	: 15 kg





- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

VACUUM CLEANER

GAS 12 V-LI (Solo)** Cordless Vacuum Cleaner (0 601 9E3 081)

HEAVY DUTY

1 year warranty*



Capacity

Container Volume	: 0.35 l
Filter Surface	: 408 cm ²
Max. Volume Flow Rate	: 15 l/sec
Max. Volume Pressure	: 45 mbar
Weight	: 0.9 kg

GAS 18 V-1 (Solo)** Cordless Vacuum Cleaner (0 601 9C6 2L0)

HEAVY DUTY

1 year warranty*



Capacity

Container Vol.	: 700 ml
Max. Underpressure	: 8 kPa
Max. Airflow	: 10 l/sec
Speeds	: 1 Speed
Runtime	: 7 min / Ah
Weight (w/o batt, w/o AC)	: 1.3 kg

BLOWER

GBL 18 V-120 (Solo)** Blower (0 601 9F5 1L0)

HEAVY DUTY

1 year warranty*



Capacity

No-load Speed	: 17,000 rpm
Air Speed, Max	: 75 m/s
Air Volume	: 2.0 m ³ /min
Runtime	: Speed I : 9 min / Ah Speed II: 5 min / Ah
Weight without Cable	: 1.1 kg

CORDLESS BAND SAW

GCB 18 V-LI (Solo)** Cordless Band Saw (0 601 2A0 300)

HEAVY DUTY

1 year warranty*



Capacity

No-load Speed	: 162 m/min
Saw Blade Diameter	: 733 x 12,7 x 0.5 mm
Max. Cutting Depth	: 63,5 mm
Weight	: 3.8 kg





- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com


ROTARY HAMMER

36 V Li-Ion

GBH 36 V-EC Compact Cordless Rotary Hammer 2 mode
(0 611 903 RL1)

HEAVY DUTY

1 year warranty*



Capacity

In Concrete	: 4 - 18 mm
In Steel	: 13 mm
In Wood	: 30 mm
Impact Energy	: 1.7 J
Rated Speed	: 0 - 1,500 rpm
Impact Rate	: 0 - 4,850 bpm
Battery Voltage	: 36 V / 2.0 Ah
Charger	: AL 3640 CV
Charging Time	: 45 mins
Weight	: 2.9 kg

GBH 18 V-26 (Solo) Cordless Rotary Hammer 3 mode**
(0 611 909 000)

HEAVY DUTY

1 year warranty*



Capacity

In Concrete	: 4 - 26 mm
In Steel	: 13 mm
In Wood	: 30 mm
Impact Energy	: 2.6 J
Rated Speed	: 0 - 890 rpm
Impact Rate	: 0 - 4,350 bpm
Weight	: 3.5 kg

GBH 36 V-LI Plus Cordless Rotary Hammer 3 mode
(0 611 906 0L0)

HEAVY DUTY

1 year warranty*



Capacity

In Concrete	: 8 - 28 mm
In Steel	: 13 mm
In Wood	: 30 mm
Impact energy	: 3.2 J
Impact Rate	: 0 - 4,174 bpm
Battery Voltage	: 36 V / 4.0 Ah
Charger	: AL 3680 CV
Charging Time	: 35 mins
Weight	: 4.5 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

DRILLS

Drill

GBM 320
(0 601 1A4 5L0)



1 619 PA4 619

Capacity

Power Input	: 320 W
In Steel	: 6.5 mm
In Aluminium	: 13 mm
In Wood	: 13 mm
No-load Speed	: 4,200 rpm
Weight	: 1.0 kg

Drill

GBM 13 HRE "High Torque"
(0 601 049 803)



HEAVY DUTY
1 year warranty*



1 607 031 222

Capacity

Power Input	: 550 W
In Steel	: 13 mm
In Aluminium	: 20 mm
In Wood	: 40 mm
No-load Speed	: 0 - 550 rpm
Torque (Approx.)	: 40 Nm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.1 kg

Drill

GBM 32-4
(0 601 130 203)

HEAVY DUTY
1 year warranty*



3 604 321 034

Capacity

Power Input	: 1,500 W
In Steel	: 32 mm
In Aluminium	: 50 / 70 mm
4 Speed	: 210 / 330 / 470 / 740 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 7.3 kg

Drill

GBM 13 RE
(0 601 477 5L0)

HEAVY DUTY
1 year warranty*



2 610 391 290

Capacity

Power Input	: 600 W
In Steel	: 13 mm
In Aluminium	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0 - 2,600 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.65 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Drill

GBM 13 HRE "High Torque"
(0 601 049 603)

HEAVY DUTY

1 year warranty*



1 607 031 222

Capacity

Power Input	: 550 W
In Steel	: 13 mm
In Aluminium	: 20 mm
In Wood	: 40 mm
No-load Speed	: 0 - 550 rpm
Torque (Approx.)	: 40 Nm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.1 kg

Drill

GBM 32-4
(0 601 130 203)

HEAVY DUTY

1 year warranty*



3 604 321 034

Capacity

Power Input	: 1,500 W
In Steel	: 32 mm
In Aluminium	: 50 / 70 mm
4 Speed	: 210 / 330 / 470 / 740 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 7.3 kg

Impact Drill

GSB 10 RE
(0 601 216 1L6)



2 610 391 290

Capacity

Power Input	: 500 W
In Masonry	: 10 mm
In Steel	: 8 mm
In Wood	: 20 mm
No-load Speed	: 0 - 2,600 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.5 kg

Impact Drill

GSB 16 RE
(0 601 228 1L2)

HEAVY DUTY

1 year warranty*



2 610 391 290

Capacity

Power Input	: 750 W
In Concrete	: 16 mm
In Steel	: 12 mm
In Wood (hard)	: 25 mm
No-load Speed	: 0 - 3,250 rpm
Impact Rate	: 0 - 48,500 bpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 1.8 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Impact Drill

**GSB 20-2 RE
(0 601 1A2 1L0)**

**HEAVY
DUTY**

1 year
warranty*



1 617 000 525

Capacity

Power Input	: 800 W
In Concrete	: 20 mm
In Steel	: 13 mm
In Wood	: 40 mm
No-load Speed	: 0 - 1,000 / 3,000 rpm
Impact Rate	: 0 - 16,000 / 48,000 bpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.6 kg

**GSB 180-LI
Cordless Impact Drill
(0 601 9F8 3L0)**



Capacity

Battery Voltage	: 18 V / 1.5 Ah
Chuck Capacity	: 13 mm
Torque (Hard / Soft)	: 54 / 21 Nm
No-load Speed (1st gear)	: 0 - 450 rpm
(2nd gear)	: 0 - 1,700 rpm
Impact Rate	: 0 - 27,000 min
Max Screw Dia.	: 10 mm
Max Drilling Wood / Steel	: 35 / 10 mm
Masonry	: 8 mm
Charger	: AL 1814 CV

Cut-off Machine

**GCO 220
(0 601 B37 3L0)**



Capacity

Power Input	: 2,200 W
No-load Speed	: 3,800 rpm
Disc Diameter	: 355 mm
Cutting Capacity	
Square Bar	□ : 119 x 119 mm
Round Bar	○ : 129 mm
Soft Start	: No
Weight	: 14 kg

Cut-off Machine

**GCO 14-24 J
(0 601 B37 2L0)**

**HEAVY
DUTY**

1 year
warranty*



1 607 014 171

Capacity

Power Input	: 2,400 W
Saw Blade Diameter	: 355 mm
Saw Blade Bore	: 25.4 mm
No-load Speed	: 3,800 rpm
Cutting Capacity	□ : 100 x 196 mm
	□ : 119 x 119 mm
	□ : 130 x 130 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 18.1 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

ELECTRIC SAW

Mitre Saw

GCM 10 MX
(0 601 B29 0L0)

HEAVY DUTY

1 year warranty*



1 607 014 171

Capacity

Power Input	: 1,700 W
Blade Size	: 255 mm
Arbour Size	: 25.4 mm
No-load Speed	: 4,800 rpm
Max Mitre	: 45° L / 52° R
Max. Cutting Capacity	: 89 x 89 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 13.5 kg

Mitre Saw

GCM 12 GDL
(0 601 B23 670)

HEAVY DUTY

1 year warranty*



2 610 021 311

Capacity

Power Input	: 2,000 W
Blade Size	: 305 mm
Arbour Size	: 30 mm
No-load Speed	: 3,800 rpm
Max. Mitre	: 52° L / 60° R
Cutting Capacity	: 104 x 341 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 32.1 kg

Slide Mitre Saw

GCM 8 SJL
(0 601 B19 1L0)

HEAVY DUTY

1 year warranty*



1 609 B03 790

Capacity

Power Input	: 1,600 W
Blade Size	: 218 mm
Bore Size	: 30 mm
No-load Speed	: 5,500 rpm
Max. Miter	: 52° L / 60° R
Cutting Capacity	: 70 x 312 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 17.3 kg

Mitre Saw Stand

T1B
(0 601 B12 310)



Capacity

Length of Work Bench without Extension	: 1,220 mm
Length of Work Bench with extension	: 2,630 mm
Weight	: 15 kg / 19 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Table Saw

GTS 10 J
(0 601 B30 5L0)

HEAVY DUTY

1 year warranty*



2 610 018 332

Capacity

Power Input	: 1,800 W
Saw Blade Diameter	: 254 mm
Bevel Setting	: 47° L / 2° R
Cutting Capacity (Right)	: 460 mm
(Left)	: 210 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 26 kg

Table Saw Stand

GTA 600
(0 601 B22 002)



Capacity

Table Height	: 602 mm
Max. Length Extension	
Unfolded	: 450 x 520 (D x L)
Max. Load Capacity	: 60 kg
Weight	: 6.9 kg

PLANER

Planer

GHO 6500
(0 601 596 0L0)



2 609 120 398

Capacity

Power Input	: 650 W
No-load Speed	: 16,500 rpm
Adjustable Chip Thickness	: 0 - 2.6 mm
Adjustable Rebating Depth	: 0 - 9 mm
Weight	: 2.8 kg

Planer

GHO 10-82
(0 601 594 006)

HEAVY DUTY

1 year warranty*



WOOD RAPTOR

2 609 120 064

Capacity

Power Input	: 710 W
Planing Width	: 82 mm
Planing Depth	: 0 - 1.0 mm
No-load Speed	: 16,500 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.5 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Polisher

GPO 950
(0 601 3A2 0L0)



Capacity

Power Input	: 950 W
Adaptor Size	: M14 / M16
Rubber Sanding Plate, Diameter	: 180 mm
Variable Speed	: 600 - 2,100 rpm
Weight	: 5.5 kg

Polisher

GPO 12 CE
(0 601 389 0L0)

HEAVY DUTY

1 year warranty*



1 607 014 176

Capacity

Power Input	: 1,250 W
No-load Speed	: 750 - 3,000 rpm
Polishing Disc Diameter	: 180 mm
Thread of Polishing Spindle	: M14
Tool Length	: 450 mm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 2.5 kg

HAMMERS

3 kg Rotary Hammer

GBH 3-28 DFR
(0 611 24A 0L0)

HEAVY DUTY

1 year warranty*



1 617 000 525

Capacity

Power Input	: 800 W
Impact Energy	: 3.1 - 3.5 J
In Concrete	: 28 mm
In Steel	: 13 mm
In Wood	: 30 mm
No-load Speed	: 0 - 900 rpm
Impact Rate	: 0 - 4,000 bpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 3.6 kg

Rotary Hammer

GBH 4-32 DFR
(0 611 332 1L0)

HEAVY DUTY

1 year warranty*



1 614 321 079

Capacity

Power Input	: 900 W
Impact Energy	: 4.2 J
In Concrete	: 32 mm
In Steel	: 13 mm
In Wood	: 32 mm
No-load Speed	: 0 - 760 rpm
Impact Rate	: 0 - 3,600 bpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 4.7 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Rotary Hammer with SDS-Max

GBH 5-40 D
(0 611 269 010)

HEAVY DUTY

1 year warranty*



1 617 031 245

Capacity

Power Input	: 1,100 W
Impact Energy (EPTA)	: 8.5 J
Max. App. In core cutter	: 90 mm
No-load Speed	: 170 - 340 rpm
Impact Rate	: 1,500 - 2,900 bpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 6.8 kg

Rotary Hammer

GBH 5-40 DCE
(0 611 264 070)

HEAVY DUTY

1 year warranty*



1 617 014 144

Capacity

Power Input	: 1,150 W
Impact Energy	: 2-11 J
Impact Rate	: 1,500 - 3,050 bpm
No-load Speed	: 170 - 340 rpm
Drilling Dia Concrete	: 12 - 40 mm
Vibration Values Drilling	
/Chiselling	: 10.5 / 7 / 5 m/s ²
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 6.8 kg

Rotary Hammer

GBH 8-45 D
(0 611 265 110)

HEAVY DUTY

1 year warranty*



1 617 000 A50

Capacity

Power Input	: 1500 W
Impact Rate	: 1,360 - 2,760 bpm
Impact Energy	: 12.5 J
Rated Speed	: 150 - 305 rpm
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 8.5 kg

Rotary Hammer

GBH 8-45 DV
(0 611 265 010)

HEAVY DUTY

1 year warranty*



1 617 014 145

Capacity

Power Input	: 1500 W
Impact Rate	: 1,360 - 2,760 bpm
Impact Energy	: 12.5 J
Drilling Dia Concrete	: 12 mm - 45 mm
Vibration Values	
Drilling / Chiselling	: 8/7 m/s ²
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 8.5 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Demolition Hammer

GSH 3 E
(0 611 320 703)

HEAVY DUTY

1 year warranty*



1 617 014 137

Capacity

Power Input	: 650 W
Impact Rate	: 0-3,500 bpm
Impact Force	: 4.3 J
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 3.5 kg

Demolition Hammer

GSH 5 (MAX)
(0 611 337 010)

HEAVY DUTY

1 year warranty*



1 607 031 245

Capacity

Power Input	: 1,100 W
Impact rate	: 2,850 bpm
Impact Energy	: 7.5 J
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 5.6 kg

Demolition Hammer

GSH 5 CE
(0 611 321 010)

HEAVY DUTY

1 year warranty*



1 617 014 144

Capacity

Power Input	: 1,150 W
Impact Rate	: 1,300 - 2,900 bpm
Impact Force	: 2 - 13 J
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 8.2 kg

Demolition Hammer

GSH 9 VC
(0 611 322 010)

HEAVY DUTY

1 year warranty*



1 617 000 A50

Capacity

Power Input	: 1,500 W
Impact Force	: 13 J
Vibration Value	: 9.5 m/s ²
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 8.5 kg





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Demolition Hammer

GSH 11 E
(0 611 316 8L0)

HEAVY DUTY

1 year warranty*



Capacity

Power Input	: 1,500 W
Impact Energy	: 16.8 J
Impact Rate	: 900 - 1,890 bpm
Vibration Value	: 18.5 m/s ²
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 10.2 kg

Demolition Hammer

GSH 16-30
(0 611 335 1L0)

HEAVY DUTY

1 year warranty*



1 617 014 143

Capacity

Power Input	: 1,750 W
Impact Rate	: 1,300 bpm
Impact Force	: 45 J
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 16.5 kg

Demolition Hammer

GSH 27 VC
(0 611 30A 070)

HEAVY DUTY

1 year warranty*



1 617 000 425

Capacity

Power Input	: 2,000 W
Impact Rate	: 1,000 bpm
Impact Force	: 69 J
Vibration Values Chiselling	: 8.5 m/s ²
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 29.5 kg

Demolition Hammer

GSH 27 VC
(0 611 30A 070)

HEAVY DUTY

1 year warranty*



1 617 000 425

Capacity

Power Input	: 2,000 W
Impact Rate	: 1,000 bpm
Impact Force	: 69 J
Vibration Values Chiselling	: 8.5 m/s ²
Voltage	: 230 / 240 V
Frequency	: 50 / 60 Hz
Weight	: 29.5 kg

