



- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Price List Forged Shackles

| G80 ALLOY STEEL DEE SHACKLE SCREW PIN TYPE | | | | | |
|---|----------|---------|-----------|---------------|-----|
|  | | | | | |
| CAP (TON) | BODY DIA | PIN DIA | ITEM CODE | RATE/PC (RS.) | MOQ |
| 0.3 | 3/16 | 1/4 | DSSL08003 | 72 | 100 |
| 0.5 | 1/4 | 5/16 | DSSL08005 | 73 | 100 |
| 0.75 | 5/16 | 3/8 | DSSL08007 | 74 | 100 |
| 1 | 3/8 | 7/16 | DSSL0801 | 75 | 100 |
| 1.5 | 7/16 | 1/2 | DSSL0815 | 125 | 100 |
| 2 | 1/2 | 5/8 | DSSL0802 | 128 | 100 |
| 3.25 | 5/8 | 3/4 | DSSL0803 | 165 | 50 |
| 4.75 | 3/4 | 7/8 | DSSL0805 | 260 | 40 |
| 6.5 | 7/8 | 1 | DSSL0806 | 405 | 25 |
| 8.5 | 1 | 1.1/8 | DSSL0808 | 565 | 20 |
| 9.5 | 1.1/8 | 1.1/4 | DSSL0810 | 775 | 10 |
| 12 | 1.1/4 | 1.3/8 | DSSL0812 | 1075 | 8 |
| 13.5 | 1.3/8 | 1.1/2 | DSSL0813 | 1450 | 5 |
| 17 | 1.1/2 | 1.3/4 | DSSL0817 | 1875 | 5 |
| 25 | 1.3/4 | 2 | DSSL0825 | 3150 | 3 |
| 35 | 2 | 2.1/4 | DSSL0835 | 5000 | 2 |
| 55 | 2.1/2 | 2.3/4 | DSSL0855 | 11000 | -- |

| G80 ALLOY STEEL BOW SHACKLE SCREW PIN TYPE | | | | | |
|---|----------|---------|-----------|---------------|-----|
|  | | | | | |
| CAP (TON) | BODY DIA | PIN DIA | ITEM CODE | RATE/PC (RS.) | MOQ |
| 1 | 3/8 | 7/16 | BSSL0801 | 82 | 100 |
| 2 | 1/2 | 5/8 | BSSL0802 | 142 | 100 |
| 3.25 | 5/8 | 3/4 | BSSL0803 | 205 | 50 |
| 4.75 | 3/4 | 7/8 | BSSL0805 | 295 | 40 |
| 6.5 | 7/8 | 1 | BSSL0806 | 455 | 25 |
| 8.5 | 1 | 1.1/8 | BSSL0808 | 615 | 20 |
| 9.5 | 1.1/8 | 1.1/4 | BSSL0810 | 850 | 10 |
| 12 | 1.1/4 | 1.3/8 | BSSL0812 | 1175 | 8 |
| 13.5 | 1.3/8 | 1.1/2 | BSSL0813 | 1550 | 5 |
| 17 | 1.1/2 | 1.3/4 | BSSL0817 | 2230 | 5 |
| 25 | 1.3/4 | 2 | BSSL0825 | 3500 | 3 |
| 35 | 2 | 2.1/4 | BSSL0835 | 5750 | 2 |
| 55 | 2.1/2 | 2.3/4 | BSSL0855 | 13000 | -- |

G 80 ALLOY STEEL DEE SHACKLE NUT BOLT TYPE



| CAP (T) | BODY DIA | PIN DIA | ITEM CODE | RATE/PC (RS.) |
|---------|----------|---------|-----------|---------------|
| 1 | 3/8 | 7/16 | DNSL0801 | 103 |
| 2 | 1/2 | 5/8 | DNSL0802 | 180 |
| 3.25 | 5/8 | 3/4 | DNSL0803 | 235 |
| 4.75 | 3/4 | 7/8 | DNSL0805 | 320 |
| 6.5 | 7/8 | 1 | DNSL0806 | 485 |
| 8.5 | 1 | 1.1/8 | DNSL0808 | 670 |
| 9.5 | 1.1/8 | 1.1/4 | DNSL0810 | 1035 |
| 12 | 1.1/4 | 1.3/8 | DNSL0812 | 1300 |
| 13.5 | 1.3/8 | 1.1/2 | DNSL0813 | 1700 |
| 17 | 1.1/2 | 1.3/4 | DNSL0817 | 2350 |
| 25 | 1.3/4 | 2 | DNSL0825 | 3850 |
| 35 | 2 | 2.1/4 | DNSL0835 | 5700 |
| 55 | 2.1/2 | 2.3/4 | DNSL0855 | 12250 |


G 80 ALLOY STEEL BOW SHACKLE NUT BOLT TYPE




| CAP (T) | BODY DIA | PIN DIA | ITEM CODE | RATE RS/PC |
|---------|----------|---------|-----------|------------|
| 1 | 3/8 | 7/16 | BNSL0801 | 108 |
| 2 | 1/2 | 5/8 | BNSL0802 | 180 |
| 3.25 | 5/8 | 3/4 | BNSL0803 | 265 |
| 4.75 | 3/4 | 7/8 | BNSL0805 | 330 |
| 6.5 | 7/8 | 1 | BNSL0806 | 515 |
| 8.5 | 1 | 1.1/8 | BNSL0808 | 720 |
| 9.5 | 1.1/8 | 1.1/4 | BNSL0810 | 1025 |
| 12 | 1.1/4 | 1.3/8 | BNSL0812 | 1400 |
| 13.5 | 1.3/8 | 1.1/2 | BNSL0813 | 1800 |
| 17 | 1.1/2 | 1.3/4 | BNSL0817 | 2500 |
| 25 | 1.3/4 | 2 | BNSL0825 | 3900 |
| 35 | 2 | 2.1/4 | BNSL0835 | 6100 |
| 55 | 2.1/2 | 2.3/4 | BNSL0855 | 14250 |
| 85 | 3 | 3.1/4 | BNSL0885 | 31000 |
| 120 | 3.1/2 | 3.3/4 | BNSL08120 | 62000 |
| 150 | 4 | 4.1/4 | BNSL08150 | 90000 |

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

Price List Polyester Slings

| POLYESTER HEAVY DUTY DUPLEX WEBBING SLING | | | | | | |
|---|-----------|------------|--|-----------------------------|------------|------------|
| SAFETY FACTOR 5 : 1 AS PER ASME B 30.9 | | | | | | |
| 8 TON CAPACITY 200MM WIDTH | | |  | 10 TON CAPACITY 250MM WIDTH | | |
| LENGTH | ITEM CODE | RATE RS/PC | | LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS50803 | 1650 | | 3 | DWS51003 | 2100 |
| 4 | DWS50804 | 2100 | | 4 | DWS51004 | 2650 |
| 5 | DWS50805 | 2550 | | 5 | DWS51005 | 3200 |
| 6 | DWS50806 | 3050 | | 6 | DWS51006 | 3800 |
| 8 | DWS50808 | 4000 | | 8 | DWS51008 | 4900 |
| 10 | DWS50810 | 5000 | | 10 | DWS51010 | 6000 |
| 12 | DWS50812 | 6000 | | 12 | DWS51012 | 7200 |
| 12 TON CAPACITY 300MM WIDTH | | | | 16 TON CAPACITY 200MM WIDTH | | |
| LENGTH | ITEM CODE | RATE RS/PC | | LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS51203 | 2650 | | 3 | DWS51603 | 3800 |
| 4 | DWS51204 | 3300 | | 4 | DWS51604 | 5000 |
| 5 | DWS51205 | 4000 | 5 | DWS51605 | 6200 | |
| 6 | DWS51206 | 4800 | 6 | DWS51606 | 7300 | |
| 8 | DWS51208 | 6100 | 8 | DWS51608 | 9600 | |
| 10 | DWS51210 | 7500 | 10 | DWS51610 | 12000 | |
| 12 | DWS51212 | 9000 | 12 | DWS51612 | 14250 | |
| 20 TON CAPACITY 250MM WIDTH | | | 24 TON CAPACITY 300MM WIDTH | | | |
| LENGTH | ITEM CODE | RATE RS/PC | LENGTH | ITEM CODE | RATE RS/PC | |
| 3 | DWS52003 | 4800 | 3 | DWS52403 | 5900 | |
| 4 | DWS52004 | 6500 | 4 | DWS52404 | 7700 | |
| 5 | DWS52005 | 8000 | 5 | DWS52405 | 9500 | |
| 6 | DWS52006 | 9500 | 6 | DWS52406 | 11500 | |
| 8 | DWS52008 | 12500 | 8 | DWS52408 | 15000 | |
| 10 | DWS52010 | 15500 | 10 | DWS52410 | 18500 | |
| 12 | DWS52012 | 18500 | 12 | DWS52412 | 22500 | |
| 30 TON CAPACITY 300MM WIDTH | | | 40 TON CAPACITY 300MM WIDTH | | | |
| LENGTH | ITEM CODE | RATE RS/PC | LENGTH | ITEM CODE | RATE RS/PC | |
| 6 | DWS53006 | 16000 | 6 | DWS54006 | 22000 | |
| 8 | DWS53008 | 20500 | 8 | DWS54008 | 30000 | |
| 10 | DWS53010 | 25500 | 10 | DWS54010 | 36000 | |
| 12 | DWS53012 | 30500 | 10 | DWS54012 | 44000 | |

SAFETY FACTOR 5 : 1

| POLYESTER HEAVY DUTY DUPLEX WEBBING SLING | | | | | | |
|---|-----------|------------|---|---------------------------|-----------|------------|
| SAFETY FACTOR 7 : 1 AS PER EN 1492:1:2000 | | | | | | |
| 1 TON CAPACITY 30MM WIDTH | | |  | 2 TON CAPACITY 60MM WIDTH | | |
| LENGTH | ITEM CODE | RATE RS/PC | | LENGTH | ITEM CODE | RATE RS/PC |
| 1 | DWS70101 | 120 | | 1 | DWS70201 | 200 |
| 2 | DWS70102 | 200 | | 2 | DWS70202 | 330 |
| 3 | DWS70103 | 285 | | 3 | DWS70203 | 465 |
| 4 | DWS70104 | 375 | | 4 | DWS70204 | 585 |
| 5 | DWS70105 | 470 | | 5 | DWS70205 | 715 |
| 6 | DWS70106 | 550 | | 6 | DWS70206 | 850 |
| 8 | DWS70108 | 715 | | 8 | DWS70208 | 1100 |
| 10 | DWS70110 | 880 | | 10 | DWS70210 | 1375 |
| 12 | DWS70112 | 1025 | | 12 | DWS70212 | 1625 |

| 3 TON CAPACITY 90MM WIDTH | | |
|---------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 1 | DWS70301 | 315 |
| 2 | DWS70302 | 530 |
| 3 | DWS70303 | 750 |
| 4 | DWS70304 | 935 |
| 5 | DWS70305 | 1150 |
| 6 | DWS70306 | 1350 |
| 8 | DWS70308 | 1760 |
| 10 | DWS70310 | 2200 |
| 12 | DWS70312 | 2600 |

| 4 TON CAPACITY 120MM WIDTH | | |
|----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 1 | DWS70401 | 385 |
| 2 | DWS70402 | 660 |
| 3 | DWS70403 | 900 |
| 4 | DWS70404 | 1150 |
| 5 | DWS70405 | 1430 |
| 6 | DWS70406 | 1650 |
| 8 | DWS70408 | 2200 |
| 10 | DWS70410 | 2750 |
| 12 | DWS70412 | 3300 |

| 5 TON CAPACITY 150MM WIDTH | | |
|----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 1 | DWS70501 | 550 |
| 2 | DWS70502 | 935 |
| 3 | DWS70503 | 1320 |
| 4 | DWS70504 | 1700 |
| 5 | DWS70505 | 2100 |
| 6 | DWS70506 | 2425 |
| 8 | DWS70508 | 3200 |
| 10 | DWS70510 | 3950 |
| 12 | DWS70512 | 4750 |

| 6 TON CAPACITY 180MM WIDTH | | |
|----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 1 | DWS70601 | --- |
| 2 | DWS70602 | 1100 |
| 3 | DWS70603 | 1550 |
| 4 | DWS70604 | 1985 |
| 5 | DWS70605 | 2425 |
| 6 | DWS70606 | 2850 |
| 8 | DWS70608 | 3650 |
| 10 | DWS70610 | 4500 |
| 12 | DWS70612 | 5400 |



SAFETY FACTOR 7 : 1

**POLYESTER HEAVY DUTY DUPLEX WEBBING SLING
SAFETY FACTOR 7 : 1 AS PER EN 1492:1:2000**

| 8 TON CAPACITY 240MM WIDTH | | |
|----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS70803 | 2200 |
| 4 | DWS70804 | 2750 |
| 5 | DWS70805 | 3300 |
| 6 | DWS70806 | 3950 |
| 8 | DWS70808 | 5100 |
| 10 | DWS70810 | 6300 |
| 12 | DWS70812 | 7500 |

| 10 TON CAPACITY 300MM WIDTH | | |
|-----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS71003 | 3000 |
| 4 | DWS71004 | 3750 |
| 5 | DWS71005 | 4600 |
| 6 | DWS71006 | 5400 |
| 8 | DWS71008 | 7200 |
| 10 | DWS71010 | 8800 |
| 12 | DWS71012 | 10500 |




| 12 TON CAPACITY 300MM WIDTH | | |
|-----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS71203 | 3300 |
| 4 | DWS71204 | 4100 |
| 5 | DWS71205 | 5000 |
| 6 | DWS71206 | 5900 |
| 8 | DWS71208 | 7750 |
| 10 | DWS71210 | 9700 |
| 12 | DWS71212 | 11500 |

| 16 TON CAPACITY 240MM WIDTH | | |
|-----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS71603 | 5300 |
| 4 | DWS71604 | 6900 |
| 5 | DWS71605 | 8600 |
| 6 | DWS71606 | 10300 |
| 8 | DWS71608 | 13500 |
| 10 | DWS71610 | 17000 |
| 12 | DWS71612 | 19800 |

| 20 TON CAPACITY 300MM WIDTH | | |
|-----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS72003 | 6800 |
| 4 | DWS72004 | 8800 |
| 5 | DWS72005 | 11000 |
| 6 | DWS72006 | 13000 |
| 8 | DWS72008 | 17000 |
| 10 | DWS72010 | 21500 |
| 12 | DWS72012 | 26000 |

| 24 TON CAPACITY 300MM WIDTH | | |
|-----------------------------|-----------|------------|
| LENGTH | ITEM CODE | RATE RS/PC |
| 3 | DWS72403 | 7400 |
| 4 | DWS72404 | 9800 |
| 5 | DWS72405 | 12200 |
| 6 | DWS72406 | 14300 |
| 8 | DWS72408 | 18700 |
| 10 | DWS72410 | 23000 |
| 12 | DWS72412 | 28000 |

SAFETY FACTOR 7 : 1



| POLYESTER HEAVY DUTY ROUND SLING | | | | | | | |
|--|-----------|---------|---------|---------|-----------|---------|---------|
| SAFETY FACTOR 5 : 1 AS PER ASME B 30.9 | | | | | | | |
| CAP (T) | ITEM CODE | RATE/2M | EXT/MTR | CAP (T) | ITEM CODE | RATE/2M | EXT/MTR |
| 1 | RWS50102 | 305 | 150 | 60 | RWS56002 | 9725 | 4750 |
| 2 | RWS50202 | 425 | 215 | 70 | RWS57002 | 11150 | 5410 |
| 3 | RWS50302 | 560 | 280 | 80 | RWS58002 | 12600 | 6075 |
| 4 | RWS50402 | 735 | 365 | 100 | RWS510002 | 14000 | 6735 |
| 5 | RWS50502 | 800 | 400 | | | | |
| 6 | RWS50602 | 1050 | 530 | | | | |
| 8 | RWS50802 | 1450 | 725 | | | | |
| 10 | RWS51002 | 1875 | 850 | | | | |
| 12 | RWS51202 | 2500 | 1250 | | | | |
| 15 | RWS51502 | 2900 | 1450 | | | | |
| 20 | RWS52002 | 3750 | 1875 | | | | |
| 25 | RWS52502 | 4300 | 2150 | | | | |
| 30 | RWS53002 | 5375 | 2685 | | | | |
| 35 | RWS53502 | 5850 | 2925 | | | | |
| 40 | RWS54002 | 6550 | 3275 | | | | |
| 50 | RWS55002 | 7925 | 3900 | | | | |



| POLYESTER HEAVY DUTY ROUND SLING | | | | | | | |
|---|-----------|---------|---------|---------|-----------|---------|---------|
| SAFETY FACTOR 7 : 1 AS PER EN 1492:1:2000 | | | | | | | |
| CAP (T) | ITEM CODE | RATE/2M | EXT/MTR | CAP (T) | ITEM CODE | RATE/2M | EXT/MTR |
| 1 | RWS70102 | 435 | 215 | 60 | RWS76002 | 13615 | 6650 |
| 2 | RWS70202 | 605 | 305 | 70 | RWS77002 | 15610 | 7575 |
| 3 | RWS70302 | 800 | 400 | 80 | RWS78002 | 17650 | 8500 |
| 4 | RWS70402 | 1050 | 520 | 100 | RWS710002 | 19600 | 9425 |
| 5 | RWS70502 | 1150 | 575 | | | | |
| 6 | RWS70602 | 1500 | 760 | | | | |
| 8 | RWS70802 | 2075 | 1035 | | | | |
| 10 | RWS71002 | 2675 | 1225 | | | | |
| 12 | RWS71202 | 3550 | 1775 | | | | |
| 15 | RWS71502 | 4150 | 2075 | | | | |
| 20 | RWS72002 | 5350 | 2675 | | | | |
| 25 | RWS72502 | 6150 | 3075 | | | | |
| 30 | RWS73002 | 7700 | 3850 | | | | |
| 35 | RWS73502 | 8350 | 4175 | | | | |
| 40 | RWS74002 | 9375 | 4675 | | | | |
| 50 | RWS75002 | 11325 | 5575 | | | | |




**ADD 10% EXTRA FOR EYE & EYE TYPE ROUND SLINGS
ALSO AVAILABLE 2 LANE SLINGS WITH OVERLOAD INDICATOR**

ANTI ABRASIVE SLEEVE

| CAP (T) | ITEM CODE | RATE/0.5 M |
|---------|-----------|------------|
| 1 | ASSL01005 | 80 |
| 2 | ASSL02005 | 110 |
| 3 | ASSL03005 | 150 |
| 4 | ASSL04005 | 175 |
| 5 | ASSL05005 | 200 |
| 6 | ASSL06005 | 275 |
| 8 | ASSL08005 | 325 |
| 10 | ASSL10005 | 375 |
| 12 | ASSL12005 | 500 |
| 16 | ASSL16005 | 550 |
| 20 | ASSL20005 | 550 |
| 24 | ASSL24005 | 550 |

ANTI ABRASIVE SLEEVE

| CAP (T) | ITEM CODE | RATE/1M |
|---------|-----------|---------|
| 1 | ASSL0101 | 150 |
| 2 | ASSL0201 | 200 |
| 3 | ASSL0301 | 250 |
| 4 | ASSL0401 | 325 |
| 5 | ASSL0501 | 375 |
| 6 | ASSL0601 | 475 |
| 8 | ASSL0801 | 600 |
| 10 | ASSL1001 | 700 |
| 12 | ASSL1201 | 900 |
| 16 | ASSL1601 | 1000 |
| 20 | ASSL2001 | 1000 |
| 24 | ASSL2024 | 1000 |




ANTI CUTTING SLEEVE

| CAP (T) | ITEM CODE | RATE/1 M |
|---------|-----------|----------|
| 1 | ACSL0101 | 4000 |
| 2 | ACSL0201 | 5200 |
| 3 | ACSL0301 | 6800 |
| 4 | ACSL0401 | 8200 |
| 5 | ACSL0501 | 9500 |
| 6 | ACSL0601 | 10500 |
| 8 | ACSL0801 | 14000 |
| 10 | ACSL1001 | 17000 |
| 12 | ACSL1201 | 21000 |



EDGE PROTECTOR

| CAP (T) | ITEM CODE | RATE RS/PC |
|---------|-----------|------------|
| 2 | EDPSL050 | 4500 |
| 3 | EDPSL075 | 5000 |
| 5 | EDPSL125 | 6000 |



CARGO LASHING RATCHET HEAVY DUTY AS PER EN 12195

1 TON CAPACITY 25MM WIDTH

| LENGTH | ITEM CODE | RATE RS/PC |
|--------|-----------|------------|
| 4 | CLRH0104 | 375 |
| 5 | CLRH0105 | 390 |
| 6 | CLRH0106 | 405 |
| 8 | CLRH0108 | 425 |
| 10 | CLRH0110 | 465 |
| 12 | CLRH0112 | 495 |

3 TON CAPACITY 35MM WIDTH

| LENGTH | ITEM CODE | RATE RS/PC |
|--------|-----------|------------|
| 4 | CLRH0304 | 550 |
| 5 | CLRH0305 | 575 |
| 6 | CLRH0306 | 600 |
| 8 | CLRH0308 | 650 |
| 10 | CLRH0310 | 700 |
| 12 | CLRH0312 | 750 |

3 TON CAPACITY 50MM WIDTH

| LENGTH | ITEM CODE | RATE RS/PC |
|--------|-----------|------------|
| 4 | CLRL0504 | 560 |
| 5 | CLRL0505 | 480 |
| 6 | CLRL0506 | 500 |
| 8 | CLRL0508 | 540 |
| 10 | CLRL0510 | 580 |
| 12 | CLRL0512 | 600 |

5 TON CAPACITY 50MM WIDTH

| LENGTH | ITEM CODE | RATE RS/PC |
|--------|-----------|------------|
| 4 | CLRH0504 | 620 |
| 5 | CLRH0505 | 675 |
| 6 | CLRH0506 | 710 |
| 8 | CLRH0508 | 800 |
| 10 | CLRH0510 | 880 |
| 12 | CLRH0512 | 970 |

10 TON CAPACITY 75MM WIDTH

| LENGTH | ITEM CODE | RATE RS/PC |
|--------|-----------|------------|
| 6 | CLRL1006 | 2900 |
| 8 | CLRL1008 | 3085 |
| 10 | CLRL1010 | 3275 |
| 12 | CLRL1012 | 3400 |
| 15 | CLRL1015 | 3625 |





AUMSHIVAY ENGINEERING PRIVATE LIMITED

- B-21, Bhan Nagar, Queens Road, Jaipur-302021,
- Tele Fax: +91-141-2357332, Mob: +91-9784842929,
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: [E-mail:admin@aumshivay.com](mailto:admin@aumshivay.com),

PRICE LIST



TM

Eye & Eye Turn Buckle

| DROP FORGED TURN BUCKLE EYE & EYE TYPE GI | | | |
|---|--------------|-----------|------------|
| CAP (T) | SIZE(IN) | ITEM CODE | RATE RS/PC |
| 0.5 | 3/8" x 6" | TBSL1006 | 335 |
| 1 | 1/2" X 6" | TBSL1206 | 450 |
| 1.6 | 5/8" X 9" | TBSL1609 | 775 |
| 2.3 | 3/4" X 9" | TBSL2009 | 1100 |
| 3.3 | 7/8" X 12" | TBSL2212 | 1900 |
| 4.5 | 1" X 12" | TBSL2412 | 2450 |
| 6.9 | 1.1/4" X 12" | TBSL3012 | 5500 |
| 9.7 | 1.1/2" X 12" | TBSL3912 | 7500 |

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

PRICE LIST

| HORIZONTAL PLATE LIFTING CLAMP | | | |
|--------------------------------|------------|-----------|------------|
| CAP (T) | PLATE SIZE | ITEM CODE | RATE RS/PC |
| 1 | 0--30 | HZPC01 | 2000 |
| 2 | 0---40 | HZPC02 | 2600 |
| 3 | 0---45 | HZPC03 | 3500 |
| 5 | 0---55 | HZPC05 | 5300 |
| 10 | 0---125 | HZPC10 | 18000 |
| 16 | 50---150 | HZPC16 | 50000 |



| VERTICAL PLATE LIFTING CLAMP | | | |
|------------------------------|------------|-----------|------------|
| CAP (T) | PLATE SIZE | ITEM CODE | RATE RS/PC |
| 1 | 0---20 | VPLC01 | 3050 |
| 2 | 0---30 | VPLC02 | 4000 |
| 3 | 0---40 | VPLC03 | 5300 |
| 5 | 0---50 | VPLC05 | 8500 |
| 8 | 0---60 | VPLC08 | 12500 |
| 10 | 0---80 | VPLC10 | 17000 |
| 16 | 50---150 | VPLC16 | 60000 |



| UNIVERSAL PLATE LIFTING CLAMP | | | |
|-------------------------------|------------|-----------|------------|
| CAP (T) | PLATE SIZE | ITEM CODE | RATE RS/PC |
| 1 | 0---20 | UPLC01 | 4200 |
| 2 | 0---25 | UPLC02 | 6500 |
| 3 | 0---25 | UPLC03 | 10500 |
| 5 | 0---30 | UPLC05 | 14500 |
| 8 | 0---45 | UPLC08 | 17500 |
| 10 | 0---70 | UPLC10 | 30000 |



| HORIZONTAL PLATE LIFTING CLAMP | | | |
|--------------------------------|------------|-----------|------------|
| CAP (T) | PLATE SIZE | ITEM CODE | RATE RS/PC |
| 2 | 0---30 | HZPC01 | 9000 |
| 3 | 0---38 | HZPC02 | 12500 |
| 5 | 0---40 | HZPC03 | 25000 |



| PIPE LIFTING CLAMP TYPE-A & B | | | | |
|-------------------------------|---------|--------------|------------|--------|
| CAP (T) | OPENING | ITEM CODE | RATE RS/PC | |
| | | | Epoxy | Coated |
| 2.5 | 0-40 | PLC -2.5 (A) | 1866 | 3231 |
| 5 | 0-40 | PLC -5 (A) | 2239 | 4101 |
| 10 | 0-65 | PLC -10 (A) | 3107 | 5045 |
| 5 | 0-55 | PLC -5 (B) | 2816 | 4897 |
| 10 | 0-65 | PLC -10 (B) | 6653 | 10582 |



A-Type



B-type


| BEAM CLAMP | | | |
|------------|-----------|-----------|------------|
| CAP (T) | BEAM SIZE | ITEM CODE | RATE RS/PC |
| 1 | 75---220 | BEAMSL01 | 3300 |
| 2 | 75---220 | BEAMSL02 | 3800 |
| 3 | 80---320 | BEAMSL03 | 6300 |
| 5 | 80---320 | BEAMSL05 | 7000 |
| 10 | 90---320 | BEAMSL10 | 11500 |



KRISTAN

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

PRICE LIST



TM

| STEEL WIRE ROPE | | | | | | |
|-----------------|-------------------------------------|----------------------|-----------|--------------------------------|-----------------------|--------|
| Dia (mm) | Rate For 1 Mtr. Long Sling (in Rs.) | Extra Per MTR. (Rs.) | Test CHG. | Extra for Double Ferrule (Rs.) | Capacity SWL (in Ton) | Test |
| 6 | 127 | 46 | 20 | 90 | 0.25 MT | 0.5 MT |
| 8 | 165 | 52 | 20 | 122 | 0.5 MT | 1 |
| 9 | 198 | 69 | 20 | 135 | 0.75 MT | 1.5 |
| 10 | 242 | 81 | 20 | 167 | 0.85 MT | 1.5 |
| 11 | 308 | 98 | 30 | 180 | 1 | 2 |
| 12 | 330 | 109 | 30 | 203 | 1 | 2 |
| 13 | 468 | 150 | 30 | 221 | 1 | 2 |
| 14 | 495 | 155 | 40 | 288 | 1.5 | 3 |
| 15 | 512 | 161 | 40 | 302 | 1.5 | 3 |
| 16 | 605 | 184 | 40 | 351 | 2 | 4 |
| 18 | 743 | 230 | 50 | 414 | 3 | 6 |
| 19 | 864 | 259 | 50 | 432 | 3 | 6 |
| 20 | 935 | 288 | 50 | 495 | 3 | 6 |
| 22 | 1320 | 345 | 100 | 788 | 5 | 10 |
| 24 | 1540 | 403 | 100 | 945 | 5 | 10 |
| 25 | 1925 | 431 | 100 | 1485 | 5 | 10 |
| 28 | 2640 | 604 | 200 | 1800 | 7 | 14 |
| 30 | 3190 | 690 | 200 | 2385 | 7 | 14 |
| 32 | 3630 | 805 | 300 | 2610 | 10 | 20 |
| 36 | 4400 | 920 | 350 | 3780 | 14 | 28 |
| 38 | 5830 | 1121 | 350 | 4410 | 14 | 28 |
| 40 | 6160 | 1265 | 400 | 5265 | 14 | 28 |
| 44 | 11000 | 1495 | 600 | 6390 | 18 | 36 |
| 50 | 13200 | 1955 | 700 | 7290 | 25 | 50 |
| 52 | 14300 | 2128 | 700 | 8100 | 25 | 50 |

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

PRICE LIST



Ratchet Lever Hoist

| RATCHET LEVER HOIST | | | |
|---------------------|------------|-----------|------------|
| CAP (T) | ITEM CODE | RATE/1.5M | EXT LIFT/M |
| 0.25 | RLAEPL0215 | 5000 | -- |
| 0.5 | RLAEPL0515 | 5500 | -- |
| 0.75 | RLAEPL0715 | 6250 | 375 |
| 1.5 | RLAEPL1515 | 9000 | 475 |
| 3 | RLAEPL3015 | 13000 | 750 |
| 6 | RLAEPL6015 | 20000 | 1500 |
| 9 | RLAEPL9015 | 34000 | 2200 |

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

PRICE LIST



Pulling & Lifting Machines

| PULLING & LIFTING MACHINE HEAVY DUTY | | | | |
|---------------------------------------|--------------|-------------|----------|------------|
| LIFT CAP (T) | PULL CAP (T) | ITEM CODE | RATE/10M | EXT LIFT/M |
| 0.75 | 1.25 | PLMAEPL0710 | 10000 | 90 |
| 1.6 | 2.6 | PLMAEPL2310 | 15000 | 175 |
| 3 | 5 | PLMAEPL3510 | 25000 | 325 |
| 5 | 8 | PLMAEPL5810 | 55000 | 450 |
| IMPORTED DESIGN NEW GENERATION | | | | |

- B-21, Bhan Nagar, Queens Road, Jaipur-302021
- Website: www.aumshivay.com, www.omengineering.in
- E-mail: admin@aumshivay.com

PRICE LIST

A. Chain Slings;

| SINGLE LEGGED CHAIN SLING WITH MASTER LINK AT TOP AND HOOK AT BOTTOM | | | | | |
|--|-----------|-----------|-----------|-----------|------------|
| CAP(T) | RATE/1MTR | ADD EXTRA | ADD CHAIN | ADD SELF | CHAIN SIZE |
| PER SLING | SLING | PER MTR | SHORTNER | LOCK HOOK | MM |
| 1 | 850 | 210 | 550 | 525 | 6 |
| 2 | 1100 | 275 | 875 | 675 | 8 |
| 3 | 1600 | 450 | 1825 | 1145 | 10 |
| 5 | 2600 | 650 | 2850 | 2065 | 12 |
| 8 | 4500 | 1135 | 5000 | 3825 | 16 |
| 10 | 7300 | 1700 | 10600 | 6050 | 18 |
| 12.5 | 7800 | 2200 | 10600 | 6050 | 20 |
| 15 | 13800 | 2900 | 15600 | 10500 | 22 |
| 20 | 23000 | 4100 | -- | -- | 26 |
| 25 | 24500 | 4850 | -- | -- | 28 |
| 30 | 42300 | 6100 | -- | -- | 32 |



| DOUBLE LEGGED CHAIN SLING WITH MASTER LINK AT TOP AND HOOK AT BOTTOM | | | | | |
|--|-----------|-----------|-----------|-----------|------------|
| CAP(T) | RATE/1MTR | ADD EXTRA | ADD CHAIN | ADD SELF | CHAIN SIZE |
| PER SLING | SLING | PER MTR | SHORTNER | LOCK HOOK | MM |
| 1.4 | 1600 | 420 | 1100 | 1050 | 6 |
| 2.8 | 2000 | 550 | 1750 | 1350 | 8 |
| 4.5 | 3150 | 900 | 3650 | 2300 | 10 |
| 7 | 4900 | 1300 | 5700 | 4130 | 12 |
| 11.2 | 8750 | 2270 | 10000 | 7650 | 16 |
| 14 | 15000 | 3400 | 21200 | 12100 | 18 |
| 17.5 | 16000 | 4400 | 21200 | 12100 | 20 |
| 22.4 | 25500 | 5800 | 31200 | 21000 | 22 |
| 30 | 42200 | 8200 | -- | -- | 26 |
| 35 | 43700 | 9700 | -- | -- | 28 |
| 45 | 80200 | 12200 | -- | -- | 32 |



| THREE LEGGED CHAIN SLING WITH MASTER LINK ASSEMBLY AT TOP AND HOOK AT BOTTOM | | | | | |
|--|-----------|-----------|-----------|-----------|------------|
| CAP(T) | RATE/1MTR | ADD EXTRA | ADD CHAIN | ADD SELF | CHAIN SIZE |
| PER SLING | SLING | PER MTR | SHORTNER | LOCK HOOK | MM |
| 2.1 | 2550 | 630 | 1650 | 1575 | 6 |
| .2 | 3500 | 825 | 2625 | 2025 | 8 |
| 6.7 | 5200 | 1350 | 5475 | 3435 | 10 |
| 10.5 | 8400 | 1950 | 8550 | 6200 | 12 |
| 17 | 14800 | 3405 | 15000 | 11475 | 16 |
| 21 | 24650 | 5100 | 31800 | 18150 | 18 |
| 26 | 27900 | 6600 | 31800 | 18150 | 20 |
| 33 | 41000 | 8700 | 46800 | 31500 | 22 |
| 42 | 67500 | 12300 | -- | -- | 26 |
| 52 | 75000 | 14550 | -- | -- | 28 |
| 67 | 135500 | 18300 | -- | -- | 32 |



| FOUR LEGGED CHAIN SLING WITH MASTER LINK ASSEMBLY AT TOP AND HOOK AT BOTTOM | | | | | |
|---|-----------|-----------|-----------|-----------|------------|
| CAP(T) | RATE/1MTR | ADD EXTRA | ADD CHAIN | ADD SELF | CHAIN SIZE |
| PER SLING | SLING | PER MTR | SHORTNER | LOCK HOOK | MM |
| 2.1 | 3200 | 840 | 2200 | 2100 | 6 |
| 4.2 | 4300 | 1100 | 3500 | 2700 | 8 |
| 6.7 | 6450 | 1800 | 7300 | 4580 | 10 |
| 10.5 | 10350 | 2600 | 11400 | 8260 | 12 |
| 17 | 18300 | 4540 | 20000 | 15300 | 16 |
| 21 | 30200 | 6800 | 42400 | 24200 | 18 |
| 26 | 34000 | 8800 | 42400 | 24200 | 20 |
| 33 | 51000 | 11600 | 62400 | 42000 | 22 |
| 42 | 85000 | 16400 | --- | --- | 26 |
| 52 | 93000 | 19400 | --- | --- | 28 |
| 67 | 170500 | 24400 | --- | --- | 32 |



B. Clevis Hook;

| G 80 CLEVIS SLING HOOK WITH LATCH | | |
|-----------------------------------|------------|------------|
| CAP (T) | ITEM CODE | RATE RS/PC |
| 1 | CHAEPL0801 | 250 |
| 2 | CHAEPL0802 | 325 |
| 3 | CHAEPL0803 | 505 |
| 5 | CHAEPL0805 | 835 |
| 8 | CHAEPL0808 | 1675 |
| 12.5 | CHAEPL0812 | 2750 |
| 15 | CHAEPL0815 | 5500 |



C. Eye Hook;

| G 80 EYE HOOK WITH LATCH | | |
|--------------------------|------------|------------|
| CAP (T) | ITEM CODE | RATE RS/PC |
| 1 | EHAEPL0801 | 135 |
| 2 | EHAEPL0802 | 205 |
| 3 | EHAEPL0803 | 415 |
| 5 | EHAEPL0805 | 775 |
| 8 | EHAEPL0808 | 1200 |
| 12.5 | EHAEPL0812 | 2100 |
| 15 | EHAEPL0815 | 3650 |
| 21 | EHAEPL0822 | 7200 |
| 31 | EHAEPL0832 | 16000 |



D. Connecting Link;

| G 80 CONNECTING LINK | | |
|----------------------|------------|------------|
| SIZE (MM) | ITEM CODE | RATE RS/PC |
| 6 | CLAEPL0806 | 200 |
| 8 | CLAEPL0808 | 225 |
| 10 | CLAEPL0810 | 275 |
| 13 | CLAEPL0813 | 450 |
| 16 | CLAEPL0816 | 700 |
| 20 | CLAEPL0820 | 1100 |
| 22 | CLAEPL0822 | 1600 |
| 26 | CLAEPL0826 | 3100 |
| 32 | CLAEPL0832 | 6500 |



E. Master Link;

| G 80 MASTER LINK | | | | | |
|------------------|------------|-----------|---------|------------|------------|
| CAP (T) | IN. LENGTH | IN. WIDTH | ROD DIA | ITEM CODE | RATE RS/PC |
| 1.6 | 110 | 60 | 14 | MLAEPL0801 | 175 |
| 2 | 110 | 60 | 16 | MLAEPL0802 | 250 |
| 3.15 | 135 | 75 | 18 | MLAEPL0803 | 325 |
| 5.3 | 160 | 90 | 22 | MLAEPL0805 | 650 |
| 8 | 180 | 100 | 26 | MLAEPL0808 | 1000 |
| 11 | 200 | 110 | 32 | MLAEPL0811 | 1700 |
| 17 | 300 | 160 | 40 | MLAEPL0817 | 3800 |
| 21 | 340 | 180 | 45 | MLAEPL0821 | 5500 |
| 31 | 350 | 190 | 50 | MLAEPL0831 | 7200 |
| 45 | 400 | 200 | 56 | MLAEPL0840 | 10000 |



F. Master Link Assembly;

| G 80 MASTER LINK ASSEMBLY | | | | | |
|---------------------------|------------|-----------|---------|------------|------------|
| CAP (T) | IN. LENGTH | IN. WIDTH | ROD DIA | ITEM CODE | RATE RS/PC |
| 3.15 | 135 | 75 | 18 | MLAAEPL803 | 550 |
| 4.2 | 160 | 90 | 22 | MLAAEPL805 | 1000 |
| 6.7 | 180 | 100 | 26 | MLAAEPL808 | 1500 |
| 11 | 200 | 110 | 32 | MLAAEPL811 | 2600 |
| 17 | 260 | 140 | 36 | MLAAEPL817 | 4250 |
| 21 | 340 | 180 | 45 | MLAAEPL821 | 8000 |
| 26 | 350 | 190 | 50 | MLAAEPL826 | 9750 |
| 31 | 350 | 190 | 50 | MLAAEPL831 | 11000 |
| 45 | 400 | 200 | 56 | MLAAEPL840 | 15000 |
| 50 | 430 | 220 | 63 | MLAAEPL850 | 20000 |
| 63 | 460 | 250 | 72 | MLAAEPL863 | 30000 |



G. Forged Wire Rope Clamp;

| WIRE ROPE CLAMP HEAVY DUTY | | |
|----------------------------|------------|------------|
| SIZE (MM) | ITEM CODE | RATE RS/PC |
| 6 | UBAEPLG106 | 15 |
| 8 | UBAEPLG108 | 23 |
| 10 | UBAEPLG110 | 35 |
| 12 | UBAEPLG112 | 54 |
| 15 | UBAEPLG115 | 84 |
| 18 | UBAEPLG118 | 125 |
| 20 | UBAEPLG120 | 133 |
| 22 | UBAEPLG122 | 210 |
| 25 | UBAEPLG125 | 270 |
| 28 | UBAEPLG128 | 485 |
| 32 | UBAEPLG132 | 640 |
| 36 | UBAEPLG136 | 730 |
| 40 | UBAEPLG140 | 775 |
| 45 | UBAEPLG145 | 1200 |
| 50 | UBAEPLG150 | 1800 |

