

Life Is On


Schneider
Electric



 Price List

Final Distribution, Wiring Devices and Lighting Control Products

With effect from August 01st, 2020



se.com/in

Acti 9 Distribution System	
> Miniature Circuit Breakers (MCBs)	8
> Residual Current Devices	12
> Auxiliaries and Accessories for MCBs / RCDs	14
> Surge Protection Devices	16
> Control and Command Products	18
Acti 9 Distribution Boards	
> Modular Distribution Boards - Metallic	24
Kaedra Enclosures	
> Weather Proof	28
PratiKa	
> Plugs and Sockets - IP44 / IP67	30
Electra	
> Metal Clad Plugs & Sockets	34
56 Series	
> Plugs and Sockets - IP56 / IP66	35
Wiring Devices	
> Wiser Odace™ Lighting	40
> LIVIA - Switch to the extra-ordinary	41
> Clipsal X - As Stylish As Your World	42
> Opale - Switches with Satin Finish	44
> Unica Pure - Irresistibly Beautiful	46
> ZENcelo India - The Revolutionary Full-Flat Switch	49
> ZENcelo BS - The Revolutionary Full-Flat Switch	51
> AvatarOn - It's also a Switch	53
> NEO - Face the Future	60
> ULTI Impress - The Ultimate Switch	62
> Kavacha - Weather Protected Series	64
> Metal Boxes	65
Control System	
> EzInstall 3 - ULTI ZIGBEE	66
> Hotel Series	67
> Wiser™	69
> Surface and Flush Mount Occupancy Sensors	70
> Dimmable Sensors with Light Regulation	70
> Wall Mount Sensors	71
> Hotel - ELV Dual Motion Sensor	71
> Timers & Time Switches	71
> Analog Timers	72

Acti 9 | Advanced Communication Technology that Inspires

> Protection devices

- Miniature circuit breakers
- Residual current circuit breakers
- Vigi™ residual current devices
- Surge Protection Devices

> Protection monitoring and supervision

- Indication and tripping auxiliaries
- Remote control auxiliaries
- Automatic reclosure auxiliaries



Innovative
Protection monitoring Total control and
Metering @ DB level



Efficient
Manage loads, reduce operating and project
costs, and accurately plan maintenance

> Control and monitoring

- Contactors
- Impulse relays
- Integrated control circuit breakers
- Light indicators
- Push-buttons and selector switches
- Kilowatt hour meters
- Communicating architecture

> Installation system

- IP20B terminals
- Splitter blocks
- Full range of mounting and wiring accessories



Reliable

Dual certifications for one product, 100 percent MCB and RCD coordination, easy ordering and design, error free fast connections

Acti 9 | Advanced Communication Technology that Inspires.....

> Innovative

- Centralized control system including energy metering
- Large and variable data reading and computing through universal Modbus protocol

> Efficient


- One-click, prefabricated wiring for comprehensive communication between your distribution board or panel and any facility management system

> Reliable

- Error proof connection leading to reduction in downtime
- EMC tested for immunity, radiated and conducted safety

NEW

Email Notification upon Event (Devices Status Change, Alarm threshold reached etc.)



- > Status Monitoring - ON / OFF / TRIP
- > Trip Alarm Indication
- > Load Monitoring - No. of tripping cycles, Running Hours


- > Switching Action - ON / OFF
- > Monitoring - No. of Switching cycles, running hours



Meets the challenge of all your applications

Detailed load control, reduced downtime and accurately planned maintenance

Ready to connect to any facility management solution



Green Premium Products
 100% Recyclable and Recoverable
 REACh, RoHS, PEP, EOLi compliant

AC Miniature Circuit Breakers - xC60



- Breaking Capacity as per IEC 60898 and IS/IEC 60898-1, Icn = 10kA
- Breaking Capacity as per IEC 60947-2, Icn = 15kA, upto 40A
- Can be used for DC application upto 60V per pole
- Higher system performance with optimized cost: Cascading*
- Increased System Continuity: Discrimination*
- Higher Installation Life: Energy Limitation Class 3, Fast Closure Mechanism
- Ease, Speed and Flexibility of installation - Biconnect, Line-Load Reversible
- Field-fittable auxiliaries for advance protection and monitoring
- Positive Contact Indication for assurance of disconnection

[In] Rated Current (A)	1 Pole Reference	Unit LP [₹]	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width**	1 mod		2 mod		3 mod		4 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	

B curve

6	A9N1P06B	345	A9N2P06B	1025	A9N3P06B	1670	A9N4P06B	2250
10	A9N1P10B	345	A9N2P10B	1025	A9N3P10B	1670	A9N4P10B	2310
16	A9N1P16B	345	A9N2P16B	1025	A9N3P16B	1670	A9N4P16B	2250
20	A9N1P20B	345	A9N2P20B	1025	A9N3P20B	1670	A9N4P20B	2250
25	A9N1P25B	345	A9N2P25B	1025	A9N3P25B	1670	A9N4P25B	2250
32	A9N1P32B	345	A9N2P32B	1025	A9N3P32B	1670	A9N4P32B	2250
40	A9N1P40B	750	A9N2P40B	1650	A9N3P40B	2545	A9N4P40B	3240
50	A9N1P50B	750	A9N2P50B	1650	A9N3P50B	2545	A9N4P50B	3240
63	A9N1P63B	760	A9N2P63B	1665	A9N3P63B	2565	A9N4P63B	3270

C curve

1	A9N1P01C	530	A9N2P01C	1420	A9N3P01C	2200	A9N4P01C	2770
2	A9N1P02C	530	A9N2P02C	1420	A9N3P02C	2200	A9N4P02C	2770
3	A9N1P03C	530	A9N2P03C	1420	A9N3P03C	2200	A9N4P03C	2770
4	A9N1P04C	530	A9N2P04C	1420	A9N3P04C	2200	A9N4P04C	2770
6	A9N1P06C	340	A9N2P06C	1025	A9N3P06C	1670	A9N4P06C	2250
10	A9N1P10C	340	A9N2P10C	1025	A9N3P10C	1670	A9N4P10C	2250
16	A9N1P16C	340	A9N2P16C	1025	A9N3P16C	1670	A9N4P16C	2250
20	A9N1P20C	340	A9N2P20C	1025	A9N3P20C	1670	A9N4P20C	2250
25	A9N1P25C	340	A9N2P25C	1025	A9N3P25C	1670	A9N4P25C	2250
32	A9N1P32C	340	A9N2P32C	1025	A9N3P32C	1670	A9N4P32C	2250
40	A9N1P40C	750	A9N2P40C	1650	A9N3P40C	2545	A9N4P40C	3100
50	A9N1P50C	750	A9N2P50C	1650	A9N3P50C	2545	A9N4P50C	3270
63	A9N1P63C	760	A9N2P63C	1665	A9N3P63C	2565	A9N4P63C	3325

D curve

1	A9N1P01D	535	A9N2P01D	1435	A9N3P01D	2235	----	----
2	A9N1P02D	535	A9N2P02D	1435	A9N3P02D	2235	A9N4P02D	2785
3	A9N1P03D	535	A9N2P03D	1435	A9N3P03D	2235	A9N4P03D	2860
4	A9N1P04D	535	A9N2P04D	1435	A9N3P04D	2235	A9N4P04D	2860
6	A9N1P06D	450	A9N2P06D	1075	A9N3P06D	1760	A9N4P06D	2335
10	A9N1P10D	450	A9N2P10D	1075	A9N3P10D	1760	A9N4P10D	2335
16	A9N1P16D	450	A9N2P16D	1075	A9N3P16D	1760	A9N4P16D	2335
20	A9N1P20D	450	A9N2P20D	1075	A9N3P20D	1760	A9N4P20D	2335
25	A9N1P25D	450	A9N2P25D	1075	A9N3P25D	1760	A9N4P25D	2335
32	A9N1P32D	450	A9N2P32D	1075	A9N3P32D	1760	A9N4P32D	2335
40	A9N1P40D	810	A9N2P40D	1745	A9N3P40D	2695	A9N4P40D	3380
50	A9N1P50D	825	A9N2P50D	1745	A9N3P50D	2695	A9N4P50D	3380
63	A9N1P63D	820	A9N2P63D	1765	A9N3P63D	2720	A9N4P63D	3415

Note: * Please contact nearest Schneider Electric Sales Office or Customer Care Center for coordination chart
**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

AC Miniature Circuit Breakers - C120



- Breaking capacity as per IEC 60898, Icn = 10kA/15kA
- Positive Contact Indication for assurance of disconnection
- Degree of pollution: 3 (suitable for industrial environment)
- Operating Temperature: -30 to 70°C
- Terminal connections: Flexible cables up to 35 sq.mm; Rigid cables up to 50 sq.mm

[In] Rated Current (A)	1 Pole Reference	Unit LP [₹]	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	
MOQ	12 Nos.		6 Nos.		4 Nos.		3 Nos.	
C120N (10kA)								
80	A9N18357 <input checked="" type="checkbox"/>	2705	A9N18361 <input checked="" type="checkbox"/>	5995	A9N18365 <input checked="" type="checkbox"/>	9420	A9N18372 <input checked="" type="checkbox"/>	12275
100	A9N18358 <input checked="" type="checkbox"/>	3035	A9N18362 <input checked="" type="checkbox"/>	6395	A9N18367 <input checked="" type="checkbox"/>	10040	A9N18374 <input checked="" type="checkbox"/>	12790
125	A9N18359 <input checked="" type="checkbox"/>	3340	A9N18363 <input checked="" type="checkbox"/>	7030	A9N18369 <input checked="" type="checkbox"/>	11135	A9N18376 <input checked="" type="checkbox"/>	14475
C120H (15kA)								
80	A9N18446	3335	A9N18457	7360	A9N18468	11070	A9N18479	15360
100	A9N18447	3680	A9N18458	7545	A9N18469	12060	A9N18480	17030
125	A9N18448	4020	A9N18459	8560	A9N18470	13015	A9N18481	17990

DC Miniature Circuit Breakers - C60H



- Specially designed MCB for enhanced protection in DC installation
- Magnetic Arc Chutes to quick break DC current in event of fault
- Breaking capacity 6kA as per IEC 60947-2
- Voltage Rating: 1P - 250 V DC & 2P - 500 V DC
- Impulse Voltage: 6 kV
- Higher Installation Life: Energy Limiting Class: 3

[In] Rated Current (A)	Module Width 18mm/ module	1 Pole Reference	Unit LP [₹]	Module Width 18mm/ module	2 Pole Reference	Unit LP [₹]
MOQ		12 Nos.			6 Nos.	
C60H-DC						
0.5	1	A9N61500	1040	2	A9N61520	2720
1	1	A9N61501 <input checked="" type="checkbox"/>	920	2	A9N61521 <input checked="" type="checkbox"/>	1900
2	1	A9N61502 <input checked="" type="checkbox"/>	920	2	A9N61522 <input checked="" type="checkbox"/>	1900
3	1	A9N61503 <input checked="" type="checkbox"/>	920	2	A9N61523 <input checked="" type="checkbox"/>	1900
4	1	A9N61504 <input checked="" type="checkbox"/>	920	2	A9N61524 <input checked="" type="checkbox"/>	1900
5	1	A9N61505	920	2	A9N61525	1900
6	1	A9N61506 <input checked="" type="checkbox"/>	755	2	A9N61526 <input checked="" type="checkbox"/>	1545
10	1	A9N61508 <input checked="" type="checkbox"/>	755	2	A9N61528 <input checked="" type="checkbox"/>	1545
16	1	A9N61511 <input checked="" type="checkbox"/>	755	2	A9N61531 <input checked="" type="checkbox"/>	1545
20	1	A9N61512 <input checked="" type="checkbox"/>	755	2	A9N61532 <input checked="" type="checkbox"/>	1545
25	1	A9N61513 <input checked="" type="checkbox"/>	755	2	A9N61533 <input checked="" type="checkbox"/>	1545
32	1	A9N61515 <input checked="" type="checkbox"/>	870	2	A9N61535 <input checked="" type="checkbox"/>	1545
40	1	A9N61517 <input checked="" type="checkbox"/>	1035	2	A9N61537 <input checked="" type="checkbox"/>	2280
50	1	A9N61518 <input checked="" type="checkbox"/>	1035	2	A9N61538 <input checked="" type="checkbox"/>	2280
63	1	A9N61519 <input checked="" type="checkbox"/>	1035	2	A9N61539 <input checked="" type="checkbox"/>	2280

Special application MCBs



Solar Application – PV DC

- DC MCB for multi string PV installations
- Operating Voltage: 800V DC
- Current Rating up to 25A
- Complies to IEC / EN 60947-2



Rail Application* (including Rolling Stock)

- Fire & smoke Resistant – Level 2 (NF F 16-101, NF F 16-102)
- Shock & vibration resistant (IEC 61373) – Cat 1, Class B
- Breaking Capacity: up to 25kA
- Complies to IEC / EN 60947-2



UL MCB

- Type: UL1077, UL489
- Breaking Capacity of 10kA
- Complies to IEC 60947-2 / UL1077 / UL489 / CSA

Note:

Please contact nearest Schneider Electric sales office or Customer Care for Reference and prices of Application Specific MCBs

*Rail Application RCDs are also available on demand

**18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

AC Miniature Circuit Breakers - NG125



- Compliance to IEC / EN 60947-2
- High Breaking Capacity MCBs – up to 50kA
- Current Rating up to 125A
- Trip on fault indication on front face of MCB
- Suitability for isolation in the industrial sector to IEC/EN 60947-2
- Available in B, C, D Curves

[In] Rated Current (A)	1 Pole Reference	Unit LP [₹]	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width**	1.5 mod		3 mod		4.5 mod		6 mod	

NG125N – 25kA Breaking Capacity

10	18610	3975	18621	8745	18632	13265	18649	16850
16	18611	3975	18622	6745	18633	13265	18650	16850
20	18612	3980	18623	8745	18634	13265	18651	16845
25	18613	3975	18624	8745	18635	13270	18652	16850
32	18614	3975	18625	8175	18636	13270	18653	16845
40	18615	5125	18626	10835	18637	16605	18654	21845
50	18616	7035	18627	11260	18638	17350	18655	22060
63	18617	5125	18628	11790	18639	18660	18656	23065
80	18618	5405	18629	12670	18640	19615	18658	24280

NG125H – 36kA Breaking Capacity

10	18705	4680	18714	7780	18723	11090	18732	21110
16	18706	4680	18715	7780	18724	11090	18733	21110
20	18707	4675	18716	7780	18725	15845	18734	21110
25	18708	4675	18717	10265	18726	15840	18735	21115
32	18709	4675	18718	10265	18727	15845	18736	21110
40	18710	5725	18719	11865	18728	16135	18737	25655
50	18711	5835	18720	12830	18729	19815	18738	26350
63	18712	5995	18721	13775	18730	16530	18739	28925
80	18713	6595	18722	19785	18731	21385	18740	30505

NG125H – 50kA Breaking Capacity

10	18777	5830	18788	12740	18799	20070	18810	26740
16	18778	5830	18789	12740	18800	20070	18811	26740
20	18779	5830	18790	13735	18801	20070	18812	26740
25	18780	5830	18791	13730	18802	20065	18813	26740
32	18781	5830	18792	13730	18803	20065	18814	26740
40	18782	7075	18793	16340	18804	25080	18815	31745
50	18783	10930	18794	17165	18805	26855	18816	32675
63	18784	7430	18795	18365	18806	28195	18817	34970
80	18785	12040	18796	20180	18807	31260	18818	36125

**18mm/module

Note: Reference provided above are for C Curve MCBs – B and D Curve details available on request

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Residual Current Devices (RCDs) - For Human and Fire Protection



**30
mA**

Use of **30mA RCDs** is now **mandatory** for all **domestic intallations** in India {CEA Amendment regulation 2015*}



Schneider Electric provides voltage independent RCDs which work on current sensing technology and provide protection from residual current even at extra low voltages (down to zero volts) and in case of break of neutral.

**SI
Type**

Schneider Electric offers SI RCD built to operate in electrically polluted or installation in aggressive environments:

- Flourescent / Variable lighting with Electronic ballast
- Powerful IT / Telecom equipment / Air conditioning
- Severe Atmosphere - High lighting risk / Swimming pools

* for Measures relating to Safety and Electric supply

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

AC Residual Current Circuit Breakers - xID



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61008-1 and IS 12640
- AC Class protection
- Selective range available for time based discrimination
- Easy Monitoring: Earth fault indication and Test Button on front face
- Operating temperature up to +70°C
- Mandatory to use OF-S auxiliary to add any indication or tripping auxiliary

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit LP [₹]	Module Width 18mm/module	4 Pole Reference	Unit LP [₹]
25	30	2	A9N16201	3615	4	A9N16251	5075
	100	2	A9N16203	3940	4	A9N16253	5295
	300	2	A9N16202	4060	4	A9N16252	5450
40	30	2	A9N16204	4255	4	A9N16254	4995
	100	2	A9N16205	4505	4	A9N16255	5325
	300	2	A9N16206	4725	4	A9N16256	5530
63	30	2	A9N16208	5125	4	A9N16258	5785
	100	2	A9N16209	5410	4	A9N16259	6290
	300	2	A9N16210	5520	4	A9N16260	6320
80	30	2	A9N16212	8615	4	A9N16261	10205
	100	2	A9N16213	8600	4	A9N16262	10180
	300	2	A9N16214	8760	4	A9N16263	10235

AC Residual Current Circuit Breakers (RCCBs) - ID



- Complies to standards IEC 61008-1 and VDE 0664
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Electrical ON/OFF indication by using OFSP auxiliary

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit LP [₹]
4P	100	30	4	**A9R11491	13030
		100	4	**A9R12491	13725
	125	30	4	16905	39885
		100	4	16906	38835
		300	4	16907	39015

Note: **For 100A RCCB Auxiliary kindly contact Customer Care

AC Residual Current Breaker Overload (RCBO) - DPN N Vigi



Suitable for
ComReady
Auxiliary



- Complies to standards IEC/EN 61009
- AC Class Protection; Tripping characteristics - C curve
- Overvoltage category (IEC 60364): IV
- Suitable for indication & tripping auxiliaries

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit LP [₹]
1P+N	6	30	2	A9N19661	5430
		300	2	A9N19681	5515
	10	30	2	A9N19663	5430
		300	2	A9N19683	5515
	16	30	2	A9N19665	5430
		300	2	A9N19685	5515
	20	30	2	A9N19666	5430
		300	2	A9N19686	5515
	25	30	2	A9N19667	5430
		300	2	A9N19687	5515
	32	30	2	A9N19668	5430
		300	2	A9N19688	5790
	40	30	2	A9N19669	6870
		300	2	A9N19689	6990

Note: Application specific RCDs also available with 10mA, 500mA and 1000mA sensitivities | Please contact nearest Schneider Electric Sales Office or Customer Care Center for Reference and Prices

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

SI Type Residual Current Circuit Breakers (RCCBs) - xID SI



- Complies to standard IEC/EN 61008-1
- SI RCDs offer enhanced immunity against Electrical Disturbances; Polluted and Corrosive environments - Guaranteed performance in harsh operating conditions
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with:
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit LP [₹]	Module Width 18mm/module	4 Pole Reference	Unit LP [₹]
25	30	2	A9N16234	7955	4	A9N16321	8865
40	30	2	A9N16237	8355	4	A9N16324	9145
63	30	2	A9N16240	8595	4	A9N16327	9390
	300	2	A9N16246	8660	4	A9N16334	9770

Vigi Block for xC60 (Add-on RCD Module, 2 & 4 Pole)



- Flexibility to use MCB of any tripping curve to suit applications, ensuring best 3 in 1 protection
- No auxiliary supply required
- AC Class protection
- Degree of pollution: 3 (suitable for industrial environment)
- Immune to nuisance tripping due to transient over voltages

[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	2 Pole Reference	Unit LP [₹]	Module Width 18mm/module	4 Pole Reference	Unit LP [₹]
25	30	1.5	A9N26581	5625	3	A9N26595	6755
	100	1.5	A9N26582	7155	3	A9N26596	7285
	300	1.5	A9N26583	7565	3	A9N26597	7840
63	30	2	A9N26611	7865	3.5	A9N26643	7895
	100	2	A9N26612	8330	3.5	A9N26644	8200
	300	2	A9N26613	8725	3.5	A9N26645	8580

Note: Vigi Block for High Rating up to 125A (C120) and High Breaking Capacity (NG125) available on demand

SI Type Residual Current Breaker Overload (RCBO) - DPN N Vigi SI



- Complies to standard IEC/EN 61009
- Ensures continuity of supply in networks with:
 - Transient overvoltages
 - Loads generating HF leakage current i.e. harmonics
 - Loads generating continuous leakage current
- Ensures tripping on genuine earth fault in networks with :
 - Pulsating DC components
 - HF applications which "Blinds" (non-tripping) the conventional RCDs

Poles Description	[In] Rated Current (A)	Earth-Leakage Sensitivity (mA)	Module Width 18mm/module	Reference	Unit LP [₹]
1P+N	6	30	2	A9N19631	10810
		300	2	A9N19641	10810
	10	30	2	A9N19632	10810
		300	2	A9N19642	10805
	16	30	2	A9N19634	10810
		300	2	A9N19644	10810
	20	30	2	A9N19635	10810
		300	2	A9N19645	10810
	25	30	2	A9N19636	10810
		300	2	A9N19646	10810
	32	30	2	A9N19637	10810
		300	2	A9N19647	12865
	40	30	2	A9N19638	12800
		300	2	A9N19648	14245

*For Prices, please contact nearest Schneider Electric Sales Office or Customer Care Center are Center for Reference and Prices


Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Common Auxiliaries for xC60 / C120 / RCDs Range

- Field-fittable auxiliaries (clip fitted) mounted on left side with maximum width of 54mm
- Order: Tripping Auxiliaries (MN first) followed by Indication Auxiliaries (SD first)



Type	Module Width 18mm/module	Reference	Unit LP [₹]
Indication Auxiliaries			
OF Auxiliary Switch: for ON/OFF indications	0.5	A9N26924	1060
SD Alarm Switch: for Trip on fault indications	0.5	A9N26927	1245
OF + SD/OF Auxiliary switch	0.5	A9N26929	3305
OF+SD24 auxiliary contact (ComReady)	0.5	A9N26899	2770
Protection Auxiliaries – Trip Indication on front face			
MN Under-voltage Release 220-240V AC	1	A9N26960	4450
MSU Over-voltage Release 275V AC	1	A9N26500	5270
Tripping Auxiliaries – Trip Indication on front face			
MX + OF Shunt Release 110-415V AC: for Remote tripping of Circuit Breaker	1	A9N26946	2895
MX + OF Shunt Release 12-24V AC/DC: for Remote tripping of Circuit Breaker	1	A9N26948	2895
Auxiliary Switch for RCCBs – Mandatory for use of Auxiliaries with RCCBs			
Auxiliary switch for RCCB up to 80A (OF-S)	0.5	A9N26923	1415
Auxiliary switch for RCCBs 125A (OFSP)	0.5	16940	2150

Accessories



Type	Description	Reference	Unit LP [₹]
Rotary Handle*	Breaker Switching Sub-Assembly	27046	3950
	Extended, Disconnectable handle	27047	2445
Padlock** (bag of 2)		26970	950
Multicable terminal for 3 copper cables**		19096	7645
Aluminum cable terminal**		27060	580
Spacer		A9N27062	245

* for xC60, C120, DPN N Vigi, C60H-DC, xSW - Multi poles only

**for xC60, xID, DPN N Vigi, C60H-DC, xSW, C60PV-DC

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Protection Against Lightning Strikes And Switching Surges



For all low voltage switchboards and electrical enclosures:

Comprehensive range

- To ensure the protection of equipment connected to:
- Low voltage networks,
- Telecommunications networks,
- Computer networks.
- Easy to implement and use.
- Compatibility with all earthing systems (TT, TNS, TNC, IT).
- Technical and aesthetic consistency

Continuity of service and certified safety

Schneider Electric certified coordination between the surge arrester and its disconnection circuit breaker.

Compliance with standards: IEC/EN 61643-11.



More and more electrical equipment today is sensitive to overvoltages caused by lightning.



90%

of power outlets supply equipment incorporating electronic devices.



iQuick PRD “built-in” technology surge arresters, a Schneider Electric innovation, incorporate their own disconnection circuit breaker: easy to choose and simple to install for greater effectiveness.



Up to **30%** of installation time saved.

Surge Arresters - Type 1+ 2



- Complies to IEC 61643-1 and EN 61643-11
- Withdrawable type: Easy Replacement
- Inbuilt SPD health Indicator: Also available with remote signaling
- For protection against Direct lightning surge, Indirect lightning surge, Switching surge
- Iimp up to 25kA & Imax upto 40kA
- **Always use a Back-up MCB with your SPD**
- Maximum Operating Voltage [Uc]: 350V

Type	Pole Description	Module Width 18mm/module	Reference	Unit LP [₹]
PRD1 25r	1P	2	16329	14340
	1P + N	4	16330	31545
	3P	6	16331	47305
	3P + N	8	16332	58775

Surge Arresters iPRD- Type 2 (Withdrawable type) (TT, TN-S, TN-C Systems)



- In conformance with standards IEC 61643-11/2011 T2 and EN 61643-11 Type 2
- For protection against Indirect lightning surge and Switching surge
- Inbuilt health Indicator
- Response time < 25ns
- Imax (8/20 s): 65/40/15/8kA
- Maximum Operating Voltage [Uc]: 340V
- Level of protection,Up: 1.0 - 2.0 kV
- Remote indication contact with 8r/20r/40r/65r
- **Always use a Back-up MCB with your SPD**

Type	Rated Voltage (V)	Pole Description	Module Width 18mm/module	Reference	Unit LP [₹]
iPRD8	230	1P	1	A9L08100	4305
	230	1P+N	2	A9L08500	8050
	230/400	3P	3	A9L08300	10865
	230/400	3P+N	4	A9L08600	16400
iPRD8r	230	1P+N	2	A9L08501	9650
	230/400	3P+N	4	A9L08601	19680
iPRD20	230	1P	1	A9L20100	4825
	230	1P+N	2	A9L20500	10120
	230/400	3P	3	A9L20300	12955
iPRD20r	230/400	3P+N	4	A9L20600	18315
	230	1P+N	2	A9L20501	12035
	230/400	3P+N	4	A9L20601	22395
iPRD40	230	1P	1	A9L40100	5705
	230	1P+N	2	A9L40500	11655
	230/400	3P	3	A9L40300	16730
iPRD40r	230/400	3P+N	4	A9L40600	23330
	230	1P	1	A9L40101	6840
	230	1P+N	2	A9L40501	15025
iPRD65r	230/400	3P	3	A9L40301	22515
	230/400	3P+N	4	A9L40601	28000
	230	1P	1	A9L65101	9145
iPRD65r	230	1P+N	2	A9L65501	19150
	230/400	3P	3	A9L65301	24990
	230/400	3P+N	4	A9L65601	32425

Spare Cartridges for iPRD



- Spare Cartridges for iPRD8r, iPRD20r, iPRD40r and iPRD65r
- End of life indication available on front face
- These Cartridges are not compatible with Old SPD range (A9L16...)**

Type	Spare Cartridges for	Reference	Unit LP [₹]
iPRD 65-350	iPRD65r	A9L65102	5725
iPRD 40-350	iPRD40, iPRD40r	A9L40102	4405
iPRD 20-350	iPRD20, iPRD20r	A9L20102	3530
iPRD 8-350	iPRD8, iPRD8r	A9L08102	3090
iPRD Neutral	All products (1P+N, 3P+N)	A9L00002	4635

**Spare Cartridges for Old SPD Range (A9L16...) are available on demand - please contact nearest Schneider Electric Sales Office or Customer Care for Reference and prices

Note: Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

iQuick PRD - Type 2 with inbuilt MCB



- Compact SPD with in-built back up MCB - saving on space, MCB selection, wiring time
- Compliance to EN 61643-11
- Withdrawable Type - Cost Efficient - Allows damaged Cartridges to be replaced without having to replace entire SPD
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available
- Incoming Protection: iQuick PRD 40r (High Risk level) and iQuick PRD 20r (Moderate Risk level)
- Secondary Protection: iQuick PRD 8r is cascade mounted with incoming surge arresters

Type	Pole Description	Module Width 18mm/module	Reference	Unit LP [₹]
iQuick PRD 8r	1P+N	4	A9L16298	12365
	3P	6.5	A9L16299	17660
	3P+N	7.5	A9L16300	21975
iQuick PRD 20r	1P+N	4	A9L16295	14420
	3P	6.5	A9L16296	21200
	3P+N	7.5	A9L16297	26370
Quick PRD 40r	1P+N	4	A9L16292	16840
	3P	6.5	A9L16293	25230
	3P+N	7.5	A9L16294	31355

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Photovoltaic surge arresters



- Protection for photovoltaic panels and the DC input to the inverter from overvoltages due to a lightning strike
- Type 2 surge arresters
- Should be installed in switchboard inside the building. If switchboard is located outside, it must be weatherproof
- Withdrawable surge arrester allows damaged Cartridges to be replaced quickly
- Inbuilt SPD Health Indicator on front face of device; Remote signaling functionality also available

Type	U (cpv) Maximum Operating Voltage (V)	Module Width 18mm/module	Reference	Unit LP [₹]
iPRD 40r	800	3	A9L40271	9590
	1000	3	A9L40281	10960

Note: Spare / Replacement Cartridges available - For Reference and prices contact nearest sales office or customer care

Surge Arresters for Communication Networks



- Analogue telephone line protection: iPRC surge arrester wired in series to the private installation input, protects the telephones, the modems (including ADSL) etc
- Protection for 2 low-current lines without common potential or 4 lines with common reference potential
- iPRI protects measuring instrument and PLC sensor inputs and the DC power supply inputs up to 53 V and AC power supply inputs up to 37 V

Type	[Ue] Operational Voltage (V)	Module Width 18mm/module	Reference	Unit LP [₹]
PRI	48 V DC	1	A9L16339	17105
PRC	130 V AC	1	A9L16337	10460

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Isolator - xSW



- Complies to IEC/EN 60947-3
- Switching duty: AC-22
- Impulse voltage: 6kV
- DC application: 48V (110V with 2 poles in series)
- Short circuit withstand 20 In for 1 second
- Upto 80A Bi connect terminals & 100A to 125A with mono connect terminals

Poles Description	[In] Rated Current (A)	Module Width 18mm/module	MOQ	Reference	Unit LP [₹]
2	40	2	6	A9S2P040	635
	63	2	6	A9S2P063	840
	80	2	6	A9S2P080	1005
	100	2	6	A9S2P100	1455
	125	2	6	A9S2P125	1600
3	40	3	4	A9S3P040	1110
	63	3	4	A9S3P063	1300
4	40	4	3	A9S4P040	1405
	63	4	3	A9S4P063	1530
	80	4	3	A9S4P080	2030
	100	4	3	A9S4P100	2560
	125	4	3	A9S4P125	2830

Selector Switch - iSSW



- Complies to IEC 60947-5-1 and IEC 60669-1
- Rating 20A, 250V AC
- Electrical life (AC22): 30,000 cycles
- Connection: tunnel terminals cables up to 10 sq. mm

No. of positions	Poles Description	Contacts	Module Width 18mm/module	MOQ	Reference	Unit LP [₹]
2	1	1 C/O	1	12	A9E18070	1335
	2	2 C/O	2	6	A9E18071	1835
		1NO + 1NC	1	12	A9E18072	1070
3	1	1 C/O	1	12	A9E18073	1310
	2	2 C/O	2	6	A9E18074	2215

iRO Buzzers



- Audible indication in housing and the tertiary sector
- Sound level of 70dBA at a distance of 60cm

Voltage	Module Width 18mm/module	Reference	Unit LP [₹]
230V AC	1	A9A15322	1735
8..12V AC	1	A9A15323	945

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

iCT Contactors



- Complies with standards IEC 1095, E N 61095
- 4 operating modes switch on front face :
 - Automatic mode
 - Temporary "ON" mode
 - Permanent "ON" mode
 - Shutdown
- Mechanical contact position Indicator
- Safe installation maintenance: lock the contactor in ON position
- Silent operation (20dB) for entire range

Type	Rating (A)	No. of Contacts	Module Width 18mm/module	Reference	Unit LP (₹)
1P	25	1NO	1	A9C20731	2060
	16	2NO	1	A9C22712	2120
2P	25	2NO	1	A9C20732	2535
	40	2NO	2	A9C20842	5165
	63	2NO	2	A9C20862	5540
3P	25	3NO	2	A9C20833	3265
	40	3NO	2	A9C20843	7250
	63	3NO	3	A9C20863	7880
4P	25	4NO	2	A9C20834	3420
	40	4NO	2	A9C20844	8445
	63	4NO	3	A9C20864	8910
	63	2NO + 2NC	3	A9C20868	9925

Note: 100A Contactor in 2P / 4P - available on request

iTL Impulse Relays



- Complies with standards IEC/EN 60669-2-2
- Safe maintenance: disconnection of remote control by selector switch
- Manual Controls on front face: 0-I toggle
- Mechanical contact position Indicator
- Maximum 5 operations/min. and 100 switching operations/day
- Degree of pollution: 3 (suitable for industrial environment)

Type	Rating (A)	Control Voltage	No. of Contacts	Module Width	Reference	Unit LP (₹)
1P	16	230-240 VAC	1NO	1	A9C30811	1335
	32	230-240 VAC	1NO	1	A9C30831	1680
2P	16	230-240 VAC	2NO	1	A9C30812	2190
	32	230-240 VAC	2NO	1	A9C30831 + A9C32836	5195
3P	16	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30811 + A9C32816	4155
	32	230-240 VAC	1NO+1NO/NC+1NO	2	A9C30831 + 2* x A9C32836	8710
4P	16	230-240 VAC	4NO	2	A9C30814	4535
	32	230-240 VAC	4NO	2	A9C30831 + 3* x A9C32836	12225

iIL Indicator Lights



- Complies with standard IEC 60947-5-1
- Indicator light with LED technology
- Service life 100,000 hours with constant luminous efficiency

Type	Colour	Module Width 18mm/module	Reference	Unit LP (₹)
Single Indicator light	Red	1	A9E18320	1380
	Green	1	A9E18321	1380
	Blue	1	A9E18323	1380
	Orange	1	A9E18324	1380
3 phase voltage presence light	Red/Red/Red	1	A9E18327	3990
Single Push Button (1 NO+ 1NC)	Grey	1	A9E18033	1860

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Smartlink



- Compliance to IEC/EN 61131-2
- Protection Monitoring – Device Status and alarm notifications
- Load Control / Switching through Contactors and Impulse Relays
- Energy Monitoring through pulse meters
- Alarm over email and analog sensors (temperature / humidity) with Smartlink Ethernet
- Plug & Play – Pre fabricated cables and in built web pages
- Rated Voltage: 24V DC

Description	Reference	Unit LP [₹]
Smartlink EL-D	A9XELC10	23155
Wiser Energy Module IP	EER31800	23155

Communication Auxiliaries



Auxiliary for Protection Devices (OF+SD24)

Auxiliary for Contactors (iACT24)

Auxiliary for Impulse Relays (iATL24)

Description	Module Width	Reference	Unit LP [₹]
OF+SD24	0.5	A9N26899	2770
iACT24	1	A9C15924	13780
iATL24	1	A9C15424	14510

Reflex iC60 - Integrated Control & Overcurrent Protection Device



- All in One Solution: MCB + Contactor + Impulse Relay + Auxiliary
- 10kA Breaking capacity as per IEC/EN 60947-2,
- Ti24 interface: Connection to PLC, Smartlink
- 3 operating modes to cater to a variety of applications
- Safe lock down with Integrated Padlocking
- Simplified maintenance: Front face Indicator allows better reliability

[In] Rated Current (A)	2 Pole Reference	Unit LP [₹]	3 Pole Reference	Unit LP [₹]	4 Pole Reference	Unit LP [₹]
Module Width **	4.5 mod		5.5 mod		6.5 mod	2275
B Curve						
10	A9C61210	37910	A9C61310	39590	A9C61410	42440
16	A9C61216	37905	A9C61316	39590	A9C61416	42440
25	A9C61225	37905	A9C61325	39590	A9C61425	42440
40	A9C61240	39160	A9C61340	42340	A9C61440	45065
63	A9C61263	41650	A9C61363	43990	A9C61463	47625
C Curve						
10	A9C62210	38335	A9C62310	40800	A9C62410	43310
16	A9C62216	38335	A9C62316	40805	A9C62416	43310
25	A9C62225	38330	A9C62325	40800	A9C62425	43310
40	A9C62240	40370	A9C62340	42360	A9C62440	45095
63	A9C62263	42540	A9C62363	43990	A9C62463	47630
D Curve						
10	A9C63210	39200	A9C63310	41630	A9C63410	45050
16	A9C63216	39200	A9C63316	41630	A9C63416	45050
25	A9C63225	39200	A9C63325	41630	A9C63425	45050

Note: **18mm/module

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Acti 9

Distribution Boards

Spectacular Design

Blends seamlessly with interiors



Unique Rounded Corners | Color - RAL 9003 white | Designer Rotary Knob

Maximized Wiring Space

Convenient and Safe wiring



15% more wiring area | Reduced U-box Collar | Removable Frame, Centre plate & Gland plate

Adaptable

Total Flexibility for ease of installation and usage



Surface and Flush installation | Field fittable key lock provision | Reversible Door

Inspiring the **S.M.A.R.T.** choice!!!

Robust Architecture

Perfect blend of Strength & Weight



High Strength-to-Weight ratio | RoHS and REACH Compliance – ideal solution for GREEN Buildings

Technically Proven

Safety Guaranteed





Designed and Manufactured as per IS 8623 - 1&3 | IP and IK test by ERDA & CPRI | Glow wire tested



Acti 9

Distribution Boards



Metal Enclosures



- Metal Enclosure to mount individual Modular Device feeding directly to the load or final distribution board

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
2 way	1 / 2	A9HMES02 <input checked="" type="checkbox"/>	780	-	-
4 way	3 / 4	A9HMES04 <input checked="" type="checkbox"/>	780	-	-

SPN DBs



- SPN DB for distribution of Single Phase Neutral supply to respective load MCBs
- Incomer - DP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
6 way	6	A9HSNS06	1510	A9HSND06 <input checked="" type="checkbox"/>	2170
8 way	8	A9HSNS08 <input checked="" type="checkbox"/>	1790	A9HSND08 <input checked="" type="checkbox"/>	2365
12 way	12	A9HSNS12	2120	A9HSND12 <input checked="" type="checkbox"/>	2845
18 way	18	A9HSNS18	2915	A9HSND18 <input checked="" type="checkbox"/>	3810

TPN DBs



- Standard TPN DBs for distribution of Three Phase and Neutral supply
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs
- TPN DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit MRP [₹]
4 way eco	4 + 12	-	-	A9HTND04E <input checked="" type="checkbox"/>	4665
4 way	8 + 12	A9HTNS04	4330	A9HTND04 <input checked="" type="checkbox"/>	4705
6 way	8 + 18	A9HTNS06	7335	A9HTND06 <input checked="" type="checkbox"/>	5795
8 way	8 + 24	A9HTNS08	5750	A9HTND08 <input checked="" type="checkbox"/>	6960
12 way	8 + 36	A9HTNS12	8900	A9HTND12 <input checked="" type="checkbox"/>	10910

Flexi Tier DBs



- Flexi DBs give total flexibility to mount any type and size of Modular devices as per load requirement
- Provided with N-Bar and E-Bar
- Flexi Tier DBs can be converted to PPI DB using 'PPI Kit' provided on next page

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
2 Tier 24 Modules	2 x 12	-	-	A9HFD224	6120
3 Tier 36 Modules	3 x 12	-	-	A9HFD336	7350
4 Tier 40 Modules	4 x 10	-	-	A9HFD440 <input checked="" type="checkbox"/>	7765
4 Tier 56 Modules	4 x 14	-	-	A9HFD456 <input checked="" type="checkbox"/>	8115

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Per Phase Isolation DBs

- PPI DBs to mount DP Residual Current Device (RCD) at an individual phase level to isolate the faulty phase in case of earth leakage and ensure continuity of supply to other healthy phases
- Incomer - Modular (FP MCB/Isolator) using PPI Kit / MCCB100A (TP/FP Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
12 way	100A MCCB + 6 + 36	-	-	A9HPID12M	16185

PPI Kit (to convert TPN and Flexi Tier DBs to PPI DB)



- Set of accessories to convert TPN DBs and 4 tier Flexi DBs to PPI DB
- Kit is provided with additional required quantity of N-Bar, wire set, Busbars (only for Flexi Tier) and Mounting Kit (only for TPN)

Description	Reference	Unit LP [₹]
PPI Kit for 6way TPN DB (2+4w PPI DB)	A9HKIT04 <input checked="" type="checkbox"/>	3180
PPI Kit for 8way TPN DB (2+6w PPI DB)	A9HKIT06 <input checked="" type="checkbox"/>	3725
PPI Kit for 12way TPN DB (2+10w PPI DB)	A9HKIT10 <input checked="" type="checkbox"/>	4105
PPI Kit for 4T40M Flexi DB (2+8w PPI DB)	A9HKIT08 <input checked="" type="checkbox"/>	6585
PPI Kit for 4T56M Flx DB (2+12w PPI DB)	A9HKIT12 <input checked="" type="checkbox"/>	7290

Phase Segregated DBs



- Phase Segregated DBs to provide total safety for installer and maintenance personnel, by compartmentalizing each Phase and separating Incomer, Sub-Incomer and Outgoing
- Offers better continuity of supply in case of faults during maintenance at DB level.
- Incomer - Modular (FP MCB/Isolator) / MCCB 100A (TP/FP during maintenance Compact NSX or EasyPact CVS)
- Sub-Incomer - DP RCCB/RCBO
- Outgoing - SP MCBs

Description	Total Module Cutout (Incomer + Sub-incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
6 way	8 + 12 + 18	-	-	A9HPGD06 <input checked="" type="checkbox"/>	14375
8 way	8 + 12 + 24	-	-	A9HPGD08 <input checked="" type="checkbox"/>	16050
12 way	8 + 12 + 36	-	-	A9HPGD12	20150
12 way with MCCB l/c	100A MCCB + 12 + 36	-	-	A9HPGD12M	27190

VTPN DBs for Modular Incomer



- Ideal solution to distribute power supply to both 3 Phase and 1 Phase loads in the same DB
- Incomer - FP RCCB/RCBO/Isolator/MCB
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
4 way	8 + 12	-	-	A9HVTD04 <input checked="" type="checkbox"/>	12165
8 way	8 + 24	-	-	A9HVTD08 <input checked="" type="checkbox"/>	15475
12 way	8 + 36	-	-	A9HVTD12 <input checked="" type="checkbox"/>	20710

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

VTPN DBs for MCCB Incomer



- DBs for higher incoming current distribution up to 250A
- Incomer - TP/FP Compact NSX or EasyPact CVS MCCB up to 250A
- Outgoing - SP MCBs / TP MCBs

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
4 way	100A MCCB + 12	-	-	A9HVD04L	13325
8 way	100A MCCB + 24	-	-	A9HVD08L	16885
12 way	100A MCCB + 36	-	-	A9HVD12L	22450
4 way	160A MCCB + 12	-	-	A9HVD04M	14665
8 way	160A MCCB + 24	-	-	A9HVD08M	18270
12 way	160A MCCB + 36	-	-	A9HVD12M	24385
8 way	250A MCCB + 24	-	-	A9HVD08H	31570
12 way	250A MCCB + 36	-	-	A9HVD12H	33280

ComReady DBs



- Designed to house Acti 9 communication system
- Supplied with Double DIN rail, E-Bar and Wire channel.
- Accessories to convert Flexi Tier DB into ComReady DB available on request

Description	Total Module Cutout (Incomer + Outgoing)	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
1 Tier 24 Modules	24	-	-	A9HCRD124	8385
2 Tier 48 Modules	48	-	-	A9HCRD248	13580

Metal Clad P&S Units



- Plug & Socket Unit with Electra Plug & Socket and provision to mount modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
10A 1P+N+E P&S	2	A9HMS210	1985	-	-
20A 1P+N+E P&S	2	A9HMS220	2125	-	-
30A 3P+E P&S	3	A9HMS330	4650	-	-

Industrial P&S Units (provision to mount PratiKa Sockets)



- Plug & Socket Unit with provision to mount PratiKa straight / angled* socket and modular protection devices to feed the end load directly

Description	Total Module Cutout	Single Door (IP30) Reference	Unit MRP [₹]	Double Door Metal (IP43) Reference	Unit LP [₹]
16A 3P PK P&S	2	A9HKS316	1835	-	-
32A 3P PK P&S	2	A9HKS332	3030	-	-
32A 5P PK P&S	4	A9HKS532	3590	-	-
63A 5P PK P&S	4	A9HKS563	7250	-	-

*upto 32A socket only

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Locks for Acti 9 DBs



Key Lock

Description	Reference	Unit LP [₹]
Rotary lock	A9HRL801	510
Key Lock	A9HRL802	640

Accessories for Distribution Boards

Description	Reference	Unit LP [₹]
Busbars		
Fork Busbar 1P 12MOD. 63A	R9XFH112	690
Fork Busbar 1P 57MOD. 63A	R9XFH157	1535
Fork Busbar 2P 12MOD. 63A	R9XFH212	795
Fork Busbar 2P 57MOD. 63A	R9XFH257	2945
Fork Busbar 3P 12MOD. 63A	R9XFH312	1795
Fork Busbar 3P 57MOD. 63A	R9XFH357	6425
Fork Busbar 4P 12MOD. 63A	R9XFH412	1655
Fork Busbar 4P 57MOD. 63A	R9XFH457	6915
Busbar Accessories		
Set of 10 End Caps 1P	R9XE110	585
Set of 10 End Caps 2P	R9XE210	630
Set of 10 End Caps 3P	R9XE310	725
Set of 10 End Caps 4P	R9XE410	790
Set of 4 Connector Fork 63A	R9XFC04	580
Set of 20 Tooth Caps	R9XT20	930
Blanking Plate	13229B	35

Note: Blanking Plate MOQ = 10, All other MOQ = 1

Customized Distribution Boards to Suit Your Need -
Available on Request*

- TV/Telephone DBs
- Pre-Wired DBs
- 8 Segment DBs
- Acrylic Door DBs
- IP54 DBs
- DBs with Phase Indication Lamps

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Kaedra enclosures for PratiKa industrial sockets are part of a complete system of Watertight enclosures from 16A to 125A providing solutions for protection, control and electrical distribution for tertiary and industrial applications



- Degree of protection - IP65
- Impact strength - IK09
- Resistant to chemical and atmospheric agents, UVs etc.
- Self extinguishing class 2 insulating material
- Flame and abnormal heat resistance: 650°C
- Reversible front face for opening of door to left/right
- Combining of enclosures horizontally/vertically while still maintaining IP
- DIN channel can be positioned in 2 depths & 2 heights for cabling purpose

Mini Enclosures for modular devices



Description	Reference	Unit LP [₹]
4 module	13441 <input checked="" type="checkbox"/>	2600
6 module	13442	2960
8 module	13443	3485
12 module	13444	5600

Enclosures for modular devices (with terminal blocks)



Description	Reference	Unit LP [₹]
1 row 12 module	13431	6180
1 row 18 module	13432	8145
2 row 24 module	13433	9250
2 row 36 module	13434	11710
3 row 36 module	13435	12210
4 row 72 module	13437	23305

Mini Enclosure (suitable to mount modular devices and PratiKa 16A socket)



Description	Reference	Unit LP [₹]
4 module 1 vertical opening	13175 <input checked="" type="checkbox"/>	1240
4 module 2 horizontal opening	13176	1530
4 module 3 horizontal opening	13177	1925

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Enclosure (suitable to mount modular devices and PratiKa 16A / 32A sockets)



Description	Reference	Unit LP [₹]
5 module 2 opening	13178 <input checked="" type="checkbox"/>	2985
8 module 4 horizontal opening	13179	4075
13 module 3 opening	13180	5385
13 module 6 opening	13181	5920
19 module 8 opening	13182	7630

Functional Plaques



Description	Reference	Unit LP [₹]
Blank - marked for 1 socket 50x50	13135	385
Blank - marked for 1 socket 65x65 or 75x75	13137	385
Intermediate with 65x85 opening	13136	470
Intermediate with one opening for 65x85 & 90x100	13142	780

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Wander Plugs



- Conforms to IEC 60309-1 & IEC 60309-2
- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKE16M423 <input checked="" type="checkbox"/>	457
		2P + E	PKX16M423 <input type="checkbox"/>	926
	380...415	3P + E	PKE16M434 <input checked="" type="checkbox"/>	580
		3P + N + E	PKE16M435 <input checked="" type="checkbox"/>	604
32	200...250	2P + E	PKE32M423 <input checked="" type="checkbox"/>	721
		3P + E	PKE32M434	836
	380...415	3P + N + E	PKE32M435 <input checked="" type="checkbox"/>	824
IP67				
16	200...250	2P + E	PKE16M723 <input checked="" type="checkbox"/>	1001
		2P + E	PKX16M723 <input type="checkbox"/>	1472
	380...415	3P + E	PKE16M734	1130
		3P + N + E	PKE16M735	1208
32	200...250	2P + E	PKE32M723	1416
		3P + E	PKE32M734 <input checked="" type="checkbox"/>	1527
	380...415	3P + N + E	PKE32M735 <input checked="" type="checkbox"/>	1538
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81378	4013
		3P + E	81382 <input checked="" type="checkbox"/>	3826
	380...415	3P + N + E	81383 <input checked="" type="checkbox"/>	3831
125	200...250	2P + E	81390	10248
		3P + E	81394	11703
	380...415	3P + N + E	81395	11703

Note: * Fast Connection

Small Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- External impact strength: IK08
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	PKF16W423	802
		3P + E	PKF16W434	930
	380...415	3P + N + E	PKF16W435	1016
32	200...250	2P + E	PKF32W423	1048
		3P + E	PKF32W434	1257
	380...415	3P + N + E	PKF32W435	1328
IP67				
16	200...250	2P + E	PKF16W723	1274
		3P + E	PKF16W734	1599
	380...415	3P + N + E	PKF16W735	1654
32	200...250	2P + E	PKF32W723	1593
		3P + E	PKF32W734	2327
	380...415	3P + N + E	PKF32W735	3087

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Wall Mounted Sockets



- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 125A
- External impact strength: IK08
- Glow wire test: 850°C
- Available only in IP67

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
63	200...250	2P + E	81178	4944
	380...415	3P + E	81182 ●	5088
		3P + N + E	81183	5160
125	200...250	2P + E	81190	17667
	380...415	3P + E	81194	17828
		3P + N + E	81195	17916

Wander Sockets



- PK PratiKa Screw Connect: same orientation of clamp's screws.
- PK PratiKa: 16A & 32A; IP44 & IP67
- External impact strength: IK08
- Glow wire test: 850 °C
- Conforms to IEC 60309-1 & IEC 60309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16M423 ☑	635
		2P + E	PKY16M423	699
	3P + E	PKF16M434	732	
32	380...415	3P + N + E	PKF16M435	798
		200...250	2P + E	PKF32M423 ☑
	3P + E	PKF32M434	1058	
32	380...415	3P + N + E	PKF32M435 ☑	1065
		IP67		
	16	200...250	2P + E	PKF16M723
2P + E			PKY16M723 ●	1428
3P + E		PKF16M734	1472	
32	380...415	3P + N + E	PKF16M735	1538
		2P + E	PKF32M723	1615
	3P + E	PKF32M734	1786	
32	380...415	3P + N + E	PKF32M735	1803
		PK (63A & 125A available in IP67 only)		
	63	200...250	2P + E	81478
380...415		3P + E	81482	4410
		3P + N + E	81483	4481
125	200...250	2P + E	1490	13776
	380...415	3P + E	81494	13798
		3P + N + E	81495	14068

Also Available on Request:

- Patented FAST connect Plugs & Sockets - innovative cabling system that enables connection without stripping the conductor and with absolutely no screws required
- Extra Low Voltage Plugs & Sockets down to 50V

Please contact nearest Schneider Electric Sales Office or Customer Care for Reference and Prices

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

☑ NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Panel Mounted Sockets - Angled



- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16F423 <input checked="" type="checkbox"/>	491
		2P + E	PKY16F423 ●	529
	380...415	3P + E	PKF16F434	732
		3P + N + E	PKF16F435 <input checked="" type="checkbox"/>	780
32	200...250	2P + E	PKF32F423 <input checked="" type="checkbox"/>	872
	380...415	3P + E	PKF32F434	1012
		3P + N + E	PKF32F435	1008
IP67				
16	200...250	2P + E	PKF16F723 <input checked="" type="checkbox"/>	924
		2P + E	PKY16F723 ●	1119
	380...415	3P + E	PKF16F734	1052
32	200...250	3P + N + E	PKF16F735 <input checked="" type="checkbox"/>	1065
		2P + E	PKF32F723	1202
	380...415	3P + E	PKF32F734	1406
		3P + N + E	PKF32F735	1428
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81278	3947
		3P + E	81282 <input checked="" type="checkbox"/>	3952
	380...415	3P + N + E	81283 <input checked="" type="checkbox"/>	4030
125	200...250	2P + E	81290	12977
		3P + E	81294	13313
	380...415	3P + N + E	81295	13379

Panel Mounted Sockets - Straight



- PK PratiKa Screw Connect: same orientation of clamp's screws
- External impact strength: IK08
- Glow wire test: 850°C
- Conforms to IEC 60309-1 & IEC309-2

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
PratiKa Screw				
IP44				
16	200...250	2P + E	PKF16G423	555
		2P + E	PKY16G423	571
	380...415	3P + E	PKF16G434	798
		3P + N + E	PKF16G435	836
32	200...250	2P + E	PKF32G423	882
		3P + E	PKF32G434	1016
	380...415	3P + N + E	PKF32G435	1100
IP67				
16	200...250	2P + E	PKF16G723	930
		2P + E	PKY16G723 ●	1048
	380...415	3P + E	PKF16G734	1052
32	200...250	3P + N + E	PKF16G735	1065
		2P + E	PKF32G723	1185
	380...415	3P + E	PKF32G734	1335
		3P + N + E	PKF32G735	1384
PK (63A & 125A available in IP67 only)				
63	200...250	2P + E	81678	3930
		3P + E	81682	3991
	380...415	3P + N + E	81683	3991
125	200...250	2P + E	81690	13230
		3P + E	81694	13313
	380...415	3P + N + E	81695	13379

*Fast Connection

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Sockets with Interlock Switches - for guaranteed safety of operation

- Allows closure of main switch only when the plug is fully inserted in socket - when complete mechanical & electrical connection has occurred
- Plug removal is possible only when the switch is in "off" position

Wall Mounted Sockets with Interlock Switch Unika (w/o protection)



- Switch designed for use in AC 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Rated operational voltage upto 415V
- Rated operational current upto 32A
- External impact strength: IK08
- Available in IP44 / IP65 versions
- Glow wire test: 750°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
IP44				
16	200...250	2P + E	83031	6671
	380...415	3P + E	83035	9234
32		3P + N + E	83036	9415
	200...250	2P + E	83042 <input checked="" type="checkbox"/>	8660
	380...415	3P + E	83046	10094
		3P + N + E	83047	10204
IP65				
16	200...250	2P + E	83081	6902
	380...415	3P + E	83085	9504
		3P + N + E	83086	9697
32	200...250	2P + E	83092	9046
	380...415	3P + E	83096	10860
		3P + N + E	83097	10860

Socket with Interlock Switch & DIN Rail Isoblock (4.5 modules)



- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 4.5 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
16	200...250	2P + E	82754 <input checked="" type="checkbox"/>	8269
	380...415	3P + E	82758	10072
		3P + N + E	82759	10408
32	200...250	2P + E	83791 <input checked="" type="checkbox"/>	9790
	380...415	3P + E	83795	11588
		3P + N + E	83796	11664

Socket with Interlock Switch & DIN Rail Isoblock (6 modules)



- Switch designed for use in AC- 22A class applications
- Conforms to IEC 60309-1 & IEC 60309-2
- Provision to DIN mount 6 module device
- External impact strength: IK10
- Available in IP65 version
- Glow wire test: 850°C

[In] Rated Current (A)	[Ue] Rated Operational Voltage (V)	Poles Description	Reference	Unit MRP [₹]
32	200...250	2P + E	82766	12916
	380...415	3P + E	82770	15143
		3P + N + E	82771	15601
63		3P + E	82782	17403
	380...415	3P + N + E	82783	17458

Note: For all above Reference MOQ = 1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ELECTRA Metal Clad Plugs & Sockets are specially designed incorporating the latest safety, quality and user friendly features.

Construction

- The casting is made from non-corroding die-cast aluminum alloy combining exceptional compactness with high strength
- The design/construction eliminates the possibility of mismatch in fitting of plugs in corresponding sockets
- The floating contacts in the sockets are self aligning and facilitates smooth plugging in without undue pressure (These can be easily removed for wiring)
- A provision for pilot pin facilitates mechanical interlocking in case of 63A ratings

Human Safety

Specially designed shroud to avoid accidental finger contact with plug-pins while inserting/removing the plug
Similarly, the contact tubes in sockets are deeply recessed to avoid human contact

- The earthing pins ensure that earth connection is made first and broken last, being longer than conducting pins
- The visible earth terminals facilitate easy checking of earth connection
- The cable grip to the plug is made very strong by providing a compression gland and by protecting it at the point of entry by a strong rubber guard

Applications

Industrial, Commercial & Domestic portable equipments like Hand/Power Tools, Industrial Ovens, Welding Sets, Mobile Generators, Furnaces, Ships, Office Machines, Refrigerators, Coolers, Air-Conditioners, Overhead Cranes, Chilling Cabinets, Tile Polishers and Sewing Machines

Plug



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AP10 <input checked="" type="checkbox"/>	229
20	2P	250	30	AP20 <input checked="" type="checkbox"/>	240
20	3P	440	30	BP20 <input checked="" type="checkbox"/>	319
30	3P	440	20	BP30 <input checked="" type="checkbox"/>	582
63	3P+N+E	440	4	CP63 <input checked="" type="checkbox"/>	2633

Socket



Rating (A)	Poles Description	Voltage (V)	MOQ	Reference	Unit MRP [₹]
10	2P	250	30	AS10 <input checked="" type="checkbox"/>	240
20	2P	250	30	AS20 <input checked="" type="checkbox"/>	256
20	3P	440	30	BS20 <input checked="" type="checkbox"/>	359
30	3P	440	20	BS30 <input checked="" type="checkbox"/>	617
63	3P+N+E	440	4	CS63 <input checked="" type="checkbox"/>	2790

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Complete range of switches & sockets suitable for both indoor & outdoor applications like Kitchens, Swimming Pools, Landscape Gardens, Exterior Walls and Other Environmentally Challenged Locations.



56SW110LE-GY

Description	IP Rating	Reference	Unit LP [₹]
Surface Switches			
Single Pole Switches Less Enclosure			
1 Pole 250V 10A	IP66	56SW110LE-GY	2939
1 Pole 250V 16A	IP66	56SW116LE-GY	2754
1 Pole 250V 20A	IP66	56SW120LE-GY	4170
1 Pole 250V 32A	IP66	56SW132LE-GY	4926
Double Pole Switches Less Enclosure			
2 Pole 500V 16A	IP66	56SW216LE-GY	4759
2 Pole 500V 20A	IP66	56SW220LE-GY	4759
2 Pole 500V 32A	IP66	56SW232LE-GY	5526
2 Pole 500V 50A	IP66	56SW250LE-GY	5891
2 Pole 500V 63A	IP66	56SW263LE-GY	6480
Triple Pole Switches Less Enclosure			
3 Pole 500V 10A	IP66	56SW310LE-GY	4401
3 Pole 500V 16A	IP66	56SW316LE-GY	4591
3 Pole 500V 20A	IP66	56SW320LE-GY	4833
3 Pole 500V 32A	IP66	56SW332LE-GY	5636
3 Pole 500V 50A	IP66	56SW350LE-GY	6503
3 Pole 500V 63A	IP66	56SW363LE-GY	7548
Four Pole Switches Less Enclosure			
4 Pole 500V 20A	IP66	56SW420LE-GY	6381



66CV563-RG

Description	IP Rating	Reference	Unit LP [₹]
IP66 Industrial Combination Switch Sockets with Enclosure			
Single Pole Switches Less Enclosure			
500V, 63A with 4 pole switch and 63A 5 Pin Socket	IP66	66CV563-RG	85545
Plug Top 5 Pin 500V 63A	IP66	66P563-EO	25676

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020



56SO532LE-GY



56SO320LE-RO

Description	IP Rating	Reference	Unit LP [₹]
Surface Socket Outlets			
3 Pin Sockets Less Enclosure			
3 Pin 250V 16A Indian Standard	IP66	56SO316RP-LE-GY-EX	2771
3 Pin 250V 20A Round Pin	IP66	56SO320LE-GY	4025
3 Pin 250V 32A Round Pin	IP66	56SO332LE-GY	4441
4 Pin Sockets Less Enclosure			
4 Pin 500V 20A Round Pin	IP66	56SO420LE-GY	5954
4 Pin 500V 32A Round Pin	IP66	56SO432LE-GY	7120
4 Pin 500V 40A Round Pin	IP66	56SO440LE-GY	8275
4 Pin 500V 50A Round Pin	IP66	56SO450LE-GY	10955
5 Pin Sockets Less Enclosure			
5 Pin 500V 10A Round Pin	IP66	56SO510LE-GY	6434
5 Pin 500V 20A Round Pin	IP66	56SO520LE-GY	6434
5 Pin 500V 32A Round Pin	IP66	56SO532LE-GY	7641
5 Pin 500V 40A Round Pin	IP66	56SO540LE-GY	11024
5 Pin 500V 50A Round Pin	IP66	56SO550LE-GY	11319



56PA420-EO

Description	IP Rating	Reference	Unit LP [₹]
Plugs			
3 Pin Angle Plugs			
3 Pin 250V 16A Indian Standard	IP66	56PA316RP-GY-EX	2085
3 Pin 250V 20A Round Pin	IP66	56PA320-EO	4170
3 Pin 250V 32A Round Pin	IP66	56PA332-EO	4771
4 Pin Angle Plugs			
4 Pin 500V 20A Round Pin	IP66	56PA420-EO	5082
4 Pin 500V 32A Round Pin	IP66	56PA432-EO	5290
4 Pin 500V 40A Round Pin	IP66	56PA440-EO	6219
4 Pin 500V 50A Round Pin	IP66	56PA450-EO	6278
5 Pin Angle Plugs			
5 Pin 500V 10A Round Pin	IP66	56PA510-EO	4995
5 Pin 500V 20A Round Pin	IP66	56PA520-EO	4995
5 Pin 500V 32A Round Pin	IP66	56PA532-EO	5770
5 Pin 500V 40A Round Pin	IP66	56PA540-EO	6104
5 Pin 500V 50A Round Pin	IP66	56PA550-EO	6249
Combination Switch Socket Outlet			
IP66 Interlocked Switch Socket with Enclosure			
4 Pin 500V 20A Round Pin	IP66	56CVI420-GY	15431
4 Pin 500V 32A Round Pin	IP66	56CVI432-GY	16540
5 Pin 500V 20A Round Pin	IP66	56CVI520-GY	18855
5 Pin 500V 32A Round Pin	IP66	56CVI532-GY	19029

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020



56DB2-GY



56DB4-GY

Description	IP Rating	Reference	Unit LP [₹]
Adaptable Enclosures with Gear Tray			
2 Gangpoints, 198X101X140mm	IP66	56DB2-GY	5203
3 Gangpoints, 294X101X140mm	IP66	56DB3-GY	6930
6 Gangpoints, 294X198X140mm	IP66	56DB6-GY	11452
Junction Boxes			
1 Gangpoint, 107X101X90mm	IP66	56JB1-GY	2371
2 Gangpoints, 204X101X90mm	IP66	56JB2-GY	3812
3 Gangpoints, 300X101X90mm	IP66	56JB3-GY	5718
4 Gangpoints, 204X198X90mm	IP66	56JB4-GY	7669

Description	Module Width	Reference	Unit LP [₹]
Switchgear Cover Assembly			
For 1,2,3 Pole MCB with 4 Pole RCD (max. 4M Width)	4	56CB4N-GY	4528

Description	No. of Gangs	Reference	Unit LP [₹]
Flush Surrounds			
Flush Surround	1	56FA1-GY	1548
Flush Surround	2	56FA2-GY	2230
Flush Surround	3	56FA3-GY	3511
Flush Surround	4	56FA4-GY	3511
Mounting Enclosures (Back Boxes)			
101X101X63mm	1	56E1-GY-EX	1037
198X101X63mm	2	56E2-GY	2489
294X101X63mm	3	56E3-GY	3950
198X198X63mm	4	56E4-GY	5082
294X198X63mm	6	56E6-GY	8126
391X198X63mm	8	56E8-GY	10661
294X294X63mm	9	56E9-GY	11856
391X391X63mm	16	56E16-GY	19317

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

SWITCH TO STYLE



Perfect solutions for the perfect you



Livia



Opale



Clipsal X



Unica Pure



ZENcelo



Avatar On



Neo



Ulti

Switch more than just lights. #Switch The Mood

ON / OFF

DIMMING

ALUMINIUM

ANTHRACITE




MY FAVORITE


WHITE SHADES OR
COLOR CHANGES

Wiser Odace™ LIGHTING. One Light, Many Moods!


White kit
Smart LED



Color kit
Smart LED
colors



Aroma kit
Sensorial
light



Change the mood?
There's also an app for that!

Your mood is now at your fingertips, with the 'Wiser Lighting' app.



Bluetooth connectivity:
Take control of the mood,
wirelessly

Schedules: Set a wake-up
light or a night light or
presence simulator

Unlimited Colour Options:
Choose from up to 16
million colours

Disco mode: Let your lights
flash and flicker to music

Aroma diffuser: Soak in the
energy of therapeutic scents

Light grouping: Several lights
can be group-activated by the
same preset



Wiser Odace™ LIGHTING Product	Reference	Unit MRP [₹]
White Kit	S527578W	7508
Colour Kit	S527578C	7875
Aroma Kit	S527578A	9975
White Switch	S520578	5775
Aluminium Switch	S530578	5775
Anthracite Switch	S540578	5775

*Contact Schneider Electric Sales Representative for more details

W.E.F. August 01st, 2020



- **Sleek Design** - 2.7mm thin plate with curved body to minimize dust accumulation
- **Stylish Looks** - Soft white texture with glossy finish
- **Robust & Strong** - Innovative honeycomb designed grid plate for extra rigidity
- **Reliable** - High grade heat-resistant polycarbonate and laser marked wiring diagrams
- **Easy to Install** - Snap-In / Snap-Out front loading modules and Bigger terminal holes
- **Green & Eco Friendly** - RoHS compliant range



P1001



P1081



P1002



P1025



P2005



P2106



P3012



P3200



P6005



P5001



P0703



P0704

Description	Reference for White	Unit MRP [₹]	Box Qty	Reference for Pebble Grey	Unit MRP [₹]	Box Qty
Switches						
10AX 1 way switch	P1001	110	10	P1001_DG	155	10
10AX 1 way switch with Indicator lamp	P1081	215	10	P1081_DG	250	10
10AX 2 way switch	P1002	172	10	P1002_DG	203	10
16AX 1 way switch	P1101	186	10	P1101_DG	227	10
16AX 1 way switch with Indicator lamp	P1181	261	10	P1181_DG	302	10
16AX 1 way switch (2M)	P1121	272	10	P1121_DG	317	10
16AX 2 way switch	P1102	250	10	P1102_DG	292	1
20A 1 way switch (1M)	P11201	211	10	P11201_DG	231	10
20A DP switch with Indicator lamp	P1120	416	10	P1120_DG	489	10
32A DP switch with Indicator lamp	P1132	608	10	P1132_DG	741	10
Motor Starter Switch						
25A Motor Starter switch	P1186MS	1,005	1	P1186MS_DG	1,175	1
Bell Push						
10A Bell Push switch	P1005	192	10	P1005_DG	222	10
10A Bell Push switch (2M)	P1025	254	10	P1025_DG	296	10
10A bell push switch with Indicator	P1085	229	10	P1085_DG	268	10
10A bell push switch with Indicator (2M)	P1086	296	10	P1086_DG	347	10
Sockets						
10A, 2/3pin Socket Outlet with Shutter	P2005	206	10	P2005_DG	247	10
10A/16A 3-pin Socket Outlet with Shutter	P2106	309	10	P2106_DG	368	10
10A/25A 3 Pin Socket Outlet with Shutter	P2207	425	10	P2207_DG	499	10
13A Multi Pin Socket Outlet with Shutter	P2010	329	10	P2010_DG	400	10
Fan Regulators & Dimmers						
Step type fan regulator (1M)	P3100	584	10	P3100_DG	699	10
Step type fan regulator (2M)	P3200	692	6	P3200_DG	827	10
Dimmer 400W (1M)	P3004	1,029	6	P3004_DG	1,241	6
Dimmer 1000W (2M)	P3012	1,348	6	P3012_DG	1,578	6
USB Charger						
USB Charger	P7002	1,364	10	P7002_DG	1,578	10
Accessories						
RJ 11 Telephone outlet with shutter	P4011	170	10	P4011_DG	203	10
RJ 45 Cat 5e Data outlet with shutter	P4045	580	10	P4045_DG	679	10
RJ 45 Cat6 Data outlet with shutter	P4046	633	10	P4046_DG	764	10
TV socket	P4500	163	10	P4500_DG	194	10
Blank off unit (1M)	P0001	46	40	P0001_DG	56	40
Foot Lamp with LED	P7001	686	1	P7001_DG	802	1
Cord Outlet	P4550	177	10	P4550_DG	209	1
LED Phase Indicator	P5001	284	1	-	-	-
Hotel Series						
DND Switch	P6002	199	10	P6002_DG	230	1
MMR Switch	P6004	199	10	P6004_DG	230	1
DND & MMR Indicator	P6013	637	10	P6013_DG	747	1
Key Card Switch - Electronic 20A	P6005	3,648	1	P6005_DG	4,270	1
Cover Plates						
1-2 M Grid & 1 M Cover Frame	P0701	114	15	P0701_DG	130	15
1-2 M Grid & 2 M Cover Frame	P0702	114	15	P0702_DG	135	15
3 M Grid & 3 M Cover Frame	P0703	145	10	P0703_DG	168	10
4 M Grid & 4 M Cover Frame	P0704	168	8	P0704_DG	196	8
6 M Grid & 6 M Cover Frame	P0706	211	5	P0706_DG	258	5
8 M Grid & 8 M Cover Frame - Horizontal	P0708	278	5	P0708_DG	337	5
8 M Grid & 8 M Cover Frame - Square	P0709	328	5	P0709_DG	386	5
12 M Grid & 12 M Cover Frame	P0712	398	5	P0712_DG	467	5
18 M Grid & 18 M Cover Frame	P0718	573	5	P0718_DG	674	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Clipsal X - As Stylish As Your World



Xtra STYLE

- Trendy Dual tone colour and finish
- Contemporary sloped design that blends seamlessly with the wall
- Vibrant and youthful colours and textured finishes that can stand out or blend in
- Textured finishes to match most Indian decors – Wood, Slate & Leather

Xtra STRONG

- Made to last for more than 1 Million Clicks
- 10A rated switches to enable Grouping – add as many loads as you want
- UV Stabilized to avoid decoloring

Xtra COMFORT

- Least noise level for unobtrusive switching
- Smooth finish which avoids light reflection off the surface
- Glossy Band making it Easy to Clean
- Large plate overhang to hide wall & paint imperfections

Description	Reference for White	Unit MRP (₹)	Pack	Reference for Coke Grey	Unit MRP (₹)	Pack
Switches						
10A 1 Way Switch	CPX101SW1M_WE	132	20	CPX101SW1M_GY	168	20
10A 1 Way Switch with Indicator	CPX101SWL1M_WE	212	20	CPX101SWL1M_GY	252	1
10A 2 Way Switch	CPX102SW1M_WE	189	20	CPX102SW1M_GY	229	20
16A 1 Way Switch	CPX161SW1M_WE	229	1	CPX161SW1M_GY	269	1
16A 1 Way Switch with Indicator	CPX161SWL1M_WE	300	20	CPX161SWL1M_GY	355	20
16A 2 Way Switch	CPX162SW1M_WE	290	1	CPX162SW1M_GY	342	20
10A 1 Way Switch (2M)	CPX101SW2M_WE	239	1	CPX101SW2M_GY	286	10
16A 1 Way Switch (2M)	CPX161SW2M_WE	307	1	CPX161SW2M_GY	365	10
10A 1W Switch with Indicator (2M)	CPX101SWL2M_WE	290	1	CPX101SWL2M_GY	347	10
16A 1W Switch with Indicator (2M)	CPX161SWL2M_WE	353	1	CPX161SWL2M_GY	418	10
20A DP Switch with Indicator (2M)	CPX20DP2M_WE	508	1	CPX20DP2M_GY	592	1
32A DP Switch with Indicator (2M)	CPX32DP2M_WE	739	1	CPX32DP2M_GY*	1,119	10
Motor Starter Switch						
25A Motor Starter Switch	CPXMTSTART2M_WE	838	10	CPXMTSTART2M_GY	1,552	10
Bell Press						
6A Bell Push	CPX6BP1M_WE	212	20	CPX6BP1M_GY	244	1
6A Bell Push (2M)	CPX6BP2M_WE	309	10	CPX6BP2M_GY	361	1
6A Bell Push with Indicator	CPX6BPL1M_WE	281	1	CPX6BPL1M_GY	336	20
6A Bell Push with Indicator (2M)	CPX6BPL2M_WE	336	1	CPX6BPL2M_GY	382	10
Sockets						
6A 2/3P Socket with Shutter	CPX6SK3P_WE	231	10	CPX6SK3P_GY	273	10
6A Uni Socket with Shutter	CPX6USK3P_WE	286	10	CPX6USK3P_GY	328	10
6A/16A 3P Socket with Shutter	CPX616SK_WE	365	10	CPX616SK_GY	412	10
13A Multi Pin Socket with Shutter	CPX13INSK_WE	347	10	CPX13INSK_GY	414	10
13A BS Socket with Shutter	CPX13FPSK_WE	487	10	CPX13FPSK_GY	584	10
20A 3P Socket with Shutter	CPX20SK3P2M_WE	437	10	CPX20SK3P2M_GY	525	10
25A 3P Socket with Shutter	CPX25SK3P2M_WE	470	10	CPX25SK3P2M_GY	536	10
2 Pin Socket with Shutter	CPX6SK2P1M_WE	187	20	CPX6SK2P1M_GY	216	20
5 Pin Socket with Shutter	CPX6SK5P2M_WE	Coming soon		CPX6SK5P2M_GY	Coming soon	
Fan Regulators and Dimmers						
5-Step Fan Regulator (2M)	CPX5STFAN2M_WE	811	1	CPX5STFAN2M_GY	970	5
4-Step Fan Regulator (1M), White	CPX4STFAN1M_WE	708	10	CPX4STFAN1M_GY	848	10
400W Dimmer (1M)	CPXDIM1M_WE	764	1	CPXDIM1M_GY	872	1
400W Dimmer (2M)	CPXDIM2M_WE	1,130	1	CPXDIM2M_GY	1,355	1
1200W Dimmer	CPXDIM2M_1200_WE	1,455	1	CPXDIM2M_1200_GY	1,745	5
USB Chargers						
2.1A USB Charger (1M)	CPX21USB1P1M_WE	1,314	1	CPX21USB1P1M_GY	1,552	1
2.1A USB Charger (2M)	CPX21USB2P2M_WE	1,850	15	CPX21USB2P2M_GY	2,544	15
Accessories						
RJ11 Tel Outlet, No Shutter	CPXRJ11NS1M_WE	189	5	CPXRJ11NS1M_GY	229	5
RJ11 Tel Outlet with Shutter	CPXRJ11_1M_WE	191	5	CPXRJ11_1M_GY	229	5
Twin RJ11 Tel Outlets (1M)	CPXRJ11TW1M_WE	284	12	CPXRJ11TW1M_GY	347	12
RJ45 Data Outlet with Shutter	CPXRJ451M_WE	653	12	CPXRJ451M_GY	767	12
TV Socket	CPXTVCOAX1M_WE	179	5	CPXTVCOAX1M_GY	218	5
RJ45 Cover for Keystone Type	CPXRJ45KS1M_WE	214	5	CPXRJ45KS1M_GY	263	5
Gripped Cord Outlet	CPXCORD1M_WE	204	5	CPXCORD1M_GY	233	10
Foot Light with LED	CPXFTLP2M_WE	Coming Soon	-	CPXFTLP2M_GY	Coming soon	-
Buzzer	CPXBUZZ2M_WE	838	-	CPXBUZZ2M_GY	878	2
Blank Off Unit (1M)	CPXBLANK1M_WE	50	-	CPXBLANK1M_GY	67	5
Neon Phase Indicator						
Neon Phase Indicator (Green)	CPXPHASEG1M	300	12			
Neon Phase Indicator (Red)	CPXPHASER1M	300	12			
Neon Phase Indicator (Red)	CPXPHASEY1M	300	12			
Hotel Series						
DND Indicator	CPXDNDIN1M_WE	466	12	-	-	-
DND Switch	CPXDNDSW1M_WE	365	1	CPXDNDSW1M_GY	431	1
MMR Indicator	CPXMMRIN1M_WE	466	12	-	-	-
MMR Switch	CPXMMRSW1M_WE	365	1	CPXMMRSW1M_GY	431	20
16A Electronic Keycard Switch	CPXKEYCARDSW_WE	4,057	1	CPXKEYCARDSW_GY	4,786	1
Shaver Socket Horizontal	CPXSHAVER_WE	4,194	1	CPXSHAVER_GY	4,948	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020



Description	Reference for White	Unit MRP (₹)	Pack	Reference for Coke Grey	Unit MRP (₹)	Pack
Cover Plates						
1M or 2M Grid & 1M Cover Frame	CPXCP1M_WE	124	1	CPXCP1M_GY	211	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_WE	134	10	CPXCP2M_GY	229	10
3M Grid & 3M Cover Frame	CPXCP3M_WE	153	10	CPXCP3M_GY	260	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_WE	174	10	CPXCP3MU_GY	296	10
4M Grid & 4M Cover Frame	CPXCP4M_WE	181	1	CPXCP4M_GY	307	10
6M Grid & 6M Cover Frame	CPXCP6M_WE	263	5	CPXCP6M_GY	446	5
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_WE	326	1	CPXCP8ML_GY	553	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_WE	336	1	CPXCP8MSQ_GY	653	1
9M Cover Frame	CPXCP9M_WE	347	5	CPXCP9M_GY	559	5
12M Grid & 12M Cover Frame	CPXCP12M_WE	380	1	CPXCP12M_GY	768	1
16M Cover Frame	CPXCP16M_WE	458	5	CPXCP16M_GY	746	5
18M Grid & 18M Cover Frame	CPXCP18M_WE	588	5	-	-	-

Description	Reference for Butterscotch	Reference for Terracota	Reference for Metallic Copper	Reference for Navy Blue	Reference for Charcoal Black	Unit MRP (₹)	Pack
Cover Plates							
1M or 2M Grid & 1M Cover Frame	CPXCP1M_BT	CPXCP1M_TC	CPXCP1M_MC	CPXCP1M_NB	CPXCP1M_CB	235	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_BT	CPXCP2M_TC	CPXCP2M_MC	CPXCP2M_NB	CPXCP2M_CB	255	10
3M Grid & 3M Cover Frame	CPXCP3M_BT	CPXCP3M_TC	CPXCP3M_MC	CPXCP3M_NB	CPXCP3M_CB	291	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_BT	CPXCP3MU_TC	CPXCP3MU_MC	CPXCP3MU_NB	CPXCP3MU_CB	331	1
4M Grid & 4M Cover Frame	CPXCP4M_BT	CPXCP4M_TC	CPXCP4M_MC	CPXCP4M_NB	CPXCP4M_CB	343	10
6M Grid & 6M Cover Frame	CPXCP6M_BT	CPXCP6M_TC	CPXCP6M_MC	CPXCP6M_NB	CPXCP6M_CB	499	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_BT	CPXCP8ML_TC	CPXCP8ML_MC	CPXCP8ML_NB	CPXCP8ML_CB	618	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_BT	CPXCP8MSQ_TC	CPXCP8MSQ_MC	CPXCP8MSQ_NB	CPXCP8MSQ_CB	730	1
12M Grid & 12M Cover Frame	CPXCP12M_BT	CPXCP12M_TC	CPXCP12M_MC	CPXCP12M_NB	CPXCP12M_CB	858	5
9M Grid & 9M Cover Frame					CPXCP9M_CB	846	5

Description	Reference for Slate	Reference for Sheesham	Reference for Metallic Rich Leather	Unit MRP (₹)	Pack
Texture Plates					
1M or 2M Grid & 1M Cover Frame	CPXCP1M_SL	CPXCP1M_SH	CPXCP1M_RL	372	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_SL	CPXCP2M_SH	CPXCP2M_RL	403	1
3M Grid & 3M Cover Frame	CPXCP3M_SL	CPXCP3M_SH	CPXCP3M_RL	460	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_SL	CPXCP3MU_SH	CPXCP3MU_RL	523	1
4M Grid & 4M Cover Frame	CPXCP4M_SL	CPXCP4M_SH	CPXCP4M_RL	542	1
6M Grid & 6M Cover Frame	CPXCP6M_SL	CPXCP6M_SH	CPXCP6M_RL	788	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_SL	CPXCP8ML_SH	CPXCP8ML_RL	977	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_SL	CPXCP8MSQ_SH	CPXCP8MSQ_RL	1,153	1
12M Grid & 12M Cover Frame	CPXCP12M_SL	CPXCP12M_SH	CPXCP12M_RL	1,355	5

Description	Reference for Blue Sapphire	Reference for Pink Flamingo	Unit MRP (₹)	Pack
Dual Colour Plates				
1M or 2M Grid & 1M Cover Frame	CPXCP1M_BS	CPXCP1M_PF	310	10
1M or 2M Grid & 2M Cover Frame	CPXCP2M_BS	CPXCP2M_PF	336	10
3M Grid & 3M Cover Frame	CPXCP3M_BS	CPXCP3M_PF	383	10
3M Uni Grid & 3M Cover Frame	CPXCP3MU_BS	CPXCP3MU_PF	436	10
4M Grid & 4M Cover Frame	CPXCP4M_BS	CPXCP4M_PF	452	10
6M Grid & 6M Cover Frame	CPXCP6M_BS	CPXCP6M_PF	656	1
8M Grid & 8M Cover Frame, Horizontal	CPXCP8ML_BS	CPXCP8ML_PF	814	5
8M Grid & 8M Cover Frame, Square	CPXCP8MSQ_BS	CPXCP8MSQ_PF	961	1
12M Grid & 12M Cover Frame	CPXCP12M_BS	CPXCP12M_PF	1,129	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Opale - Switches with Satin Finish



- **Patented Smooth Satin Finish** - Scratch Resistant, Easy to Clean & Prevents light reflection off surface
- **Safe to Use** - High grade flame retardant polycarbonate material & Child Proof sockets with unique shutter design
- **Hassle Free Operation** - 'Soft sound' switches with Gold plated Data Socket contacts for better connection
- **Easy to Install** - Snap-In / Snap-Out front loading modules and terminals with indented screws
- **Green & Eco Friendly** - RoHS compliant range



X1001WH



X1286WH



X1186WH



X1005WH



X1085WH



X2005WH



X2106WH



X2010WH



X3200WH



X3104WH



X4010WH



X7003WH



X5001



X5002

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack
Switches						
6A 1 way switch	X1001WH	148	20	AAKY1001	187	20
6A 1 way switch with Indicator lamp	X1081WH	234	20	AAKY1081	278	20
6A 2 way switch	X1002WH	203	20	AAKY1002	252	20
16A 1 way switch	X1101WH	236	20	AAKY1101	296	20
16A 1 way switch with Indicator lamp	X1181WH	331	20	AAKY1181	391	20
16A 2 way switch	X1102WH	319	20	AAKY1102	378	20
6A 1 way switch (2M)	X1021WH	258	10	AAKY1021	312	10
16A 1 way switch (2M)	X1121WH	337	10	AAKY1121	402	10
6A 1 way switch with Indicator (2M)	X1028WH	317	10	AAKY1028	382	10
16A 1 way switch with Indicator (2M)	X1128WH	389	10	AAKY1128	461	10
20A DP switch with Indicator (2M)	X1286WH	549	10	AAKY1286	652	10
32A DP switch (2M)	AAKX1232	816	10	-	-	-
Motor Starter Switch						
25A Motor Starter switch	X1186WH	1,427	10	AAKY1186	1,714	10
Bell Push						
6A Bell Push	X1005WH	229	20	AAKY1005	281	20
6A Bell Push (2M)	X1025WH	328	10	AAKY1025	398	10
6A Bell Push with Indicator	X1085WH	305	20	AAKY1085	371	20
6A Bell Push with Indicator (2M)	X1086WH	347	10	AAKY1086	420	10
Sockets						
6A 2/3 Pin Socket Outlet with Shutter	X2005WH	249	10	AAKY2005	301	10
6A "Uni Socket" Outlet with Shutter	X2007WH	309	10	AAKY2007	359	10
6A/16A 3-Pin Socket Outlet with Shutter	X2106WH	381	10	AAKY2106	454	10
13A Multi Pin Socket Outlet with Shutter	X2010WH	375	10	AAKY2010	456	10
16A 3-Pin Socket Outlet with Shutter	X2103WH	429	10	AAKY2103	515	10
13A BS flat Pin Socket Outlet with Shutter	X2403WH	537	10	AAKY2403	643	10
20A 3 Pin Socket Outlet with Shutter	X2206WH	481	10	AAKY2206	578	10
25A 3 Pin Socket Outlet with Shutter	X2207WH	519	10	AAKY2207	623	10
Fan Regulators & Dimmers						
Step type fan regulator (2M)	X3200WH	895	5	AAKY3200	1,070	5
Dimmer 400W (1M)	X3104WH	802	10	AAKY3104	962	10
Dimmer 400W (2M)	X3004WH	1,247	5	AAKY3004	1,494	5
Dimmer 1200W	X3012WH	1,607	5	AAKY3012	1,927	5
USB Chargers						
2 Gang USB Charger - 2.1A (2M)	X7003WH	2,357	15	AAKY7003	2,809	15
Accessories						
RJ11 Telephone outlet (no shutter)	X4010WH	207	10	AAKY4010	252	10
RJ11 Telephone outlet with shutter	X4011WH	205	10	AAKY4011	252	10
Twin RJ11 Telephone outlets (no shutter) (1M)	X4020WH	312	10	AAKY4020	382	20
RJ45 Data Outlet with shutter	X4045WH	706	20	AAKY4045	845	20
TV Socket	X4500WH	192	10	AAKY4500	240	10
RJ45 Cover for Key Stone Type	X4050WH	236	10	AAKY4050	288	10
Gripped Cord Outlet	X4550WH	213	10	AAKY4550	256	10
Buzzer	X3300WH	877	2	AAKY3300	968	2
Blank off unit (1M)	X0001WH	54	10	AAKY0001	71	20
Neon Phase Indicator (Red)	X5001	331	20	-	-	-
Neon Phase Indicator (Green)	X5002	331	20	-	-	-
Neon Phase Indicator (Yellow)	X5003	331	20	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Opale - Switches with Satin Finish



AAKX6002 + AAKX6004 + X0702



AAKX6006 + X0703

Description	Reference	Unit MRP [₹]	Pack
Hotel Series*			
DND Panel	AAKX6001	515	20
DND Switch	AAKX6002	402	20
MMR Panel	AAKX6003	487	20
MMR Switch	AAKX6004	402	20
Key Tag Switch (Mechanical Type 20 A)	AAKX6005	1,049	1
Shaver Socket	AAKX6006	4,628	1

*Available in white colour only



X0733WH



AAKX0744



AAKX0754

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Coke Grey	Unit MRP [₹]	Pack	Reference for Matt Silver	Unit MRP [₹]	Pack	Reference for Matt Gold	Unit MRP [₹]	Pack
Cover Plates												
1-2 M Grid & 1 M Cover Frame	X0701	134	10	AAKY0801	164	10	AAKX0741	317	10	AAKX0751	317	10
1-2 M Grid & 2 M Cover Frame	X0702	142	10	AAKY0802	171	10	AAKX0742	341	10	AAKX0752	341	10
3 M Grid & 3 M Cover Frame	X0703	169	10	AAKY0803	205	10	AAKX0743	408	10	AAKX0753	408	10
3 M Universal Grid & 3 M Cover Frame	X0733WH	223	10	AAKY0833	266	10	AAKX0744	408	10	AAKX0754	408	10
4 M Grid & 4 M Cover Frame	X0704	197	10	AAKY0804	243	10	AAKX0745	487	10	AAKX0755	487	10
6 M Grid & 6 M Cover Frame	X0706	274	5	AAKY0806	326	5	AAKX0746	603	5	AAKX0756	603	5
8 M Grid & 8 M Cover Frame - Horizontal	X0708	357	5	AAKY0808	424	5	AAKX0747	786	5	AAKX0757	786	5
8 M Grid & 8 M Cover Frame - Square	X0709	422	5	AAKY0809	506	5	AAKX0748	786	5	AAKX0758	786	5
12 M Grid & 12 M Cover Frame	X0712	497	5	AAKY0812	593	5	AAKX0749	1,074	5	AAKX0759	1,074	5
18 M Grid & 18 M Cover Frame	AAKX0718	647	5	-	-	-	-	-	-	-	-	

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Unica Pure - Irresistibly Beautiful



Wood



Glass

Irresistibly Beautiful

- Authentic finishes - developed from the high quality natural material
- Ingenious Design - Demarcated dolly depicting clear on/off mode of the switch
- Modish Colors - perfectly gel with neutral, accent wall colors and blends perfectly with any decor

Irresistibly Safe & Sturdy

- Self Piercing Terminal - ensuring completely safe, robust and fast installation
- Facile & Guarded Technology - reduces tension in the switch rocker & increases the longevity of the switch (1Mn+ clicks)
- Binare & Insulated Gridplate - Robust, rigid & shock proof gridplate,

Irresistibly Easy

- Key Hole Feature - Angular and linear adjustments of the gridplate can be easily achieved
- Revolutionary Ease of Mounting with Indicators & Markings

Irresistibly Sustainable

- Green Premium - Complies to HIGHEST INTERNATIONAL STANDARD of Green
- Certification for manufactured products (RoHS, REACH, PEP, EoLI) and is 100% Recyclable

Irresistibly Innovative

- Future Ready - Features of Voice & Mobile control to fit with smart homes

Irresistibly Versatile

- One Stop Shop - Extensive range covering residential, office, commercial or hospitality



Polar White



Volcanic Grey



Sandy Beige



Mocha Brown



Pearl Black



Aqua Glass



Pewter Grey



Rhodium Black



Oak

Description	Reference for Polar White	Unit LP [₹]	Pack	Reference for Volcanic Grey	Unit LP [₹]	Pack
6A Switches						
6AX 1 Way Switch	UNS61SW1M_WE	184	20	UNS61SW1M_GY	213	20
6AX 1 Way Switch With Indicator	UNS61SWL1M_WE	284	20	UNS61SWL1M_GY	333	20
6AX 2 Way Switch	UNS62SW1M_WE	244	10	UNS62SW1M_GY	273	10
6A Intermediate Switches						
10AX Intermediate Switch	UNS10SW1M_WE	1,040	1	UNS10SW1M_GY	1,210	1
16AX 1 Way Switch	UNS161SW1M_WE	284	20	UNS161SW1M_GY	333	20
16AX 1 Way Switch With Indicator	UNS161SWL1M_WE	341	20	UNS161SWL1M_GY	397	20
16AX 2 Way Switch, Polar White	UNS162SW1M_WE	360	10	UNS162SW1M_GY	424	10
16A Master Switch, 2 Way, With Locator & Label	UNS162MSWL1M_WE	832	20	UNS162MSWL1M_GY	983	1
Double Pole Switches						
20A Double Pole Switch With Indicator	UNS20DP2M_WE	675	10	UNS20DP2M_GY	794	1
32A Double Pole Switch With Indicator	UNS32DP2M_WE	1,032	10	UNS32DP2M_GY	1,231	10
Motor Starter Switch						
Motor Starter	UNSMSTART2M_WE	1,414	10	UNSMSTART2M_GY	1,673	10
Bell Switches						
6A Bellpress, 1M	UNS6BP1M_WE	253	20	UNS6BP1M_GY	296	20
6A Bellpress With Indicator, 1M	UNS6BPL1M_WE	334	20	UNS6BPL1M_GY	397	1
6A Bellpress, 2M, Polar White	UNS6BP2M_WE	331	10	UNS6BP2M_GY	389	1
6A Bellpress With Indicator, 2M	UNS6BPL2M_WE	409	10	UNS6BPL2M_GY	479	1
6A Sockets						
6A 3 Pin Universal Socket	UNS6SK3P2M_WE	344	10	UNS6SK3P2M_GY	397	10
6A 2 Pin Socket	UNS6SK2P1M_WE	327	20	UNS6SK2P1M_GY	377	20
6A 5 Pin Socket	UNS6SK5P2M_WE	363	10	UNS6SK5P2M_GY	424	10
6/ 16A Sockets						
6/16A Socket	UNS616SK2M_WE	421	10	UNS616SK2M_GY	524	10
20A & 25A Sockets						
20A 3 Pin Socket	UNS20SK3P2M_WE	540	10	UNS20SK3P2M_GY	625	1
25A 3 Pin Socket	UNS25SK3P2M_WE	568	10	UNS25SK3P2M_GY	662	1
International Sockets						
13A International Socket with Shutter	UNS13INTSK2M_WE	516	10	UNS13INTSK2M_GY	600	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020



Polar White



Volcanic Grey



Sandy Beige



Mocha Brown



Pearl Black



Aqua Glass



Pewter Grey



Rhodium Black



Oak

Description	Reference for Polar White	Unit LP [₹]	Pack	Reference for Volcanic Grey	Unit LP [₹]	Pack
USB Chargers						
2.1A 5V USB Charger, 2 Module	UNS21USB2P2M_WE	2,355	10	UNS21USB2P2M_GY	2,784	1
2.1A 5V USB Charger, 1 Module	UNS21USB1P1M_WE	1,770	20	UNS21USB1P1M_GY	2,097	20
Blank Plates						
Single Module Blank Plate	UNSBLANK1M_WE	61	20	UNSBLANK1M_GY	68	20
Fan Regulators						
4 Steps 360 Deg Fan Regulator, 1M	UNS4STFAN1M_WE	740	20	UNS4STFAN1M_GY	857	20
5 Steps 360 Deg Fan Regulator, 2M	UNS5STFAN2M_WE	1,173	10	UNS5STFAN2M_GY	1,323	10
Dimmers						
400W Dimmer for Incandescent, 1M	UNSDIM1M_WE	1,066	10	UNSDIM1M_GY	1,594	10
100W Dimmer for LED, 1M	UNSLLEDDIM1M_WE	3,774	1	UNSLLEDDIM1M_GY	4,348	10
Emergency Light Indicator						
Emergency Light Module*	UNSEMERGENCY2M_WE	7,700	1		-	-
Network, Connectivity & Media Series						
RJ 11 (WITH Shutter)	UNSRJ11_1M_WE	235	20	UNSRJ11_1M_GY	277	20
RJ 45 (WITH Shutter), Cat 6	UNSRJ45_1M_WE	857	20	UNSRJ45_1M_GY	993	20
TV Socket Coaxial	UNSTVCOAX1M_WE	243	20	UNSTVCOAX1M_GY	289	20
Volume Control	UNSVOLCTRL2M_WE	1,823	10	UNSVOLCTRL2M_GY	2,134	10
HDMI	UNSHDMI_WE	1,499	20	UNSHDMI_GY	1,752	20
TV Socket Digital (F-Connector)	UNSCPTVDIG1M_WE	257	1	UNSCPTVDIG1M_GY	304	10
Hotel Series*						
Skirt Light with LED, 2M	UNSSKTLT2M_WE	1,002	10	UNSSKTLT2M_GY	1,173	10
Buzzer	UNSBUZZER1M_WE	1,544	10	UNSBUZZER1M_GY	1,692	10
Cord Outlet	UNSCORD1M_WE	297	20	UNSCORD1M_GY	330	20
Door Chime	UNSCHIME2M_WE	416	10		-	-
DND / MMR Indicator*	UNSDM1M	1,134	20		-	-
DND/ MMR Switch*	UNSDMSW2M_WE	454	1	UNSDMSW2M_GY	529	1
DND Switch	UNSDNDSW1M_WE	451	10	UNSDNDSW1M_GY	550	10
MMR Switch	UNSMRWSW1M_WE	451	10	UNSMRWSW1M_GY	550	10
Electronic Key Card Switch	UNSKYCARDSW_WE	6,050	5	UNSKYCARDSW_GY	6,995	5
Curtain Control Switch	UNSCURTAINSW2M_WE	718	10	UNSCURTAINSW2M_GY	832	10
Shaver Socket	UNSSHAYER_WE	5,988	1	UNSSHAYER_GY	6,531	1
PIR Motion Sensor*	UNSPIR_WE	7,865	4		-	-
4 Sockets + 1 Switch Prewired, 9M	UNS4SK1SW9M_WE	2,155	1		-	-
1 Socket + 1 Switch Prewired, 3M.	UNS1SK1SW3M_WE	1362	1		-	-

Description	Reference	Unit LP [₹]	Pack
LED Phase Indicator			
Phase Indicator, Red	UNSPHASER1M	377	20
Phase Indicator, Green	UNSPHASEG1M	377	20
Phase Indicator, Yellow	UNSPHASEY1M	377	20

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Description	Reference for Aqua Glass	Unit LP [₹]	Pack	Reference for Pearl Black Glass	Unit LP [₹]	Pack
Cover Plates						
1 Module Glass Surround and Gridplate	UNPCP1M_GW	1,256	6	UNPCP1M_GB	1,462	6
2 Module Glass Surround and Gridplate	UNPCP2M_GW	1,396	6	UNPCP2M_GB	1,624	6
3 Module Glass Surround and Gridplate	UNPCP3M_GW	1,585	6	UNPCP3M_GB	1,786	6
4 Module Glass Surround and Gridplate	UNPCP4M_GW	1,676	6	UNPCP4M_GB	1,949	6
6 Module Glass Surround and Gridplate	UNPCP6M_GW	2,934	3	UNPCP6M_GB	3,411	3
8 Module Glass Surround and Gridplate, Linear	UNPCP8ML_GW	3,306	3	UNPCP8ML_GB	3,843	3
8 Module Glass Surround and Gridplate, Square	UNPCP8MSQ_GW	4,190	3	UNPCP8MSQ_GB	4,873	6
12 Module Glass Surround and Gridplate	UNPCP12M_GW	5,169	6	UNPCP12M_GB	6,009	6

Description	Reference for Pewter Grey Metal	Unit LP [₹]	Pack	Reference for Rhodium Black Metal	Unit LP [₹]	Pack
Cover Plates						
1 Module Metal Surround and Gridplate	UNPCP1M_ML	2,041	6	UNPCP1M_MD	2,041	6
2 Module Metal Surround and Gridplate	UNPCP2M_ML	2,250	6	UNPCP2M_MD	2,250	6
3 Module Metal Surround and Gridplate	UNPCP3M_ML	2,572	6	UNPCP3M_MD	2,572	6
4 Module Metal Surround and Gridplate	UNPCP4M_ML	2,721	6	UNPCP4M_MD	2,721	6
6 Module Metal Surround and Gridplate	UNPCP6M_ML	4,737	3	UNPCP6M_MD	4,737	3
8 Module Metal Surround and Gridplate, Linear	UNPCP8ML_ML	5,312	3	UNPCP8ML_MD	5,312	3
8 Module Metal Surround and Gridplate, Square	UNPCP8MSQ_ML	6,751	3	UNPCP8MSQ_MD	6,751	3
12 Module Metal Surround and Gridplate	UNPCP12M_ML	8,347	6	UNPCP12M_MD	8,347	6

Description	Reference for Oak Wood	Unit LP [₹]	Pack
Real Material Cover Plates			
1 Module Wood Surround and Gridplate	UNPCP1M_WD	2,008	6
2 Module Wood Surround and Gridplate	UNPCP2M_WD	2,125	6
3 Module Wood Surround and Gridplate	UNPCP3M_WD	2,628	6
4 Module Wood Surround and Gridplate	UNPCP4M_WD	3,039	6
6 Module Wood Surround and Gridplate	UNPCP6M_WD	4,324	3
8 Module Wood Surround and Gridplate, Linear	UNPCP8ML_WD	5,207	3
8 Module Wood Surround and Gridplate, Square	UNPCP8MSQ_WD	6,235	6
12 Module Wood Surround and Gridplate	UNPCP12M_WD	8,276	6

Description	Reference for Painted Sandy Biege	Unit LP [₹]	Pack	Reference for Painted Mocha Brown	Unit LP [₹]	Pack	Reference for Molded Polar White	Unit LP [₹]	Pack	Reference for Molded Volcanic Grey	Unit LP [₹]	Pack
Cover Plates												
1 Module Plastic Surround and Gridplate	UNSCP1M_CL	347	20	UNSCP1M_CD	347	20	UNSCP1M_WE	190	20	UNSCP1M_GY	266	20
2 Module Plastic Surround and Gridplate	UNSCP2M_CL	386	20	UNSCP2M_CD	386	20	UNSCP2M_WE	212	20	UNSCP2M_GY	296	20
3 Module Plastic Surround and Gridplate	UNSCP3M_CL	441	10	UNSCP3M_CD	443	10	UNSCP3M_WE	243	10	UNSCP3M_GY	338	10
4 Module Plastic Surround and Gridplate	UNSCP4M_CL	463	14	UNSCP4M_CD	463	14	UNSCP4M_WE	255	14	UNSCP4M_GY	361	14
6 Module Plastic Surround and Gridplate	UNSCP6M_CL	809	5	UNSCP6M_CD	812	5	UNSCP6M_WE	446	5	UNSCP6M_GY	623	5
8 Module Plastic Surround and Gridplate, Linear	UNSCP8ML_CL	916	5	UNSCP8ML_CD	916	5	UNSCP8ML_WE	502	5	UNSCP8ML_GY	696	5
8 Module Plastic Surround and Gridplate, Square	UNSCP8MSQ_CL	1,159	10	UNSCP8MSQ_CD	1,159	10	UNSCP8MSQ_WE	608	10	UNSCP8MSQ_GY	888	10
9 Module Plastic Surround and Gridplate*							UNSCP9M_WE	772	5	UNSCP9M_GY	1,184	5
12 Module Plastic Surround and Gridplate	UNSCP12M_CL	1,448	5	UNSCP12M_CD	1,450	5	UNSCP12M_WE	856	5	UNSCP12M_GY	1,478	5
16 Module Plastic Surround and Gridplate	UNSCP16M_CL	1,964	5	UNSCP16M_CD	1,964	5	UNSCP16M_WE	1,055	5	UNSCP16M_GY	1,785	5
18 Module Plastic Surround and Gridplate	UNSCP18M_CL	2,104	1	UNSCP18M_CD	2,104	1	UNSCP18M_WE	1,074	1	UNSCP18M_GY	1,871	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ZENcelo India - The Revolutionary Full-Flat Switch




- **World's First and only Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Safe to Use** - Electric arc encapsulated switches and Data Sockets with patented integrated shutter
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



IN8401



IN8401/16




IN8411



IN8486/20



IN8405



IN8425



IN84SFR



IN8404D



IN8426U



IN8426/16



IN8431RJS4



IN8432USB_WE



IN8451



IN8454

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack
Switches						
6A 1 Way switch	IN8401	313	10	IN8401(BZ)	393	10
6A 1 Way switch (2M)	IN8421	485	10	IN8421(BZ)	584	10
6A 2 Way switch	IN8402	382	10	IN8402(BZ)	458	10
6A 1 Way switch with Neon	IN8481	475	10	IN8481(BZ)	569	10
16AX~20A 1 Way switch	IN8401/16	460	10	IN8401/16(BZ)	561	10
16AX~20A 1 Way switch (2M)	IN8421/16	647	10	IN8421/16(BZ)	764	10
16AX~20A 1 Way switch with Neon	IN8481/16	649	10	IN8481/16(BZ)	769	10
16AX~20A 1 Way switch with Neon (2M)	IN8482/16	764	10	IN8482/16(BZ)	899	10
16AX~20A 2 Way switch	IN8402/16	643	10	IN8402/16(BZ)	758	10
16AX~20A 2 Way switch (2M)	IN8422/16	769	10	IN8422/16(BZ)	903	10
16AX~20A 1 Way 2G switch (1M)	IN8444/16	746	10	IN8444/16(BZ)	899	10
10AX Intermediate switch	IN8430/IM	1,077	10	IN8430/IM(BZ)	1,218	1
20A DP Switch with Neon (2M)	IN8486/20	1,000	5	IN8486/20(BZ)	1,181	5
32A DP Switch with Neon (2M)	IN8486/32	1,570	5	IN8486/32(BZ)	1,869	5
Motor Starter Switch						
25A Motor Starter switch (2M)	IN8425MS	2,546	10	IN8425MS(BZ)	2,709	10
Bell Push						
6A Bell Push switch	IN8405	433	10	IN8405(BZ)	523	10
6A Bell Push switch (2M)	IN8425	632	10	IN8425(BZ)	748	10
6A Bell Push switch with Neon	IN8485	563	10	IN8485(BZ)	664	10
6A Bell Push switch with Neon (2M)	IN8486	699	10	IN8486(BZ)	823	10
Sockets						
2~3 Pin Universal Socket with Shutter	IN8426U	498	10	IN8426U(BZ)	603	10
6A/16A 3 Pin Socket with Shutter	IN8426/16	743	10	IN8426/16(BZ)	909	10
13A Flat Pin Socket with Shutter	IN84213	1,016	10	IN84213(BZ)	1,202	10
International Socket with Shutter	IN84213IS	876	10	IN84213IS(BZ)	1,096	10
Universal 2 Pin Socket with Shutter	IN84226U	523	10	IN84226U(BZ)	613	10
20A 3 Pin Socket with Shutter	IN84220	947	10	IN84220(BZ)	1,113	10
25A 3 Pin Socket with Shutter	IN84225	1,012	10	IN84225(BZ)	1,192	10
Fan Regulators & Dimmers						
Fan Control (5 Speeds)	IN84SFR	1,764	5	IN84SFR(BZ)	2,116	5
Full Flat 400W Dimmer Module (1 Gang)	IN8404D	1,588	10	IN8404D(BZ)	1,880	10
USB Chargers						
1 Gang USB Charger - 2.1A (1M)	IN8431USB_WE	2,861	10	IN8431USB_BZ	3,281	10
2 Gang USB Charger - 2.1A (2M)	IN8432USB_WE	4,184	1	IN8432USB_BZ	4,814	10
Accessories						
RJ11 Telephone Outlet with shutter (1 Gang)	IN8431RJS4	477	10	IN8431RJS4(BZ)	582	10
RJ45 Cat6 Data Outlet with shutter	IN8431RJ6	1,659	10	IN8431RJ6(BZ)	2,027	10
Data Outlet Wall Plate (for RJ45 key stone jack)	IN8431RJC	470	10	IN8431RJC(BZ)	554	10
TV Socket	IN8431TV	361	10	IN8431TV(BZ)	435	10
Cord Outlet	IN8445CO	414	10	IN8445CO(BZ)	504	10
Foot Lamp with White LED (2M)	IN8490FLW	3,334	10	-	-	-
Foot Lamp with Yellow LED (2M)	IN8490FLY	3,250	10	-	-	-
Blank off unit (1M)	IN8430X	111	10	IN8430X(BZ)	137	10
Hotel Series						
Do Not Disturb Panel	INH8451	2,305	10	INH8451(BZ)	2,730	10
Make My Room Panel	INH8454	2,095	10	INH8454(BZ)	2,473	10
Do Not Disturb Switch	INH8452	1,145	10	INH8452(BZ)	1,349	10
Do Not Disturb Switch (2M)	INH8453	1,166	10	INH8453(BZ)	1,376	10
Make My Room Switch	INH8455	1,118	10	INH8455(BZ)	1,318	10

Please contact Customer Care Center for Stockable and Non stockable status of references.


NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ZENcelo India - The Revolutionary Full-Flat Switch




IN8403C



IN8406C



IN8402C(BZ)



IN8404C(SZ)



IN84012C(SA)

Description	Reference for White	Unit MRP [₹]	Pack	Reference for Dark Grey	Unit MRP [₹]	Pack	Reference for Silver Bronze	Unit MRP [₹]	Pack	Reference for Satin Silver	Unit MRP [₹]	Pack
Cover Plates												
1M Grid & 1M Cover Frame	IN8401C	286	10	IN8401C(BZ)	339	10	IN8401C(SZ)	788	10	IN8401C(SA)	788	10
2M Grid & 2M Cover Frame	IN8402C	297	10	IN8402C(BZ)	354	10	IN8402C(SZ)	779	10	IN8402C(SA)	779	10
3M Grid & 3M Cover Frame	IN8403C	350	10	IN8403C(BZ)	418	10	IN8403C(SZ)	957	10	IN8403C(SA)	957	10
4M Grid & 4M Cover Frame	IN8404C	381	10	IN8404C(BZ)	491	10	IN8404C(SZ)	1150	10	IN8404C(SA)	1150	10
6M Grid & 6M Cover Frame	IN8406C	581	5	IN8406C(BZ)	691	5	IN8406C(SZ)	1579	5	IN8406C(SA)	1579	5
8M Grid & 8M Cover Frame - Horizontal	IN8408HC	691	5	IN8408HC(BZ)	827	5	IN8408HC(SZ)	2134	5	IN8408HC(SA)	2134	5
8M Grid & 8M Cover Frame - Square	IN8408SC	913	5	IN8408SC(BZ)	1150	5	IN8408SC(SZ)	2591	5	IN8408SC(SA)	2591	5
9M Grid & 9M Cover Frame	IN8409C	1135	5	IN8409C(BZ)	1419	5	IN8409C(SZ)	3421	5	IN8409C(SA)	3421	5
12M Grid & 12M Cover Frame	IN84012C	1502	5	IN84012C(BZ)	1848	5	IN84012C(SZ)	4774	5	IN84012C(SA)	4774	5
18M Grid & 18M Cover Frame	IN84018C	2118	5	IN84018C(BZ)	2492	5	IN84018C(SZ)	6320	5	IN84018C(SA)	6320	5

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ZENcelo BS - The Revolutionary Full-Flat Switch



- **British Standard** - Consistent Plate Size across functions
- World's First and only **Full-Flat Mechanical Switch**
- **Patented Iso-Motion Technology** - Ensures switch stays in the same position whether On or Off
- **Robust & Strong** - Made of corrosion-resistant, heat-resistant and impact-resistant polycarbonate
- **Designed to Last** - Switches tested to 80,000 times; Sockets tested to 15,000 cycles.
- **Green & Eco Friendly** - RoHS compliant range



E8432/1>SZ-OS



E8433/1-OS



E8415_10_WE



E8431D20-OS



E431RJS4-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Brozne	Unit MRP [₹]	Pack
Switches						
16AX/20A 1 Gang 1 Way switch with Ondicator	E8431/1-OS	418	1	E8431/1>SZ-OS	520	1
16AX/20A 2 Gang 1 Way switch with Ondicator	E8432/1-OS	647	1	E8432/1>SZ-OS	809	1
16AX/20A 3 Gang 1 Way switch with Ondicator	E8433/1-OS	1,058	1	E8433/1>SZ-OS	1,322	1
16AX/20A 4 Gang 1 Way switch with Ondicator	E8434/1-OS	1,525	1	E8434/1>SZ-OS	1,906	1
16AX/20A 1 Gang 2 Way switch	E8431/2-OS	448	1	E8431/2>SZ-OS	557	1
16AX/20A 2 Gang 2 Way switch	E8432/2-OS	785	1	E8432/2>SZ-OS	979	1
16AX/20A 3 Gang 2 Way switch	E8433/2-OS	1,139	1	E8433/2>SZ-OS	1,432	1
16AX 1 Gang Intermediate Switch	E8431/I-OS	1,242	1	E8431/I>SZ-OS	1,553	1
Double Pole Switches						
20A 1 Gang Double Pole switch with Neon	E8431D20-OS	1,187	1	E8431D20>SZ-OS	1,553	1
32A 1 Gang Double Pole switch with Neon	E8431D32-OS	1,576	1	E8431D32>SZ-OS	2,074	1
Bell Push						
10A Full-Flat Bell Switch	E8431BP1-OS	455	1	E8431BP1>SZ-OS	561	1
Sockets						
5A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/5-OS	825	1	E8415/5>SZ-OS	1,029	1
5A 1 Gang 3 Round Pin Switched Socket with Neon and Shutter	E8415/5N-OS	1,159	1	E8415/5N>SZ-OS	1,455	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Ondicator	E8415/15-OS	975	1	E8415/15>SZ-OS	1,219	1
15A 1 Gang 3 Round Pin Switched Socket with Shutter and Neon	E8415/15N-OS	1,432	1	E8415/15N>SZ-OS	1,773	1
16A 1 Gang International Socket with Shutter	E84426/16IS-OS	1,037	1	E84426/16IS>SZ-OS	1,294	1
13A 1 Gang Switched Socket with Ondicator	E8415-OS	1,219	1	E8415>SZ-OS	1,525	1
13A 1 Gang Switched Socket with Neon	E8415N-OS	1,029	1	E8415N>SZ-OS	1,283	1
10/16A Switched Socket Outlet - Shuttered	E8415_16_10_WE	1,086	1	E8415_16_10_SZ	1,271	1
10A 2-3 pin Switched Socket Outlet - Shuttered	E8415_10_WE	864	1	E8415_10_SZ	1,077	1
Fan Regulators & Dimmers						
350VA 50Hz 1 Gang Full-Flat Universal Dimmer with LED	E8431EPD4-OS	2,697	1	E8431EPD4>SZ-OS	3,367	1
Accessories						
1 Gang TV Socket Master	E8431TVM-OS	523	1	E8431TVM>SZ-OS	651	1
1 Gang Telephone Socket on Shuttered Wallplate	E8431RJS4-OS	666	1	E8431RJS4>SZ-OS	834	1
2 Gang Telephone Socket on Shuttered Wallplate	E8432RJS4-OS	1,553	1	E8432RJS4>SZ-OS	1,929	1
1 Gang Data Outlet Category 5E with Integrated Shutter	E8431RJ/5-OS	1,037	8	E8431RJ/5>SZ-OS	1,294	1
1 Gang Data Outlet Category 6 with Integrated Shutter	E8431RJ/6-OS	1,242	1	E8431RJ/6>SZ-OS	1,553	1
1 Gang Data Outlet Category 5E on Shuttered Wallplate	E8431RJS/5-OS	1,294	1	E8431RJS/5>SZ-OS	1,623	1
1 Gang Data Outlet Category 6 on Shuttered Wallplate	E8431RJS/6-OS	1,553	1	E8431RJS/6>SZ-OS	1,935	1
2 Gang Data Outlet Category 5E with Integrated Shutter	E8432RJ/5-OS	1,814	1	E8432RJ/5>SZ-OS	2,258	1
2 Gang Data Outlet Category 6 with Integrated Shutter	E8432RJ/6-OS	2,328	1	E8432RJ/6>SZ-OS	2,893	1
2 Gang Data Outlet Category 5E on Shuttered Wallplate	E8432RJS/5-OS	1,814	1	E8432RJS/5>SZ-OS	2,258	1
2 Gang Data Outlet Category 6 on Shuttered Wallplate	E8432RJS/6-OS	2,328	1	E8432RJS/6>SZ-OS	2,893	1
2 Gang Telephone + Data Outlet Category 5E with Integrated Shutter	E8432TDRJ/5-OS	1,553	1	E8432TDRJ/5>SZ-OS	1,935	1
2 Gang Telephone + Data Outlet Category 5E on Shuttered Wallplate	E8432TDRJS/5-OS	1,929	1	E8432TDRJS/5>SZ-OS	2,408	1
2 Gang Telephone + Data Outlet Category 6 on Shuttered Wallplate	E8432TDRJS/6-OS	2,195	1	E8432TDRJS/6>SZ-OS	2,738	1
TV + Cat 6 shutter outlet	E8432TVRJ6_WE_G1	1,929	1	E8432TVRJ6_SZ_G1	2,108	1
25A Connection Unit	E8431TB-OS	1,037	1	E8431TB>SZ-OS	1,294	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ZENcelo BS - The Revolutionary Full-Flat Switch



E8431USB_WE



E8431USB_SZ



E8431USB_SA

Description	Reference For White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack	Reference For Satin Silver	Unit MRP [₹]	Pack
USB Chargers									
1 Gang 2.1A USB Charger	E8431USB_WE	3911	1	E8431USB_SZ	4363	1	E8431USB_SA	4363	1
1 Gang 2.1A USB Charger(ISI)	E8431USB_WE_G8	3911	10	E8431USB_SZ_G8	4363	10	E8431USB_SA_G8	4363	10



E8431EKT-OS



E8432DMS>SZ-OS



E84T727H-OS



E84T727V>SZ-OS

Description	Reference for White	Unit MRP [₹]	Pack	Reference For Silver Bronze	Unit MRP [₹]	Pack
Hotel Series						
Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8432DM-OS	3424	1	E8432DM>SZ-OS	4279	1
Illuminated "Do not Disturb" Symbol	E8431D-OS	998	1	E8431D>SZ-OS	1242	1
1 Gang Full-Flat Switch with Illuminated "Do not Disturb" Symbol	E8431DS-OS	538	1	E8431DS>SZ-OS	670	1
2 Gang Full-Flat Switch with Illuminated "Do not Disturb" & "Please Clean Up" Symbols	E8432DMS-OS	3771	1	E8432DMS>SZ-OS	4707	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" Symbol	E8431BPD-OS2870	2870	1	3483	3483	1
1 Gang Full-Flat Bell Switch with Illuminated "Do Not Disturb" & "Please Clean Up" Symbols	E8431BPDM-OS	3662	1	E8431BPDM>SZ-OS	4568	1
16A Electronic Key Card Time Delay Switch	E8431EKT-OS	7317	1	E8431EKT>SZ-OS	9148	1
Universal Shaver Unit, Vertical	E84T727V-OS	4140	1	E84T727V>SZ-OS	5157	1
Universal Shaver Unit, Horizontal	E84T727H-OS	4140	1	E84T727H>SZ-OS	5157	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

AvatarOn - It's also a Switch



Award-winning Designs: In 2017, AvatarOn gained international recognition for its innovative design and quality excellence and was awarded the iF Design Award

Ingenious Beauty

- The ground-breaking AvatarOn series is a true marriage of aesthetics and practicality, making it a perfect choice for all home or office designs.

Safe and Reliable

- Our patented "Slim Rocker, Sure Click" SS technology not only gives AvatarOn a greater thinness overall, but also a near-zero contact jitter that reduces sparks, thus ensuring a safe and reliable use.

Customisable Covers for True Adaptability

- AvatarOn switches are available in an array of replaceable covers for full customisation and integration into any home decor. The customised pattern covers of AvatarOn provides you with an extra canvas to showcase your creativity in a subtle yet apparent way.

Modern Look

- The stylish and streamlined design of AvatarOn switch covers are finished in white, soft wood, dark wood and gold hairline materials for a classic look and universal elegance.

Tech-chic Design that Shines

- The AvatarOn soft LED locators merges seamlessly with its sleek giant dolly, creating a stylish and streamlined design and glow with a soft luminescent in the dark, indicating the exact location of each switch at night.

Multifunctional Accessories for Every Day Conveniences

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 1 Gang 1 Way Switch	White	E8331L1_WE_G8	420	1
	Wine Gold	E8331L1_WG_G8	630	10
	Dark Grey	E8331L1_DG_G8	630	1
	Metal Gold Hairline	E8331L1_GH_G8	630	10
	Light Wood	E8331L1_LW_G8	630	10
	Dark Wood	E8331L1_WD_G8	630	10
16AX 250V 1 Gang 1 Way Switch with LED Indicator	White	E8331L1LED_WE_G8	630	1
	Wine Gold	E8331L1LED_WG_G8	944	10
	Dark Grey	E8331L1LED_DG_G8	944	1
	Metal Gold Hairline	E8331L1LED_GH_G8	944	10
	Light Wood	E8331L1LED_LW_G8	944	10
	Dark Wood	E8331L1LED_WD_G8	944	10
16AX 250V 1 Gang 2 Way Switch	White	E8331L2_WE_G8	449	1
	Wine Gold	E8331L2_WG_G8	673	10
	Dark Grey	E8331L2_DG_G8	673	1
	Metal Gold Hairline	E8331L2_GH_G8	673	10
	Light Wood	E8331L2_LW_G8	673	10
	Dark Wood	E8331L2_WD_G8	673	10
16AX 250V 1 Gang 2 Way Switch with LED Indicator	White	E8331L2LED_WE_G8	673	10
	Wine Gold	E8331L2LED_WG_G8	1,010	10
	Dark Grey	E8331L2LED_DG_G8	1,010	1
	Metal Gold Hairline	E8331L2LED_GH_G8	1,010	10
	Light Wood	E8331L2LED_LW_G8	1,010	10
	Dark Wood	E8331L2LED_WD_G8	1,010	10
16AX 250V 2 Gang 1 Way Switch	White	E8332L1_WE_G8	649	1
	Wine Gold	E8332L1_WG_G8	974	10
	Dark Grey	E8332L1_DG_G8	974	1
	Metal Gold Hairline	E8332L1_GH_G8	974	10
	Light Wood	E8332L1_LW_G8	974	10
	Dark Wood	E8332L1_WD_G8	974	10
16AX 250V 2 Gang 1 Way Switch with LED Indicator	White	E8332L1LED_WE_G8	974	1
	Wine Gold	E8332L1LED_WG_G8	1,461	10
	Dark Grey	E8332L1LED_DG_G8	1,461	1
	Metal Gold Hairline	E8332L1LED_GH_G8	1,461	10
	Light Wood	E8332L1LED_LW_G8	1,461	10
	Dark Wood	E8332L1LED_WD_G8	1,461	10
16AX 250V 2 Gang 2 Way Switch	White	E8332L2_WE_G8	789	1
	Wine Gold	E8332L2_WG_G8	1,184	10
	Dark Grey	E8332L2_DG_G8	1,184	1
	Metal Gold Hairline	E8332L2_GH_G8	1,184	10
	Light Wood	E8332L2_LW_G8	1,184	10
	Dark Wood	E8332L2_WD_G8	1,184	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
16A Switches (Base + Cover Plate)				
16AX 250V 2 Gang 2 Way Switch with LED Indicator	White	E8332L2LED_WE_G8	1,184	10
	Wine Gold	E8332L2LED_WG_G8	1,776	10
	Dark Grey	E8332L2LED_DG_G8	1,776	1
	Metal Gold Hairline	E8332L2LED_GH_G8	1,776	10
	Light Wood	E8332L2LED_LW_G8	1,776	10
	Dark Wood	E8332L2LED_WD_G8	1,776	10
16AX 250V 3 gang 1 Way Switch	White	E8333L1_WE_G8	1,064	1
	Wine Gold	E8333L1_WG_G8	1,596	10
	Dark Grey	E8333L1_DG_G8	1,596	1
	Metal Gold Hairline	E8333L1_GH_G8	1,596	10
	Light Wood	E8333L1_LW_G8	1,596	10
	Dark Wood	E8333L1_WD_G8	1,596	10
16AX 250V 3 gang 1 Way Switch with LED Indicator	White	E8333L1LED_WE_G8	1,596	10
	Wine Gold	E8333L1LED_WG_G8	2,394	10
	Dark Grey	E8333L1LED_DG_G8	2,394	1
	Metal Gold Hairline	E8333L1LED_GH_G8	2,394	10
	Light Wood	E8333L1LED_LW_G8	2,394	10
	Dark Wood	E8333L1LED_WD_G8	2,394	10
16AX 250V 3 gang 2 Way Switch	White	E8333L2_WE_G8	1,146	1
	Wine Gold	E8333L2_WG_G8	1,719	10
	Dark Grey	E8333L2_DG_G8	1,719	1
	Metal Gold Hairline	E8333L2_GH_G8	1,719	10
	Light Wood	E8333L2_LW_G8	1,719	10
	Dark Wood	E8333L2_WD_G8	1,719	10
1 6AX 250V 3 gang 2 Way Switch with LED Indicator	White	E8333L2LED_WE_G8	1,719	10
	Wine Gold	E8333L2LED_WG_G8	2,578	10
	Dark Grey	E8333L2LED_DG_G8	2,578	1
	Metal Gold Hairline	E8333L2LED_GH_G8	2,578	10
	Light Wood	E8333L2LED_LW_G8	2,578	10
	Dark Wood	E8333L2LED_WD_G8	2,578	10
16AX 250V 4 Gang 1 Way Switch	White	E8334L1_WE_G8	1,531	1
	Wine Gold	E8334L1_WG_G8	2,297	10
	Dark Grey	E8334L1_DG_G8	2,297	1
	Metal Gold Hairline	E8334L1_GH_G8	2,297	10
	Light Wood	E8334L1_LW_G8	2,297	10
	Dark Wood	E8334L1_WD_G8	2,297	10
16AX 250V 4 Gang 1 Way Switch with LED Indicator	White	E8334L1LED_WE_G8	2,297	10
	Wine Gold	E8334L1LED_WG_G8	3,445	10
	Dark Grey	E8334L1LED_DG_G8	3,445	1
	Metal Gold Hairline	E8334L1LED_GH_G8	3,445	10
	Light Wood	E8334L1LED_LW_G8	3,445	10
	Dark Wood	E8334L1LED_WD_G8	3,445	10
16AX 250V 4 Gang 2 Way Switch	White	E8334L2_WE_G8	1,761	1
	Wine Gold	E8334L2_WG_G8	2,641	10
	Dark Grey	E8334L2_DG_G8	2,641	1
	Metal Gold Hairline	E8334L2_GH_G8	2,641	10
	Light Wood	E8334L2_LW_G8	2,641	10
	Dark Wood	E8334L2_WD_G8	2,641	10
16AX 250V 4 Gang 2 Way Switch with LED Indicator	White	E8334L2LED_WE_G8	2,641	10
	Wine Gold	E8334L2LED_WG_G8	3,962	10
	Dark Grey	E8334L2LED_DG_G8	3,962	1
	Metal Gold Hairline	E8334L2LED_GH_G8	3,962	10
	Light Wood	E8334L2LED_LW_G8	3,962	10
	Dark Wood	E8334L2LED_WD_G8	3,962	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
16A Intermediate Switches				
16AX 250V 1 Gang Intermediate Switch	White	E8331M_WE_G8	1,246	1
	Wine Gold	E8331M_WG_G8	1,869	1
	Dark Grey	E8331M_DG_G8	1,869	1
	Metal Gold Hairline	E8331M_GH_G8	1,869	1
	Light Wood	E8331M_LW_G8	1,869	1
	Dark Wood	E8331M_WD_G8	1,869	1
10A Momentary Switches				
10A 250V 1 Gang Momentary Switch	White	E8331PRL1_WE_G8	457	10
	Wine Gold	E8331PRL1_WG_G8	685	10
	Dark Grey	E8331PRL1_DG_G8	685	1
	Metal Gold Hairline	E8331PRL1_GH_G8	685	10
	Light Wood	E8331PRL1_LW_G8	685	10
	Dark Wood	E8331PRL1_WD_G8	685	10
10A 250V 2 Gang Momentary Switch	White	E8332PRL1_WE_G8	548	10
	Wine Gold	E8332PRL1_WG_G8	822	10
	Dark Grey	E8332PRL1_DG_G8	822	1
	Metal Gold Hairline	E8332PRL1_GH_G8	822	10
	Light Wood	E8332PRL1_LW_G8	822	10
	Dark Wood	E8332PRL1_WD_G8	822	10
Double Pole Switches				
20A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D20N_WE_G8	1,074	10
	Wine Gold	E8331D20N_WG_G8	1,611	10
	Dark Grey	E8331D20N_DG_G8	1,611	1
	Metal Gold Hairline	E8331D20N_GH_G8	1,611	10
	Light Wood	E8331D20N_LW_G8	1,611	10
	Dark Wood	E8331D20N_WD_G8	1,611	10
20A 250V 2 Gang Double Pole Switch with LED Indicator	White	E8332D20N_WE_G8	1,369	10
	Wine Gold	E8332D20N_WG_G8	1,933	10
	Dark Grey	E8332D20N_DG_G8	1,933	1
	Metal Gold Hairline	E8332D20N_GH_G8	1,933	10
	Light Wood	E8332D20N_LW_G8	1,933	10
	Dark Wood	E8332D20N_WD_G8	1,933	10
32A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D32N_WE_G8	1,426	10
	Wine Gold	E8331D32N_WG_G8	2,138	10
	Dark Grey	E8331D32N_DG_G8	2,138	1
	Metal Gold Hairline	E8331D32N_GH_G8	2,138	10
	Light Wood	E8331D32N_LW_G8	2,138	10
	Dark Wood	E8331D32N_WD_G8	2,138	10
45A 250V 1 Gang Double Pole Switch with LED Indicator	White	E8331D45N_WE_G8	1,782	10
	Wine Gold	E8331D45N_WG_G8	2,673	10
	Dark Grey	E8331D45N_DG_G8	2,673	1
	Metal Gold Hairline	E8331D45N_GH_G8	2,673	10
	Light Wood	E8331D45N_LW_G8	2,673	10
	Dark Wood	E8331D45N_WD_G8	2,673	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
Bell Push Switch				
10A 250V Door Bell Push Switch	White	E8331BPL1_WE_G8	457	1
	Wine Gold	E8331BPL1_WG_G8	685	10
	Dark Grey	E8331BPL1_DG_G8	685	1
	Metal Gold Hairline	E8331BPL1_GH_G8	685	10
	Light Wood	E8331BPL1_LW_G8	685	10
	Dark Wood	E8331BPL1_WD_G8	685	10
Sockets				
10A International Socket for India	White	E83426TSI_WE	1,224	1
	Wine Gold	E83426TSI_WG	1,838	1
	Dark Grey	E83426TSI_DG	1,838	1
6A 2/3 Pin Switched Socket	White	E8315_6_WE	923	8
	Wine Gold	E8315_6_WG	1,173	8
	Dark Grey	E8315_6_DG	1,173	1
	Metal Gold Hairline	E8315_6_GH	1,173	8
	Light Wood	E8315_6_LW	1,173	8
	Dark Wood	E8315_6_WD	1,173	8
6/16A Switched Socket	White	E8315_16_WE	1,158	8
	Wine Gold	E8315_16_WG	1,472	8
	Dark Grey	E8315_16_DG	1,472	1
	Metal Gold Hairline	E8315_16_GH	1,472	8
	Light Wood	E8315_16_LW	1,472	8
	Dark Wood	E8315_16_WD	1,472	8
Fan Regulators				
5 Steps 360 Deg Fan Regulator	White	E8331FR350_WE_G8	2,199	1
	Wine Gold	E8331FR350_WG_G8	2,899	1
	Dark Grey	E8331FR350_DG_G8	2,899	1
	Metal Gold Hairline	E8331FR350_GH_G8	2,899	1
	Light Wood	E8331FR350_LW_G8	2,899	1
	Dark Wood	E8331FR350_WD_G8	2,899	1
Switch & Socket Covers (Additional)				
1 Gang Switch Cover	White	E8331_WE	115	1
	Wine Gold	E8331_WG	289	1
	Dark Grey	E8331_DG	289	1
	Metal Gold Hairline	E8331_GH	289	1
	Light Wood	E8331_LW	289	1
	Dark Wood	E8331_WD	289	1
1 Gang Switch Cover with Keyholder	White	E8331KH_WE	215	1
	Wine Gold	E8331KH_WG	389	1
	Dark Grey	E8331KH_DG	389	1
	Metal Gold Hairline	E8331KH_GH	389	1
	Light Wood	E8331KH_LW	389	1
	Dark Wood	E8331KH_WD	389	1
2 Gang Switch Cover	White	E8332_WE	175	1
	Wine Gold	E8332_WG	393	1
	Dark Grey	E8332_DG	393	1
	Metal Gold Hairline	E8332_GH	393	1
	Light Wood	E8332_LW	393	1
	Dark Wood	E8332_WD	393	1
3 Gang Switch Cover	White	E8333_WE	270	1
	Wine Gold	E8333_WG	578	1
	Dark Grey	E8333_DG	578	1
	Metal Gold Hairline	E8333_GH	578	1
	Light Wood	E8333_LW	578	1
	Dark Wood	E8333_WD	578	1
3 Gang Switch Cover with Keyholder	White	E8333KH_WE	351	1
	Wine Gold	E8333KH_WG	678	1
	Dark Grey	E8333KH_DG	678	1
	Metal Gold Hairline	E8333KH_GH	678	1
	Light Wood	E8333KH_LW	678	1
	Dark Wood	E8333KH_WD	678	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
4G Switch Cover	White	E8334_WE	380	1
	Wine Gold	E8334_WG	789	1
	Dark Grey	E8334_DG	789	1
	Metal Gold Hairline	E8334_GH	789	1
	Light Wood	E8334_LW	789	1
6A 2/3 Pin Switched Socket Cover	Dark Wood	E8334_WD	789	1
	White	E8315C_6_WE	325	12
	Wine Gold	E8315C_6_WG	550	12
	Dark Grey	E8315C_6_DG	550	1
	Metal Gold Hairline	E8315C_6_GH	550	12
6/16A Switched Socket Cover	Light Wood	E8315C_6_LW	550	12
	Dark Wood	E8315C_6_WD	550	12
	White	E8315C_16_WE	350	12
	Wine Gold	E8315C_16_WG	575	12
	Dark Grey	E8315C_16_DG	575	1
USB Chargers	Metal Gold Hairline	E8315C_16_GH	575	12
	Light Wood	E8315C_16_LW	575	12
	Dark Wood	E8315C_16_WD	575	12
	White	E8315USB_WE_G8	6,624	10
	Wine Gold	E8315USB_WG_G8	9,936	10
13A 250V Switched Socket with 2.1A USB Charger (Compatible with Type G Plugs)	Dark Grey	E8315USB_DG_G8	9,936	1
	Metal Gold Hairline	E8315USB_GH_G8	9,936	10
	Light Wood	E8315USB_LW_G8	9,936	10
	Dark Wood	E8315USB_WD_G8	9,936	10
	White	E83311USB_WE_G8	4,329	1
2 Ports Max 2.1A USB Charger with Mobile Holder	Wine Gold	E83311USB_WG_G8	6,493	1
	Dark Grey	E83311USB_DG_G8	6,493	1
	White	E8332USB_WE_G8	5,411	1
2 x 2.1A USB Charger with Mobile Holder (2.1A with 2 outputs used simultaneously)	Wine Gold	E8332USB_WG_G8	8,118	1
	Dark Grey	E8332USB_DG_G8	8,118	1
	Metal Gold Hairline	E8332USB_GH_G8	8,118	1
	Light Wood	E8332USB_LW_G8	8,118	1
	Dark Wood	E8332USB_WD_G8	8,118	1
Blacket/Frame (to ensure alignment of switches on 2/3/4 Gang metal box)				
2 Gang Bracket/Frame	White	E8331_26_WE	191	1
	Wine Gold	E8331_26_WG	250	1
	Dark Grey	E8331_26_DG	250	1
3 Gang Bracket/Frame	White	E8331_36_WE	210	1
	Wine Gold	E8331_36_WG	294	1
	Dark Grey	E8331_36_DG	294	1
4 Gang Bracket/ Frame	White	E8331_46_WE	225	1
	Wine Gold	E8331_46_WG	316	1
	Dark Grey	E8331_46_DG	316	1
Blank Plates				
1 Gang Blank Plate	White	E8330X_WE	277	1
	Wine Gold	E8330X_WG	416	1
	Dark Grey	E8330X_DG	416	1
	Metal Gold Hairline	E8330X_GH	416	1
	Light Wood	E8330X_LW	416	1
	Dark Wood	E8330X_WD	416	1
2 Gang Blank Plate	White	E8330TX_WE	387	10
	Wine Gold	E8330TX_WG	601	10
	Dark Grey	E8330TX_DG	601	1
	Metal Gold Hairline	E8330TX_GH	601	10
	Light Wood	E8330TX_LW	601	10
	Dark Wood	E8330TX_WD	601	10

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
Hotel Series				
DND, PCU, PW Indicator with Bell Switch (Do Not Disturb, Please Clean Up, Please Wait)	White	E8331BPDMMW_WE_G8	3,940	1
	Wine Gold	E8331BPDMMW_WG_G8	5,910	10
	Dark Grey	E8331BPDMMW_DG_G8	5,910	1
	Metal Gold Hairline	E8331BPDMMW_GH_G8	5,910	10
	Light Wood	E8331BPDMMW_LW_G8	5,910	10
	Dark Wood	E8331BPDMMW_WD_G8	5,910	10
16AX 3 Gang Switch with PCU, DND, PW Sym (Do Not Disturb, Please Clean Up, Please Wait)	White	E8333DMWS_WE_G8	3,821	1
	Wine Gold	E8333DMWS_WG_G8	5,732	10
	Dark Grey	E8333DMWS_DG_G8	5,732	1
	Metal Gold Hairline	E8333DMWS_GH_G8	5,732	10
	Light Wood	E8333DMWS_LW_G8	5,732	10
	Dark Wood	E8333DMWS_WD_G8	5,732	10
250V 16A Electronic Keycard Switch	White	E8331EKT_WE	6,884	1
	Wine Gold	E8331EKT_WG	10,327	1
	Dark Grey	E8331EKT_DG	10,327	1
	Metal Gold Hairline	E8331EKT_GH	10,327	8
	Light Wood	E8331EKT_LW	10,327	8
	Dark Wood	E8331EKT_WD	10,327	1
Panic Button with Key Reset	White	E8331KPB_WE	944	1
	Wine Gold	E8331KPB_WG	1,573	1
	Dark Grey	E8331KPB_DG	1,573	1
	Metal Gold Hairline	E8331KPB_GH	1,573	1
	Light Wood	E8331KPB_LW	1,573	1
	Dark Wood	E8331KPB_WD	1,573	1
10A 2 Gang Mechanical Curtain Switch	White	E8332C_WE_G8	817	1
	Wine Gold	E8332C_WG_G8	1,225	10
	Dark Grey	E8332C_DG_G8	1,225	1
	Metal Gold Hairline	E8332C_GH_G8	1,225	10
	Light Wood	E8332C_LW_G8	1,225	10
	Dark Wood	E8332C_WD_G8	1,225	10
115/240V 20VA Universal Version Shaver	White	E83T727V_WE	3,891	1
	Wine Gold	E83T727V_WG	6,484	1
	Dark Grey	E83T727V_DG	6,484	1
	Metal Gold Hairline	E83T727V_GH	6,484	1
	Light Wood	E83T727V_LW	6,484	1
	Dark Wood	E83T727V_WD	6,484	1
Connection Units				
13A 250V 1 Gang Fused Connection Unit	White	E8330FSG_WE	1,079	10
	Wine Gold	E8330FSG_WG	1,209	10
	Dark Grey	E8330FSG_DG	1,209	1
	Light Wood	E8330FSG_LW	1,209	1
	Dark Wood	E8330FSG_WD	1,209	10
13A 250V 1 Gang Fused Connection Unit with Neon	White	E8330FSGN_WE	1,170	10
	Wine Gold	E8330FSGN_WG	1,509	10
	Dark Grey	E8330FSGN_DG	1,509	1
	Light Wood	E8330FSGN_LW	1,509	1
	Dark Wood	E8330FSGN_WD	1,509	10
13A 250V 1 Gang Fused Connection with DP Switch and Neon	White	E8331DFSGN_WE	2,112	10
	Wine Gold	E8331DFSGN_WG	3,520	10
	Dark Grey	E8331DFSGN_DG	3,520	1
	Light Wood	E8331DFSGN_LW	3,520	1
	Dark Wood	E8331DFSGN_WD	3,520	10
25A 250V 1 Gang Connection Unit	White	E8331TB_WE	939	10
	Wine Gold	E8331TB_WG	1,564	10
	Dark Grey	E8331TB_DG	1,564	1
	Metal Gold Hairline	E8331TB_GH	1,564	10
	Light Wood	E8331TB_LW	1,564	1
	Dark Wood	E8331TB_WD	1,564	10
Telecom, Network, Connectivity & Media Series				
1 Gang Telephone Socket, Shuttered Wallplate	White	E8331RJS4_WE	601	1
	Wine Gold	E8331RJS4_WG	1,002	1
	Dark Grey	E8331RJS4_DG	1,002	1
	Metal Gold Hairline	E8331RJS4_GH	1,002	1
	Light Wood	E8331RJS4_LW	1,002	10
	Dark Wood	E8331RJS4_WD	1,002	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Product Description	Color	Product Ref. No.	Unit LP [₹]	Pack
2G Tel Socket, Shuttered Wallplate	White	E8332RJS4_WE	1,408	1
	Wine Gold	E8332RJS4_WG	2,112	1
	Dark Grey	E8332RJS4_DG	2,112	1
1 Gang RJ45 Data Cat5E, Shuttered	White	E8331RJS5_WE	939	1
	Wine Gold	E8331RJS5_WG	1,564	1
	Dark Grey	E8331RJS5_DG	1,564	1
		E8331RJS5_GH	1,564	1
	Metal Gold Hairline Light Wood	E8331RJS5_LW	1,564	10
	Dark Wood	E8331RJS5_WD	1,564	1
2 Gang RJ45 Data Cat5E, Shuttered	White	E8332RJS5_WE	1,639	1
	Wine Gold	E8332RJS5_WG	2,733	1
	Dark Grey	E8332RJS5_DG	2,733	1
		E8332RJS5_GH	2,733	10
	Metal Gold Hairline Light Wood	E8332RJS5_LW	2,733	10
1 Gang RJ45 Data Cat6, Shuttered	Dark Wood	E8332RJS5_WD	2,733	1
	White	E8331RJS6_WE	1,121	1
	Wine Gold	E8331RJS6_WG	1,682	1
	Dark Grey	E8331RJS6_DG	1,682	1
2 Gang RJ45 Data Cat6, Shuttered	White	E8332RJS6_WE	2,103	1
	Wine Gold	E8332RJS6_WG	3,154	1
	Dark Grey	E8331L1_DG_G8	630	1
1 Gang TV Socket, 75Ω, Through-Connect	White	E8331TV_WE	473	1
	Wine Gold	E8331TV_WG	789	1
	Dark Grey	E8331TV_DG	789	1
		E8331TV_GH	789	10
	Metal Gold Hairline Light Wood	E8331TV_LW	789	10
1 Gang TV Socket, Slave 5-1000	Dark Wood	E8331TV_WD	789	1
	White	E8331TVSF_WE	524	10
	Wine Gold	E8331TVSF_WG	789	10
	Dark Grey	E8331TVSF_DG	789	1
2 Gang TV Master/FM Socket	White	E8332TVFMM_WE	1,900	10
	Wine Gold	E8332TVFMM_WG	2,850	10
	Dark Grey	E8332TVFMM_DG	2,850	1
1 Gang Tel + RJ45 Data Cat5E, Shuttered	White	E8332TDRJS5_WE	1,408	1
	Wine Gold	E8332TDRJS5_WG	2,347	1
	Dark Grey	E8332TDRJS5_DG	2,347	1
		E8332TDRJS5_GH	2,347	1
	Metal Gold Hairline Light Wood	E8332TDRJS5_LW	2,347	10
1 Gang TV+ RJ45 Data Cat5E, Shuttered	Dark Wood	E8332TDRJS5_WD	2,347	1
	White	E8332TVRJS5_WE	1,746	1
	Wine Gold	E8332TVRJS5_WG	2,911	1
	Dark Grey	E8332TVRJS5_DG	2,911	1
		E8332TVRJS5_GH	2,911	1
	Metal Gold Hairline Light Wood	E8332TVRJS5_LW	2,911	10
1 Gang TV+ RJ45 Data Cat6, Shuttered	Dark Wood	E8332TVRJS5_WD	2,911	1
	White	E8332TVRJS6_WE	1,746	1
	Wine Gold	E8332TVRJS6_WG	2,911	1
	Dark Grey	E8332TVRJS6_DG	2,911	1
HDMI + USB Socket	White	E8332HDUSB_WE	3,897	1
	Wine Gold	E8332HDUSB_WG	6,493	8
	Dark Grey	E8332HDUSB_DG	6,493	1
HDMI + RJ45 Data Cat5E, Shuttered	White	E8332HDRJS5_WE	2,371	1
	Wine Gold	E8332HDRJS5_WG	3,556	1
	Dark Grey	E8332HDRJS5_DG	3,556	1
2 Gang HDMI+HDMI , Keystone on Wallplate	White	E8332HDHD_WE	2,137	1
	Wine Gold	E8332HDHD_WG	3,562	8
	Dark Grey	E8332HDHD_DG	3,562	1
RCA/S-Video Socket	White	E8331RCA_S_WE	1,500	1
	Wine Gold	E8331RCA_S_WG	2,250	1
	Dark Grey	E8331RCA_S_DG	2,250	1
VGA + Mini Audio	White	E8332HD15PH_WE	1,500	1
	Wine Gold	E8332HD15PH_WG	2,250	1
	Dark Grey	E8332HD15PH_DG	2,250	1
Volume control, 5W, 8Ohm	White	E8331VC_WE	1,700	1
	Wine Gold	E8331VC_WG	2,550	10
	Dark Grey	E8331VC_DG	2,550	1
Speaker Connection, One Pair	White	E8331SC_WE	1,444	10
	Wine Gold	E8331SC_WG	2,167	10
	Dark Grey	E8331SC_DG	2,167	1
Speaker Connection, Two Pair	White	E8332SC_WE	2,000	1
	Wine Gold	E8332SC_WG	3,000	1
	Dark Grey	E8332SC_DG	3,000	1
1 Gang S Keystone Wallplate (w/o Mod)	White	E8331RJS_WE	444	10
	Wine Gold	E8331RJS_WG	667	10
	Dark Grey	E8331RJS_DG	667	1
2 Gang S Keystone Wallplate (w/o Mod)	White	E8332RJS_WE	833	10
	Wine Gold	E8332RJS_WG	1,251	10
	Dark Grey	E8332RJS_DG	1,251	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

NEO - Face the Future



- **Unique** - Horizontal Switches available for Horizontal Decor
- **Stylish** - Ingenious combination of matt and gloss finish along with a fresh look through use of LED technology
- **Convenient** - Switches with soft, luminiscent “locators” to locate the switch in dark
- **Dual Tone Colours** - Standard colours include Grey and White incorporating Blue and White LED respectively



E3033H1EBGS



E3032H1EWWW



E3032H1FWWW



E3032V1EBGS



E3031V1EWWW



E3032V1FWWW

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
Grey Switches with Blue LED Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1EBGS	809	1	E3031V1EBGS	809	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EBGS	945	1	E3031V2EBGS	945	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EBGS	1,265	1	E3032V1EBGS	1,265	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EBGS	1,491	1	E3032V2EBGS	1,491	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EBGS	1,854	1	E3033V1EBGS	1,854	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EBGS	2,184	1	E3033V2EBGS	2,184	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EBGS	2,305	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EBGS	2,726	1	-	-	-
White Switches with White LED Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1EWWW	785	1	E3031V1EWWW	785	1
10AX 250V 1 Gang 2 Way Switch	E3031H2EWWW	905	1	E3031V2EWWW	905	1
10AX 250V 2 Gang 1 Way Switch	E3032H1EWWW	1,253	1	E3032V1EWWW	1,253	1
10AX 250V 2 Gang 2 Way Switch	E3032H2EWWW	1,450	1	E3032V2EWWW	1,461	1
10AX 250V 3 Gang 1 Way Switch	E3033H1EWWW	1,773	1	E3033V1EWWW	1,773	1
10AX 250V 3 Gang 2 Way Switch	E3033H2EWWW	2,056	1	E3033V2EWWW	2,056	1
10AX 250V 4 Gang 1 Way Switch	E3034H1EWWW	2,253	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2EWWW	2,669	1	-	-	-
White Switches with White Fluorescent Indicator						
10AX 250V 1 Gang 1 Way Switch	E3031H1FWWW	781	1	E3031V1FWWW	781	1
10AX 250V 1 Gang 2 Way Switch	E3031H2FWWW	880	1	E3031V2FWWW	880	1
10AX 250V 2 Gang 1 Way Switch	E3032H1FWWW	1,247	1	E3032V1FWWW	1,247	1
10AX 250V 2 Gang 2 Way Switch	E3032H2FWWW	1,455	1	E3032V2FWWW	1,455	5
10AX 250V 3 Gang 1 Way Switch	E3033H1FWWW	1,768	1	E3033V1FWWW	1,768	5
10AX 250V 3 Gang 2 Way Switch	E3033H2FWWW	2,085	5	E3033V2FWWW	2,085	5
10AX 250V 4 Gang 1 Way Switch	E3034H1FWWW	2,281	1	-	-	-
10AX 250V 4 Gang 2 Way Switch	E3034H2FWWW	2,692	1	-	-	-

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

NEO - Face the Future



E3031VBP>GS-OS



E3031VD20>EWWW-OS



E3426/10IS>GS-OS



EH3015/6>GS-OS



E3031TV>GS-OS



E3031RJ5E>WW-OS



E3031USB_GS



E3031USB_WW



E3032HDM>GS-OS



E3031EKTH>WW-OS

Description	Horizontal Dolly Reference	Unit MRP [₹]	Pack	Vertical Dolly Reference	Unit MRP [₹]	Pack
Bell Push						
4A 1 Way Horizontal Bell Push Switch	E3031HBP>GS-OS	1,686	1	E3031HBP>WW-OS	1652	1
4A 1 Way Vertical Bell Push Switch	E3031VBP>GS-OS	1,658	1	E3031VBP>WW-OS	1629	1
DP Switches						
1 Gang Horizontal 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031HD20EBGS	1,404	1	E3031HD20EWWW	1368	1
1 Gang Vertical 20A DP Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VD20>EBGS-OS	1,368	1	E3031VD20>EWWW-OS	1322	1
1 Gang 32A DP Rocker Switch with Blue LED for Grey Switch and White LED for White Switch	E3031DR32EBGS	2,056	1	E3031DR32EWWW	1981	1
Intermediate Switch						
16AX Intermediate Switch with Blue LED for Grey Switch and White LED for White Switch	E3031VIA>EBGS-OS	2,218	1	E3031VIA>EWWW-OS	2131	1
Socket						
15A 1 Gang Switch Socket Outlet Grey with Blue LED for Grey Socket and White LED for White Socket	E3015/15-EBGS-EX	2,408	1	E3015/15-EWWW-EX	2339	1
10A International Socket	E3426/10IS>GS-OS	1,883	1	E3426/10IS>WW-OS	1802	1
6A 1 Gang Switch Socket Outlet	EH3015/6>GS-OS	1,392	1	EH3015/6>WW-OS	1340	1
6/16A 1 Gang Switch Socket Outlet	EH3015/16/6>GS-OS	1,946	1	EH3015/16/6>WW-OS	1900	1
Fan Regulators & Dimmers						
1 Gang Fan Control	E3031FRGS	2,253	3	E3031FRWW	2038	3
1 Gang Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3031HD>EBGS-OS	13,496	1	E3031HD>EWWW-OS	13364	1
2 Gang Horizontal Dimmer with Blue LED for Grey Dimmer and White LED for White Dimmer	E3032HD>EBGS-OS	23,667	1	E3032HD>EWWW-OS	23008	1
Accessories						
1 Gang TV Socket Outlet	E3031TV>GS-OS	1,253	1	E3031TV>WW-OS	1222	1
2 Gang TV Socket Outlet	E3032VTV>GS-OS	2,443	1	E3032VTV>WW-OS	1260	1
4 Pin 1 Gang Telephone Outlet (CAT 3)	E3031RJ>GS-OS	1,455	1	E3031RJ>WW-OS	1381	1
4 Pin 1 Gang 8 Pin Data Outlet (CAT 5E)	E3031RJ5E>GS-OS	3,847	1	E3031RJ5E>WW-OS	3708	1
4 Pin 2 Gang Telephone Outlet (CAT 3)	E3032RJ>GS-OS	2,599	1	E3032RJ>WW-OS	2443	1
4 Pin Telephone Outlet (CAT 3) + 8 Pin Data Outlet (CAT 5E)	E3032TD>GS-OS	4,741	1	E3032TD>WW-OS	4586	1
25A Connection Unit	E3031TB>GS-OS	1,102	1	E3031TB>WW-OS	1056	1
1 Gang Blank Plate	E3030X>GS-OS	712	1	E3030X>WW-OS	679	1
2 Gang Blank Plate	ET3030X>GS-OS	1,588	1	ET3030X>WW-OS	1530	1
USB Charger						
1 x 2.1A USB Charger	E3031USB_GS	5,345	1	E3031USB_WW	5114	1
1 x 2.1A USB Charger(ISI)	E3031USB_GS_G8	5,345	10	E3031USB_WW_G8	5114	10
Hotel Series						
2 Gang "Do Not Disturb" & "Please Clean Up" Combined (Horizontal)	E3032HDM>GS-OS	7,317	1	E3032HDM>WW-OS	7092	1
1 Gang "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3030VDM>GS-OS	6,815	1	E3030VDM>WW-OS	6445	1
1 Gang Bell Push with "Please Clean Up" Combined (Vertical)	E3031VBPM>GS-OS	5,590	1	E3031VBPM>WW-OS	5388	1
1 Gang Bell Push with "Do not Disturb" Combined (Vertical)	E3031VBPD>GS-OS	5,590	1	E3031VBPD>WW-OS	5388	1
1 Gang Bell Push with "Do Not Disturb" & "Please Clean Up" Combined (Vertical)	E3031VBPDM>GS-OS	5,590	1	E3031VBPDM>WW-OS	5388	1
Electronic Key Card Switch (Horizontal)	E3031EKTH>GS-OS	15,500	1	E3031EKTH>WW-OS	15090	1
115/240V Shaver Outlet (Vertical)	ET3727V>GS-OS	8,044	1	ET3727V>WW-OS	7889	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ULTI Impress - The Ultimate Switch



- **Super Stylish** - Single piece face plate with maximized space for plate along with soft radiant blue/amber backlight for switches
- **Multiple Finish Options** - Crystal Glass, Champagne Gold, Brushed Silver, Pearl White
- **Technological Marvel** - Mechanical switch with touch and feel of electronic switch with patented impress mechanism
- **Strength & Durability** - Ionized metal grid for back housing plate
- **Automation Alignment** - Lighting Control & Automation available in same finish



1 Gang Switch with Crystal Glass Plate



2 Gang Switch with Pearl White Plate



4 Gang Switch with Brushed Silver Plate



Bell Push with Champagne Gold Plate



6-16A Switched Socket with Crystal Glass Plate

Description	Colour	Reference	Unit MRP [₹]	Pack
Switches				
1 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U201SPM/1>B00-OS	4,804	1
1 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U201SPM/2>B00-OS	5,203	1
Cover Plate for 1 Gang Switch	Brushed Silver	UC21SW/P>XBS-OS	1,444	1
	Champagne Gold	UC21SW/P>XCG-OS	1,444	1
	Crystal Glass	UC21SW/P>XGL-OS	6,200	1
	Pearl White	UC21SW/P>XPW-OS	1,444	1
2 Gang 250V 16AX 1 Way Switch module with Blue LED	Module	U202SPM/1>B00-OS	6,405	1
2 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U202SPM/2>B00-OS	7,193	1
Cover Plate for 2 Gang Switch	Brushed Silver	UC22SW/P>XBS-OS	2,058	1
	Champagne Gold	UC22SW/P>XCG-OS	2,058	1
	Crystal Glass	UC22SW/P>XGL-OS	7,093	1
	Pearl White	UC22SW/P>XPW-OS	2,058	1
4 Gang 250V 16AX, 1 Way Switch module with Blue LED	Module	U204SPM/1>B00-OS	10,889	1
4 Gang 250V 16AX 2 Way Switch module with Blue LED	Module	U204SPM/2>B00-OS	12,269	1
Cover Plate for 4 Gang Switch	Brushed Silver	UC24SW/P>XBS-OS	3,266	1
	Champagne Gold	UC24SW/P>XCG-OS	3,266	1
	Crystal Glass	UC24SW/P>XGL-OS	8,600	1
	Pearl White	UC24SW/P>XPW-OS	3,266	1
Double Pole Switch				
1 Gang 250V 20A Double Pole Switch module with Blue LED	Module	U201SPM/DP>B00-OS	6,405	1
Cover Plate for 1 Gang DP Switch	Brushed Silver	UC21DP/P>XBS-OS	2,000	1
	Champagne Gold	UC21DP/P>XCG-OS	2,000	1
	Crystal Glass	UC21DP/P>XGL-OS	6,006	1
	Pearl White	UC21DP/P>XPW-OS	2,000	1
Bell Push				
Bell Push Switch Module with Blue LED	Module	US31BPB00	2,452	1
Cover Plate for Bell Press Switch	Brushed Silver	UC31BPXBS	1,958	1
	Champagne Gold	UC31BPXCG	1,958	1
	Crystal Glass	UC31BPXGL	6,405	1
	Pearl White	UC31BPXPW	1,958	1
Sockets				
6-16A Switched Socket	Module	US15/616000	5,691	1
Cover Plate for 6-16A Switched Socket	Brushed Silver	UC15/616XBS	3,066	1
	Champagne Gold	UC15/616XCG	3,066	1
	Crystal Glass	UC15/616XGL	8,001	1
	Pearl White	UC15/616XPW	3,066	1
6A 2/3 Pin Switched Socket	Module	US15/6U000	4,814	1
Cover Plate for 6A 2/3 Pin Switched Socket	Brushed Silver	UC15/6UXBS	2,625	1
	Champagne Gold	UC15/6UXCG	2,625	1
	Crystal Glass	UC15/6UXGL	6,794	1
	Pearl White	UC15/6UXPW	2,625	1
International Socket				
International Socket	Module	US426/16IS000	2,914	1
Cover Plate for International Socket	Brushed Silver	UC426/16ISXBS	2,048	1
	Champagne Gold	UC426/16ISXCG	2,048	1
	Crystal Glass	UC426/16ISXGL	5,801	1
	Pearl White	UC426/16ISXPW	2,048	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

ULTI Impress - The Ultimate Switch



Data Socket with Brushed Silver Cover Plate



Twin Data Socket with Crystal Glass Cover Plate



Keycard switch with Brushed Silver Cover Plate



Shaver Socket with Champagne Gold Cover Plate

Description	Colour	Reference	Unit MRP ₹	Pack
Accessories				
TV Socket Module	Module	US31TV000	2,452	1
	Brushed Silver	UC31TVXBS	2,352	1
	Champagne Gold	UC31TVXCG	2,352	1
Cover Plate for TV Socket	Crystal Glass	UC31TVXGL	7,796	1
	Pearl White	UC31TVXPW	2,352	1
	Module	UD31RJ000	3,066	1
	Brushed Silver	UDC31RJXBS	2,352	1
Cover Plate for Data Socket	Champagne Gold	UDC31RJXCG	2,352	1
	Crystal Glass	UDC31RJXGL	7,791	1
	Pearl White	UDC31RJXPW	2,352	1
	Module	UD32TD000	4,688	1
Twin Data Socket Module	Brushed Silver	UDC32TDXBS	2,352	1
	Champagne Gold	UDC32TDXCG	2,352	1
	Crystal Glass	UDC32TDXGL	7,896	1
	Pearl White	UDC32TDXPW	2,352	1
Cover Plate for Twin Data Socket	Module	US31X000	2,809	1
	Brushed Silver	UC31XXBS	2,557	1
	Champagne Gold	UC31XXCG	2,557	1
	Crystal Glass	UC31XXGL	5,213	1
Blank Module Module	Pearl White	UC31XXPW	2,557	1
	White	US31USB_WE	3,775	1
	Grey	US31USB_GY	3,775	1
	White	US31USB_WE_G8	3,775	1
1 Gang 2.1A USB Charger Module	Grey	US31USB_GY_G8	3,775	1
	White	US31USB_WE_G8	3,775	1
Cover Plate for 1 Gang 2.1A USB Charger	Brushed Silver	UC31USB_XBS	2,520	1
	Champagne Gold	UC31USB_XCG	2,520	1
	Crystal Glass	UC31USB_XGL	7,523	1
	Pearl White	UC31USB_XPW	2,520	1
	Module	US31X000	2,809	1
Hotel Series				
Keycard Switch with Cover Plate	Brushed Silver	U31EKTHBBS	11,093	1
	Champagne Gold	U31EKTHACG	11,093	1
	Crystal Glass	U31EKTHBGL	14,606	1
	Pearl White	U31EKTHBPW	11,093	1
Shaver Socket with Cover Plate	Brushed Silver	US727HXBS	9,366	1
	Champagne Gold	US727HXCG	9,366	1
	Crystal Glass	US727HXGL	13,645	1
	Pearl White	US727HXPW	9,366	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Kavacha - Weather Protected Series



WHT20-GY-EX



CSW110-GY-EX



A3031WBP_WE

- Pleasing looks with **IP56 protection**
- Large press switch
- Co-moulded sealing with no risk of gasket damage
- Chemical resistant & UV stabilised

Description	Reference	Unit MRP [₹]	Pack
Kavacha IP56 Surface Mount Switches			
Switches with Looping Terminal			
10A 1 Gang 2 Way Switch	CSW110-GY-EX	2,015	1
20A/16A 1 Gang 2 Way Switch	CSW120-GY-EX	2,312	1
10 A 2 Gang 2 Way Switch	CSW110/2-GY-EX	2,742	1
20A/16A 1 Gang 2 Way Switch	CSW120/2-GY-EX	3,071	1
10A 1 Gang 2 Way Bell Press Return Switch	CSW110BPR-GY-EX	2,334	1
Switches with Looping Terminal with Neon			
10 A 1 Gang 2 Way surface switch with Looping Terminal with Neon	CSW110N-GY-EX	2,294	1
10A 2 Gang 2 Way with Looping Terminal and Neon	CSW110/2N-GY-EX	2,912	1
20A 1 Gang 2 Way with Looping Terminal with Neon	CSW120N-GY-EX	3,513	1
20A/16A 2 Gang 2 Way with Looping Terminal with Neon	CSW120/2N-GY-EX	3,546	1
Double Pole Switches			
20A 1 Gang Double Pole Switch	CSW220-GY-EX	3,165	1
20A 2 Gang Double Pole Switch	CSW220/2-GY-EX	3,308	1
Kavacha Heavy Duty Isolator Switches			
20A Double Pole	WHB220-RG	3,489	1
20A Triple Pole	WHT20-GY-EX	3,859	1
35A Triple Pole	WHT35-GY-EX	4,338	1
55A Triple Pole	WHT55-GY-EX	4,618	1
63A Triple Pole	WHT63-GY-EX	4,942	1
Kavacha IP56 Surface Mount Combined Switched Socket Outlets			
Combination Switch Socket Outlets			
16A Single Pole Switched Socket Outlet	CSC316RP-GY-EX	3,330	1
16A Single Pole Switched Socket Outlet with Neon	CSC316RPN-GY-EX	3,589	1
Kavacha IP56 Surface Mount Socket Outlets			
16A Socket Outlet	CSO316RP-GY-EX	1,971	1
Kavacha Full-Time Weatherproof Cover			
Full-Time Weatherproof Single Gang Socket Cover (Transparent) IP55	E223R_TR	811	1

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Metal Boxes



- **Weld free design** to minimize corrosion and rusting without compromising on strength
- Mounting clip and earth pin designed for **easier installation** and to **avoid loss during transportation**
- Removable side plates and optimized knock outs and for **easier wiring**
- Completely tested & validated as per **IS 14772**

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for Indian Format Ranges (Livia, Opale Clipsal X, Unica Pure & ZENcelo India) NEW			
0.8 mm thickness			
Metal Box 1 & 2 modules	ME0102	89	20
Metal Box 3 modules	ME0103	115	20
Metal Box 4 modules	ME0104	132	20
1 mm thickness			
Metal Box 1 & 2 modules	MR1102	99	20
Metal Box 3 modules	MR1103	130	20
Metal Box 4 modules	MR1104	150	20
Metal Box 6 modules	MR1106	204	10
Metal Box 8 modules - Horizontal	MR1108	264	10
Metal Box 8 modules - Square	MR1109	264	10
Metal Box 12 module	MR1112	340	5
Metal Box 18 modules	MR1118	402	5

Description	Reference	Unit MRP [₹]	Pack
Metal Boxes for BS Format Ranges (AvatarON, ZENcelo BS, NEO, ULTI) - New & Improved Design NEW			
Use Bracket/Frame to ensure alignment of switches on 2/3/4 Gang Metal Box (refer to Avataron section for references)			
1 mm thickness			
2 GANG GI Metal Boxes	MM1102	247	20
3 GANG GI Metal Boxes	MM1103	350	20
4 GANG GI Metal Boxes	MM1104	453	20

- Special Metal Box with Gang Partition to accommodate BS format ranges
- Single Metal Box can accommodate up to 4 units
- Number of Gangs for Metal Box = Number of units that it can accommodate (Eg. 3 GANG Metal Box can accommodate up to 3 BS format Units)

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

EzInstall 3 - ULTI ZIGBEE



Crystal Glass



Brushed Silver



Champagne Gold



Pearl White

- 2 wire design, True Retrofit
- Intelligent dimmer with Auto Load Detection feature
- Capability to dim or switch on/off different load types (in case of non dimmable loads connected to dimmer)
- Very high network scalability with Peer to Peer Mesh technology
- Each unit (switch, dimmer) is a repeater – no need for any additional repeater
- Moods created at a touch of a button
- ZigBee protocol is based on the IEEE802.15.4 standard and works on 2.4GHz radio frequency

Description	Catalogue No.	Unit MRP [₹]
1 Gang 2000VA Zigbee Switch	U201SRY2KWZB	23018
1 Gang Switch Coverplate - Brushed Silver	UC21SWXBS	1912
1 Gang Switch Coverplate - Pearl White	UC21SWXPW	1912
1 Gang Switch Coverplate - Champagne Gold	UC21SWXCG	1825
1 Gang Switch Coverplate - Crystal Glass	UC21SWXGL	8856
2 Gang 2X1000VA Zigbee Switch	U202SRY2KWZB	27803
2 Gang Switch Coverplate - Brushed Silver	UC22SWXBS	2659
2 Gang Switch Coverplate - Pearl White	UC22SWXPW	2659
2 Gang Switch Coverplate - Champagne Gold	UC22SWXCG	2538
2 Gang Switch Coverplate - Crystal Glass	UC22SWXGL	8923
1 Gang 550W Zigbee Dimming Switch	U201DST600ZB	24900
1 Gang Dimmer Coverplate - Brushed Silver	UC21DMXBS	3061
1 Gang Dimmer Coverplate - Pearl White	UC21DMXPW	3061
1 Gang Dimmer Coverplate - Champagne Gold	UC21DMXCG	3061
1 Gang Dimmer Coverplate - Crystal Glass	UC21DMXGL	9244
2 Gang 2X300W Zigbee Dimming Switch	U202DST600ZB	28865
2 Gang Dimmer Coverplate - Brushed Silver	UC22DMXBS	3061
2 Gang Dimmer Coverplate - Pearl White	UC22DMXPW	3061
2 Gang Dimmer Coverplate - Champagne Gold	UC22DMXCG	3061
2 Gang Dimmer Coverplate - Crystal Glass	UC22DMXGL	11606
1 Gang 300VA Zigbee Curtain Control Switch	U201SCN300ZB	30159
1 Gang Curtain Coverplate - Brushed Silver	UC21CNXBS	2750
1 Gang Curtain Coverplate - Pearl White	UC21CNXPW	2750
1 Gang Curtain Coverplate - Champagne Gold	UC21CNXCG	2750

Description	Reference	Unit MRP [₹]
1 Gang 16A Zigbee Double Pole	U301SDP16AZB	26047
1 Gang DP Cover Plate – Crystal Glass	UC21DPXGL	8639
1 Gang DP Cover Plate – Pearl White	UC21DPXPW	2726
1 Gang DP Cover Plate – Brushed Silver	UC21DPXBS	2850
1 Gang DP Cover Plate – Champagne Gold	UC21DPXCG	2478

Description	Catalogue No.	Unit MRP [₹]
1 Gang Curtain Coverplate - Crystal Glass	UC21CNXGL	7940
2 Gang 2X300VA Zigbee Curtain Control Switch	U202SCN600ZB	30322
2 Gang Curtain Coverplate - Brushed Silver	UC22CNXBS	3061
2 Gang Curtain Coverplate - Pearl White	UC22CNXPW	3061
2 Gang Curtain Coverplate - Champagne Gold	UC22CNXCG	3061
2 Gang Curtain Coverplate - Crystal Glass	UC22CNXGL	11079
500W ZigBee IND PlugAdaptor Dimmer Wh	U104ND500ZB_WE	23801
Zigbee Handheld Remote Controller	U105RHH001ZB	16953
2 Key Zigbee Freelocate Switch, Brushed Silver	U102RWMZB_XBS	10823
2 Key Zigbee Freelocate Switch, Champagne Gold	U102RWMZB_XCG	10823
2 Key Zigbee Freelocate Switch, Pearl White	U102RWMZB_XPW	10823
6 Key Zigbee Freelocate Switch, Brushed Silver	U106RWMZB_XBS	14629
6 Key Zigbee Freelocate Switch, Champagne Gold	U106RWMZB_XCG	14629
6 Key Zigbee Freelocate Switch, Crystal Glass	U106RWMZB_XGL	22099
6Key Zigbee Freelocate Switch, Pearl White	U106RWMZB_XPW	15265
Zigbee IR Gateway	U301RSDMZB	25904
Zigbee IP Gateway	U301PGWZB	26789
Zigbee Analog Module	U30010V	13659

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Hotel Series

ULTI ELV



- ULTI style, state-of-art lighting control and electrical automation scheme for hotel guest room control, offering sophisticated design
- Light touch buttons equipped with LED backlight enable guest to locate switch in a dark environment
- Comparative with Universal Input/ Output module (Room Logic Gateway -RLG) or third party guestroom control system

Description	MOQ	Reference	Unit MRP [₹]
DND/PCU Control Switch	1	US32DMRJ000	4657
Cover Plate for DND/PCU Switch	50	UC32HDMSXCG	3234
Cover Plate for DND/PCU Switch	1	UC32HDMSXBS	3234
Cover Plate for DND/PCU Switch	50	UC32HDMSXGL	6652
Cover Plate for DND/PCU Switch	1	UC32HDMSXPW	3234
DND/PCU Indicator w/Bell Press (Blue)	1	US33DMRJB00	3827
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXCG	3234
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXBS	3234
Cover Plate for DND/PCU with bell push switch	1	UC33HBPDMXGL	6652
Cover Plate for DND/PCU with bell push switch	50	UC33HBPDMXPW	3087
Cardkey Switch (Low Voltage)	15	U31EKTHLVBBS	9790
1 Gang ELV Switch (Blue)	1	U201SPM_RJ_B00	2616
Coverplate for 1 Gang ELV switch	1	UC21SWXCG	1824
Coverplate for 1 Gang ELV switch	1	UC21SWXBS	1911

Description	MOQ	Reference	Unit MRP [₹]
Coverplate for 1 Gang ELV switch	1	UC21SWXGL	8856
Coverplate for 1 Gang ELV switch	1	UC21SWXPW	1911
2 Gang ELV Switch- BLUE	1	U202SPM_RJ_B00	3229
Coverplate for 2 Gang ELV switch	1	UC22SWXCG	2538
Coverplate for 2 Gang ELV switch	1	UC22SWXBS	2659
Coverplate for 2 Gang ELV switch	1	UC22SWXGL	8922
Coverplate for 2 Gang ELV switch	1	UC22SWXPW	2658
4 Gang ELV Switch- BLUE	1	U204SPM_RJ_B00	4742
Coverplate for 4 Gang ELV switch	50	UC24SW_XCG	2577
Coverplate for 4 Gang ELV switch	50	UC24SW_XBS	2461
Coverplate for 4 Gang ELV switch	50	UC24SW_XGL	9525
Coverplate for 4 Gang ELV switch	50	UC24SW_XPW	2577

Colours Available (suffix as in coverplates above)

BS	Brushed Silver
PW	Pearl White
CG	Champagne Gold
GL	Crystal Glass
GL	Crystal Glass

Neo ELV



Description	MOQ	Reference	Unit MRP [₹]
Bell Push with DND and MMR Indicator	1	E3031DMBLVEGGS	4990
DND/MMR Control switch	1	E3032DMLV>EAGS-OS	4163
Key card switch with Amber LED	60	E3031EKTHLVEAGS	7906

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Hotel Series

Zencelo ELV



Description	MOQ	Reference	Unit MRP ₹
1 Gang Sw W/ LED Indicator	1	E8431LV	2755
2 Gang Sw W/ LED Indicator, SZ	1	E8432LV_SZ	3973
3 Gang Sw W/ LED Indicator	1	E8433LV	4263
3 Gang Sw W/ LED Indicator, SZ	1	E8433LVSZ	6222
EIV Keycard Switch, SZ	50	E8431EKTLVSZ	7216
1 Gang Sw W/ DND, SZ	1	E8431DSLVSZ	2558
2 Gang Sw W/ DND & PCU, SZ	1	E8432DMSLVSZ	3377
Bell Press W/ DND & PCU Indicator, SZ	1	E8431BDMLVSZ	4326

Colours Available (suffix as above)

SZ Silver Bronze

No suffix after LV White Colour

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020



Make your home smart with our Wisier - Smart Homes offering.

- Easy to operate
- Easy to maintain
- Easy to control
- Easy on pocket

A solution which blends with your existing Switches and all this without any change in Wiring.

With the Internet of Things taking over the lives, automation has made lives simpler and homes smarter.

Smart homes are the base to smart cities and a much secure lifestyle. It is a connected home technology that is designed to automate functions and grant you control over the property.

- Set the schedule, and the rest is automated and based on your personal preferences thus providing convenience, control, money savings, and an overall smarter home.
- Alerts about lights still switched on after leaving the house
- Make personalizations to the home using just an app

Once there were smart homes, now there are Wisier™.

Smart homes are about technologies. Wisier Homes evolve around people. It adds a new dimension - being Stylish, Living Well and Eco-friendly Interlinks the electrical, multi-media and telecommunication worlds with a single and user-friendly solution - enabling you to monitor, control and access your home beyond physical boundaries at anytime, anywhere.

Features

- Integrates with any existing switch.
- Interlinks the electrical, multi-media and telecommunications worlds through Wi-Fi, providing
 - True and easy integration for devices from different brands and makes.
- The intuitive graphic user interface with jargon-free language and self-explanatory icons is easy-to-use, while the interface is consistent across different control devices and no need to spend extra time to learn different control interfaces.
- Control and access home anywhere and at any time through the secured wireless connection.
 - With time scheduling, scene control



SE Ref.	Description of reference	Unit LP [₹]
IH14000100	4 Channel Automation Relay	12786
IH101ZWIFI	Automation Gateway	35987
IH12001010	1 Channel Analog Dimmer + 1 Channel Fan Controller	15786
IH11000200	Curtain Controller	14915

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Surface and Flush Mount Occupancy Sensors



PIR, Ultrasonic Sensors & High Frequency sensor suitable for both Surface & Flush Mount

Description	Reference	Unit MRP [₹]
Surface Mount Single-Load 360 degrees PIR	CSS54E_WE	3241
Flush/Surface Mount Single-Load 360 degrees PIR	SAE-UE-MS-CSAWE	3835
ARGUS Presence Dual-Tech PIR & Ultrasonic Sensor - 1ch	CCT551011	15575
ARGUS Presence Dual-Tech - 2ch	CCT551012	14515
ARGUS IR Remote Controller Dual-Tech	CCT556011	8857
ARGUS Presence High Frequency High Bay Sensor - 2ch	CCT551023	15575
ARGUS IR Remote Controller HF	CCT556023	8857
ARGUS Presence Wide Sense - 2ch	CCT551003	12565
ARGUS IR Remote Controller Wide range PIR	SAE-UE-MS-IR-WE	4165

PIR Flush Mount Sensors

Description	Reference	Unit MRP [₹]
ARGUS Standard min 360° False ceiling indoor movement detector	CCT570005	4577
ARGUS Standard 360° False ceiling indoor movement detector - 2ch	CCT570003	6648
Flush Mount Dual load 360 degrees standalone sensor	SAE-UE-MS-CDBWE	7652

Dimmable Sensors with Light Regulation

0-10V Analogue & Dali Dimmable Sensor

Description	Reference	Unit MRP [₹]
Flush/Surface Mount Dual Load 360° PIR, 0-10V Analogue Dimmable Sensor with remote	SAE-UE-MS-CDDWE	9347
ARGUS Presence DALI 230V - 2 zones	CCT552006	15230
ARGUS Presence DALI 230V - Slave	CCT555006	10106
ARGUS IR Remote Controller DALI	CCT556006	8857
ARGUS Presence Master with IR, DALI	MTN5510-1519	16872

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Wall Mount Sensors



BS standard Outdoor IP55 sensor

Description	Reference	Unit MRP [₹]
Neo C-Metro 200 degrees wall mount sensor, grey colour	E3751MS3C_GS	4316
Neo C-Metro 90 degrees wall mount sensor, grey colour	E3751MS3A_GS	4316
Zencelo 110 degrees wall mount sensor, white colour	E84751MS3B_WE	4259
Zencelo 90 degrees wall mount sensor, white colour	E84751MS3A_WE	4259
Argus 110 Electronic outdoor movement detector, angle of detection 110 degrees, max. range 12 mtrs, IP55 protection	MTN565119	6483
Argus 220 Electronic movement detector for outdoor ceiling mounting angle of detection 220 degrees, max. range 12 mtrs, IP55 protection	MTN565219	10002
Accessories		
Mounting bracket for Argus 110 and Argus 220 Sensors	MTN565291	865

Hotel - ELV Dual Motion Sensor

Description	Reference	Unit MRP [₹]
ELV DUAL TECH MOTION SENSOR	SAE_UE_MS_CULV_WE	11008

Timers & Time Switches

Digital Time Switches



- 7D, 24H Programmable switch .Voltage Rating: 230V AC +10%, -15%
- Consumption: 1 channel - max. 4VA; 2 channels - max. 7VA
- Memory: Upto 56 Switching Operations
- Back up of program & time by lithium battery: Operating reserve: 6 Years
- Overall dimensions: 5 modules
- Cable length: 100m
- Minimum time between two switching operations: 1 min

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IHP 1C w (24h/7d) programmable time switch	2.5	CCT15441	10162
IHP+ 1C (24h/7d) SMARTw programmable time switch	2.5	CCT15551	12537
IHP 2C w (24h/7d) programmable time switch	2.5	CCT15443	13108
IHP DCF (24h/7d) SMART programmable time switch	2.5	CCT15858	21096
IHP+ 2C (24h/7d) SMARTw programmable time switch	2.5	CCT15553	14785

Timers



- Switching capacity 16 A, max
- Delay range from 30 sec to 20 min
- Capacity for lighted pushbutton 150 mA
- Electric distribution busbar compatibility
- Output power capacity CCT15232-2300W
- Output power capacity CCT15223-3600W

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
MINs - electronic timer - 0.5 to 20 min	1	CCT15232	5740
MINs - electronic timer - 0.5 to 20 min with switch Off Warning	1	CCT15233	7739
MINs - electronic timer - 0.5 to 20 min with switch Off Warning and Impulse relay function	1	CCT15234	7792

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Twilight switch



- Includes wall mounted cell
- Adjustable brightness threshold 2 to 2000 Lux
- 2 LEDs to signal the sensor status and the output status
- Test button: To check the product and load cabling
- Switching capacity: 16Amp
- Screwless Terminals compatible with rigid and flexible wires
- Consumption 6 VA
- Size 45mm

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IC2000 outdoor (2 - 2000 lux) twilight switch	1	CCT15369	12342
Analogue indoor light sensor cell	-	CCT15262	6212
Wall mounted Analogue outdoor light sensor cell	-	CCT15263	9439
IC100 (2 - 100 lux) twilight switch	1	CCT15482	10382
IC2000 indoor (2 - 2000 lux) twilight switch	1	CCT15285	9252
IC2000p+ (2 - 2000 lux) programmable twilight switch	2.5	CCT15483	22955
IC100kp+ 1C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15494	26455
IC100kp+ 2C (1 - 99000 lux) SMART programmable twilight switch	2.5	CCT15495	33546
IC Astro 2C SMART programmable twilight switch	2.5	CCT15245	23995
IC Astro 1C SMART programmable twilight switch	2.5	CCT15225	18863

Time switch accessories

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
Programming kit for IHP / IC	1	CCT15860	9799

Analog Timers



Analog Time Switches

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
IH 24H 16 A 15 mts interval 1 channel	1	15336	4728
IH 24H 16 A 30 mts interval 1 channel	1	CCT15365	5157
IH 24H + 7 day 10 A 1 channel- Max 16 On, 16 Off and 7 On + 7 Off cycles	3	15366	7935
IH 7 day 16 A 1 channel- Max 21 On and 21 Off cycles	3	CCT15367	7752
IH 24H 16 A 30 mts 1 channel without reserve	3	CCT16364	4189

Thermostat

Description	Module Width 18mm/module	Reference	Unit MRP [₹]
THP1+ 1C (24h/7d) programmable thermostat	2.5	CCT15834	22957

Please contact Customer Care Center for Stockable and Non stockable status of references.

NORMAL STOCK ITEMS

W.E.F. August 01st, 2020

Life Is 

Schneider
Electric

Schneider Electric India Pvt. Ltd.

Corporate Office: 9th Floor, DLF Building No. 10, Tower C, DLF Cyber City, Phase II, Gurugram 122002 Haryana
Tel.: ++91 124 3940400 Fax: ++91 124 4222036/ 037

Ahmedabad
Schneider Electric India (P) Ltd.
1506-1507, 15th Floor Shapth-5,
SG Highway, Ahmedabad - 380015
Tel.: 079-66826701

Cochin
Schneider Electric India (P) Ltd.
41 / 406- D1,3rd Floor, Beejay
Towers,
Rajaji Road Cochin- 682035
Tel.: 0484-3048401

Ludhiana
Schneider Electric India (P) Ltd.
Office No. - 3, 5th Floor, Novelty Plaza
Bhaiwala Chowk
Ludhiana- 140001
Tel.: 0161- 4656672-75

Secunderabad
D.No. 1-8-271, # 401, Ashoka Bhoopal
Chambers, SP Road,
Secunderabad - 500003
Tel.: 04039404000
Fax.: 040-39131313

Bengaluru
Schneider Electric India (P) Ltd.
No. 3/1, JP Techno Park,
Mezzanine Floor, Millers Tank Bund
Road, Vasanth Nagar,
Bengaluru - 560052. Tel.: 080-71481351

Coimbatore
Schneider Electric India (P) Ltd.
No. -104, Classic Tower, 3rd Floor,
Trichy Road, Coimbatore- 641018
Tel.: 0422-3940400

Mumbai
Schneider Electric India (P)(Ltd)
Marwah House, 2nd Floor
Krishanlal Marwah Marg,
Andheri (East), Mumbai - 400072
Tel.: 91-22-30263300

Vadodara
605 & 606, 6th Floor Ocean Building,
Opp.Vadodara Central, Sarabhai Road,
Vadodara-390005
Tel.: 0265-3940400

Bhubaneswar:
Schneider Electric India (P) Ltd.
6th Floor, Block A, JSS Software Technol-
ogy park , E 1/1 , Chandaka Industrial
Estate, Info City , Bhubaneswar -751025
Tel.: 0674-6672000

Jaipur
Schneider Electric India (P) Ltd.
Jaipur Business Centre 309, 3rd
Floor, Sangam Tower 190, Church
Road, Jaipur-302001
Tel.: 0141-3912903

Nagpur
Schneider Electric India (P) Ltd.
Fortune Business Centre, 6,
Basant Vihar, W.H.C Road
Shankar Nagar, Nagpur- 440010
Tel.: 0712-2558581

Vishakhapatnam
Schneider Electric India (P) Ltd.
Ratnam's Business Centre,
D.N.10-1-43, 1st Floor
Siripuram Fort,C.B.M.Compound,
Visakhapatnam- 530016
Tel.: 0891 - 2508990

Chandigarh
Schneider Electric India (P) Ltd.
2nd Floor of Tower A
Bestech Business Tower
Sector-66
Mohali- 160059
Tel.: 0172-3324500

Kolkata
Schneider Electric (I)Pvt.Ltd,
BP-4, Sector-V
Technopolis
3rd floor, Salt Lake City
Kolkata- 700 091
Tel.: 033-333640100-101

Nashik:
Schneider Electric India (P) Ltd.
401, 4th Floor Rishi Raj Towers, Jehan
Circle, Gangapur Road,
Nashik- 422013
Tel: +91-7620498557

Chennai
Schneider Electric India (P) Ltd.
No:29, 2nd floor, Bannari Amman Towers,
B-Block,RK Salai, Mylapore
Chennai - 600 004
Tel.:044- 39404000

Lucknow
Schneider Electric India (P) Ltd.
1st Floor, Asha Bhawan 27 / II -A,
Gokhale Marg, Lucknow- 226001
Tel.: 0522-4006010

Pune
Schneider Electric India (P) Ltd.
1st Floor, R.B. Business Centre
Above Dass Electronics
Sanghvi Nagar, Aundh, Pune- 411007
Tel.: 020-39404000

Customer Care Centre

Monday-Saturday, 9 a.m. to 8 p.m.

Toll-free numbers: 1800 419 4272, 1800 103 0011

Email: in.campaign@schneider-electric.com

For more information, visit our website at: www.se.com/in

- All Prices are in Indian Rupees.
- Prices are subject to change without notice.
- Prices charged will be as prevailing on the date of dispatch.
- Maximum Retail Price (MRP) is inclusive of all taxes

- Tax incidence on invoices is basis applicable GST rates. Invoice amount not to exceed MRP.
- Invoice Amount = (MRP – less Applicable discount) + Applicable GST %

Distributor